

Safety Data Sheet GET8150

Date of issue: 01/09/2015 Revision date: 04/08/2019 Version: 1.1

#### **SECTION 1: Identification**

#### 1.1. Identification

Product name : TRICHLOROGERMANE

Product code : GET8150
Product form : Substance
Physical state : Liquid
Formula : Cl3GeH

Synonyms : HYDRIDOGERMANIUM TRICHLORIDE; GERMACHLOROFORM

Chemical family : GERMANIUM CHLORIDE

### 1.2. Recommended use and restrictions on use

Recommended use : Chemical intermediate

#### 1.3. Supplier

#### GELEST, INC.

11 East Steel Road Morrisville, PA 19067

**USA** 

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

## **SECTION 2: Hazard(s) identification**

#### 2.1. Classification of the substance or mixture

#### **GHS-US** classification

Flammable liquids Category 2 Skin corrosion/irritation Category 1A

Serious eye damage/eye irritation Category 1

Specific target organ toxicity (single exposure) Category 3

Full text of H statements : see section 16

H225 Highly flammable liquid and vapor

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

H335 May cause respiratory irritation

## 2.2. GHS Label elements, including precautionary statements

#### **GHS US labeling**

Hazard pictograms (GHS US)







Signal word (GHS US) : Danger

Hazard statements (GHS US) : H225 - Highly flammable liquid and vapor

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage H335 - May cause respiratory irritation

Precautionary statements (GHS US) : P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P210 - Keep away from heat, sparks, open flames. - No smoking.

P240 - Ground/Bond container and receiving equipment

P241 - Use explosion-proof electrical equipment

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P260 - Do not breathe vapors.

P264 - Wash hands thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area.

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting

P303+P361+P353 - If on skin (or hair): take off immediately all contaminated clothing. rinse

skin with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a doctor

P363 - Wash contaminated clothing before reuse.

P370+P378 - In case of fire: Use foam, carbon dioxide, dry chemical to extinguish. P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

Print date: 04/10/2019 EN (English US) SDS ID: **GET8150** Page 1

## Safety Data Sheet

P403+P235 - Keep in a cool place

P405 - Store locked up.

P501 - Dispose of contents/container to licensed waste disposal facility.

## 2.3. Hazards not otherwise classified (HNOC)

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

3.1. Substances

Substance type : Multi-constituent
Name : TRICHLOROGERMANE

CAS-No. : 1184-65-2

Name	Product identifier	%	GHS-US classification
Trichlorogermane	(CAS-No.) 1184-65-2	> 95	Flam. Liq. 2, H225 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335
Other Germanium chlorides		< 5	Not classified

Full text of hazard classes and H-statements : see section 16

#### 3.2. Mixtures

Not applicable

### **SECTION 4: First-aid measures**

### 4.1. Description of first aid measures

First-aid measures general : Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek

medical advice immediately (show the label where possible). If possible show this sheet; if not

available show packaging or label.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

advice/attention if you feel unwell.

First-aid measures after skin contact : Wash with plenty of soap and water. Get immediate medical advice/attention.

First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion : Never give anything by mouth to an unconscious person. Get medical advice/attention if you

feel unwell.

## 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : Causes severe skin burns and eye damage.

Symptoms/effects after inhalation : May be harmful if inhaled. May cause respiratory irritation.

Symptoms/effects after skin contact : Causes (severe) skin burns.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : May be harmful if swallowed.

## 4.3. Immediate medical attention and special treatment, if necessary

No additional information available

## **SECTION 5: Fire-fighting measures**

## 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Carbon dioxide. Dry chemical.

Unsuitable extinguishing media : Water spray should not be used for fires containing large quantities of trichlorogermane.

## 5.2. Specific hazards arising from the chemical

Fire hazard : Highly flammable liquid and vapor. Irritating fumes of hydrogen chloride and organic acid

vapors may develop when material is exposed to water or open flame.

Explosion hazard : May form flammable/explosive vapor-air mixture.

## 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : In case of fire: Stop leak if safe to do so. Exercise caution when fighting any chemical fire.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Avoid all eye and skin contact and do not breathe vapor and mist.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Eliminate every possible source of ignition. Use special care to avoid static electric charges.

Print date: 04/10/2019 EN (English US) SDS ID: **GET8150** 2/7

## Safety Data Sheet

### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Stop release.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or

shovel spills into appropriate container for disposal. Use only non-sparking tools.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapors are flammable.

Precautions for safe handling : Avoid all eye and skin contact and do not breathe vapor and mist. Containers must be properly

grounded before beginning transfer. Provide good ventilation in process area to prevent accumulation of vapors. Take precautionary measures against static discharge. Use only outdoors or in a well-ventilated area. Use only non-sparking tools. Avoid contact with water.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment. Proper grounding procedures to avoid static

electricity should be followed. Use explosion-proof electrical equipment.

Storage conditions : Keep container tightly closed.

Incompatible materials : Moisture.

Storage area : Store in a well-ventilated place. Store away from heat.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

TRICHLOROGERMANE (1184-65-2)				
AIHA	WEEL Ceiling (ppm)		0.5 ppm	

## 8.2. Appropriate engineering controls

Appropriate engineering controls : Provide local exhaust or general room ventilation.

## 8.3. Individual protection measures/Personal protective equipment

## Personal protective equipment:

Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

# Hand protection:

Neoprene or nitrile rubber gloves

## Eye protection:

Chemical goggles or face shield. Contact lenses should not be worn

## Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

NIOSH-certified combination organic vapor/acid gas (yellow cartridge) respirator.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Fuming. Cloudy liquid.

Molecular mass : 179.97 g/mol

Print date: 04/10/2019 EN (English US) SDS ID: **GET8150** 3/7

## Safety Data Sheet

Color : No data available

Odor : Acrid. Similar to hydrogen chloride.

Odor threshold : No data available
Refractive index : No data available
pH : No data available
Relative evaporation rate (butyl acetate=1) : No data available
Melting point : No data available

Freezing point : -71 °C Boiling point : 75 °C Flash point : 12 °C

Auto-ignition temperature : No data available

Decomposition temperature : > 140 °C

Flammability (solid, gas) : Highly flammable liquid and vapor

Vapor pressure : 9.2 mm Hg @ -10 °C; 80 mm Hg @ 20 °C

Relative vapor density at 20  $^{\circ}$ C : >1 Relative density : 1.93

Solubility : Reacts vigorously with water.

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosion limits : No data available

#### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No additional information available

## 10.2. Chemical stability

Stable in sealed containers. Under dry open conditions trichlorogermane patially dissociates to hydrogen chloride and germanium dichloride. In contact with moisture trichlorogermane reacts to form hydrogen chloride and germanium dioxide.

#### 10.3. Possibility of hazardous reactions

Reacts with water and moisture in air, liberating hydrogen chloride.

## 10.4. Conditions to avoid

Heat. Open flame. Sparks.

### 10.5. Incompatible materials

Moisture.

## 10.6. Hazardous decomposition products

Acid vapors. Germanium and its oxides. Germanium dichloride.

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes severe skin burns and eye damage.

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity – single exposure : May cause respiratory irritation.

Specific target organ toxicity - repeated

exposure

: Not classified

Print date: 04/10/2019 EN (English US) SDS ID: **GET8150** 4/7

## Safety Data Sheet

Aspiration hazard

: Not classified

Potential Adverse human health effects and

symptoms

Inhalation of large amounts is expected to cause necrosis of tracheal epithelium, bronchitis and

interstitial pneumonia.

Symptoms/effects after inhalation

May be harmful if inhaled. May cause respiratory irritation.

Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion

: Causes (severe) skin burns. : Causes serious eye damage. : May be harmful if swallowed.

: Expert judgment

## **SECTION 12: Ecological information**

#### **Toxicity**

Reason for classification

No additional information available

#### Persistence and degradability

No additional information available

#### Bioaccumulative potential

No additional information available

#### **Mobility in soil**

No additional information available

#### 12.5. Other adverse effects

Other adverse effects

: This substance may be hazardous to the environment.

Effect on the ozone layer

: No additional information available

## SECTION 13: Disposal considerations

#### **Disposal methods** 13.1.

Product/Packaging disposal recommendations

: Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to licensed waste disposal facility.

Additional information

Handle empty containers with care because residual vapors are flammable.

Ecology - waste materials

: Avoid release to the environment.

## **SECTION 14: Transport information**

#### 14.1. **UN** number

UN-No.(DOT) : 2924 DOT NA no. UN2924

#### **UN** proper shipping name 14.2.

Transport document description

: UN2924 Flammable liquids, corrosive, n.o.s. (TRICHLOROGERMANE), 3 (8), I

Proper Shipping Name (DOT)

: Flammable liquids, corrosive, n.o.s.

**TRICHLOROGERMANE** 

Class (DOT)

: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Packing group (DOT) Hazard labels (DOT)

: I - Great Danger 3 - Flammable liquid 8 - Corrosive





: 201 DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) : 243 DOT Packaging Exceptions (49 CFR 173.xxx) : None

: G - Identifies PSN requiring a technical name **DOT Symbols** 

14.3. Additional information

Emergency Response Guide (ERG) Number

: 132

Other information : No supplementary information available.

Print date: 04/10/2019 SDS ID: GET8150 EN (English US) 5/7

## Safety Data Sheet

#### Transport by sea

DOT Vessel Stowage Location : E - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length, but is prohibited from carriage on passenger vessels in which the limiting number of passengers is exceeded.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

#### Air transport

DOT Quantity Limitations Passenger aircraft/rail : 0.5 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 2.5 L

CFR 175.75)

### **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

### Trichlorogermane (1184-65-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2. International regulations

#### **CANADA**

#### Trichlorogermane (1184-65-2)

Listed on the Canadian NDSL (Non-Domestic Substances List)

#### **EU-Regulations**

#### Trichlorogermane (1184-65-2)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### **National regulations**

No additional information available

## 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

## **SECTION 16: Other information**

#### Full text of H-phrases::

H225	Highly flammable liquid and vapor
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation

Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling; APF: Assigned Protection Factor.

#### **Hazard Rating**

Flammability

Physical

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given

4 Severe Hazard - Flammable gases, or very volatile flammable liquids with flash points below
 73 F, and boiling points below 100 F. Materials may ignite spontaneously with air. (Class IA)

: 2 Moderate Hazard - Materials that are unstable and may undergo violent chemical changes at normal temperature and pressure with low risk for explosion. Materials may react violently with water or form peroxides upon exposure to air.

Print date: 04/10/2019 EN (English US) SDS ID: **GET8150** 6/7

# Safety Data Sheet

Prepared by safety and environmental affairs.


Date of issue: 01/09/2015 Revision date: 04/08/2019 Version: 1.1

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2019 Gelest Inc. Morrisville, PA 19067



Print date: 04/10/2019 EN (English US) SDS ID: **GET8150** 7/7