

Safety Data Sheet 906487

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 12/23/2016 Revision date: 11/26/2018 Supersedes: 12/23/2016

Version: 2.1

SECTION 1: Identification

1.1. Identification

Product form : Substance

Substance name : Iodine Heptafluoride

CAS-No. : 16921-96-3
Product code : SG-1001-06900

Formula : IF7

Synonyms : Iodine heptafluoride / Iodine fluoride(IF7)

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Manufacture of substances

Semiconductor Purposes

1.3. Supplier

Air Liquide USA LLC and its affiliates 9811 Katy Freeway, Suite 100 Houston, TX 77024 - USA T 1-800-819-1704 www.us.airliquide.com

1.4. Emergency telephone number

Emergency number : Chemtrec: 1-800-424-9300

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Oxidizing gases Category 1 H270 May cause or intensify fire; oxidizer

Gases under pressure H280 Contains gas under pressure; may explode if heated

Liquefied gas

Acute toxicity (inhalation) H330 Fatal if inhaled

Category 2
Skin corrosion/irritation H314 Causes severe skin burns and eye damage

Category 1A

Serious eye damage/eye H318 Causes serious eye damage

irritation Category 1

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)









Signal word (GHS US) : Danger

Hazard statements (GHS US) : H280 - Contains gas under pressure; may explode if heated

H270 - May cause or intensify fire; oxidizer
H314 - Causes severe skin burns and eve damage

H318 - Causes serious eye damage

H330 - Fatal if inhaled

CGA-HG01 - May cause frostbite

CGA-HG22 - Corrosive to the respiratory tract

Precautionary statements (GHS US) : P202 - Do not handle until all safety precautions have been read and understood.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear eye protection, face protection, protective gloves, protective clothing.

P403 - Store in a well-ventilated place.

P501 - Dispose of contents/container in accordance with local/regional/national/international

regulations

P302 - IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area, Get

immediate medical advice/attention.

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

11/26/2018 EN (English US) SDS ID: 906487 Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

lenses, if present and easy to do. Continue rinsing

P220 - Keep/Store away from Combustible materials, clothing

P260 - Do not breathe gas.

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower P405 - Store locked up.

P244 - Keep reduction valves/valves and fittings free from oil and grease

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P370+P376 - In case of fire: Stop leak if safe to do so. P307+P311 - If exposed: Call a poison center/doctor

P284 - Wear respiratory protection. Consult respirator supplier's product information for the

selection of the appropriate respiratory protection.

CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C/125 °F

CGA-PG05 - Use a back flow preventive device in the piping CGA-PG06 - Close valve after each use and when empty CGA-PG10 - Use only with equipment rated for cylinder pressure

CGA-PG14 - Approach suspected leak area with caution CGA-PG18 - When returning cylinder, install leak tight valve outlet cap or plug

CGA-PG20 - Use only with equipment of compatible materials of construction and rated for

cylinder pressure

CGA-PG21 - Open valve slowly

CGA-PG22 - Use only with equipment cleaned for oxygen service

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Name	Product identifier	%	GHS US classification
Iodine Heptafluoride (Main constituent)	(CAS-No.) 16921-96-3	> 99	Ox. Gas 1, H270 Press. Gas (Liq.), H280 Acute Tox. 2 (Inhalation), H330 Skin Corr. 1A, H314 Eye Dam. 1, H318

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures

Not applicable

SECTION 4: First-aid measures

4.1. Desc	cription of first	aid measures
-----------	-------------------	--------------

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Apply

artificial respiration with bag and mask if breathing stopped. Get immediate medical

advice/attention.

First-aid measures after skin contact : Thaw frosted parts with lukewarm water. Do not rub affected area. Remove/Take off

immediately all contaminated clothing. In case of skin contact, wearing rubber gloves rub 2.5% calcium gluconate gel continuously into the affected area for 1.5 hours or until further medical care is available. Rinse skin with water/shower. Wash contaminated clothing before reuse. Get

immediate medical advice/attention.

First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get immediate medical advice/attention. Get

immediate medical advice/attention.

First-aid measures after ingestion : Ingestion is not considered a potential route of exposure.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : Fatal if inhaled. Corrosive to the respiratory tract.

Symptoms/effects after skin contact : May cause frostbite. Causes severe skin burns and eye damage.

Symptoms/effects after eye contact : Contact with the product may cause cold burns or frostbite. Causes serious eye damage.

Symptoms/effects after ingestion : Ingestion is not considered a potential route of exposure.

Symptoms/effects upon intravenous : Not known.

administration

Chronic symptoms : Adverse effects not expected from this product.

4.3. Immediate medical attention and special treatment, if necessary

If you feel unwell, seek medical advice. If breathing is difficult, give oxygen.

11/26/2018 EN (English US) SDS ID: 906487 2/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use water jet to extinguish.

5.2. Specific hazards arising from the chemical

Fire hazard : The product is not flammable.

Explosion hazard : Product is not explosive. Heat may build pressure, rupturing closed containers, spreading fire

and increasing risk of burns and injuries.

Reactivity : None known.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray

or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.

Protection during firefighting : Standard protective clothing and equipment (e.g, Self Contained Breathing Apparatus) for fire

fighters. Do not enter fire area without proper protective equipment, including respiratory

protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Ensure adequate ventilation.

6.1.1. For non-emergency personnel

Protective equipment : Wear protective equipment consistent with the site emergency plan.

Emergency procedures : Evacuate personnel to a safe area. Close doors and windows of adjacent premises. Keep

containers closed. Mark the danger area. Seal off low-lying areas. Keep upwind.

6.1.2. For emergency responders

Protective equipment : Standard protective clothing and equipment (e.g, Self Contained Breathing Apparatus) for fire

fighters. Equip cleanup crew with proper protection.

Emergency procedures : Evacuate and limit access. Ventilate area.

6.2. Environmental precautions

Try to stop release if without risk.

6.3. Methods and material for containment and cleaning up

For containment : Try to stop release if without risk.

Methods for cleaning up : Dispose of contents/container in accordance with local/regional/national/international

regulations.

6.4. Reference to other sections

See also Sections 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Pressurized container: Do not pierce or burn, even after use. Use only with equipment rated for

cylinder pressure. Close valve after each use and when empty.

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Use only outdoors or

in a well-ventilated area.

Hygiene measures : Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Do not expose to temperatures exceeding 52 °C/ 125 °F. Keep container closed when not in

use. Protect cylinders from physical damage; do not drag, roll, slide or drop. Store in well

ventilated area. Store locked up.

Incompatible products : None known

Incompatible materials : Flammable materials. Combustible materials. Reducing agents.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

11/26/2018 EN (English US) SDS ID: 906487 3/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Appropriate engineering controls

Appropriate engineering controls

: Ensure exposure is below occupational exposure limits (where available). Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly checked for leakages. Consider the use of a work permit system e.g. for maintenance activities. Alarm

detectors should be used when toxic gases may be released.

Environmental exposure controls

: Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for specific methods for waste gas treatment.

Individual protection measures/Personal protective equipment

Hand protection:

Wear working gloves when handling gas containers. 29 CFR 1910.138: Hand protection. Wear chemically resistant protective gloves when making or breaking process connections.

Eye protection:

Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection. Wear goggles and a face shield when transfilling or breaking transfer connections.

Skin and body protection:

Wear suitable protective clothing, e.g. lab coats, coveralls or flame resistant clothing.

Respiratory protection:

Wear a respirator when performing non-routine tasks not limited to line breaking or sampling. Wear a respirator during routine operations if determined to be necessary during a process-specific review. Consult respirator suppliers' product information or their representatives for the selection of the appropriate respirator. See Sections 5 & 6.

Thermal hazard protection:

None necessary during normal and routine operations.

Other information:

Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Gas

Appearance : Clear, colorless gas.

Color : Colorless
Odor : Mouldy. Acrid
Odor threshold : No data available
pH : No data available

Melting point : 4.5 °C

Freezing point : No data available

Boiling point : 4.8 °C

Flash point : Not applicable (non-flammable gas)

Relative evaporation rate (butyl acetate=1) : No data available

Flammability (solid, gas) : See Section 2.1 and 2.2

Vapor pressure : 1580 mm Hg at 20 °C

Relative vapor density at 20 °C : No data available

Polytive density : No data available

Relative vapor density at 20 °C : No data available
Relative density : No data available
Specific gravity / density : 2.7 g/cm³ at 25 C
Molecular mass : 259.9 g/mol
Relative gas density : Heavier than air

Solubility : Water: No data available

Log Pow : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity, kinematic : No data available

11/26/2018 EN (English US) SDS ID: 906487 4/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Viscosity, dynamic : No data available

Explosion limits : Not applicable (non-flammable gas)
Explosive properties : Not applicable (non-flammable gas).

Oxidizing properties : Not combustible but enhances combustion of other substances. May cause or intensify fire;

oxidizer

9.2. Other information

Additional information : Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground

level

SECTION 10: Stability and reactivity

10.1. Reactivity

None known.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

May react violently with reducing agents. Can form explosive mixtures with flammable materials.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Combustible materials. Flammable materials. Reducing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Inhalation: Fatal if inhaled.

ATE US (gases)	100.01 ppmV/4h	
ATE US (vapors)	0.5 mg/l/4h	
ATE US (dust. mist)	0.05 mg/l/4h	

Skin corrosion/irritation : Causes severe skin burns and eye damage.

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
Specific target organ toxicity – single exposure : Not classified
Specific target organ toxicity – repeated : Not classified

exposure

Aspiration hazard : Not classified Viscosity, kinematic : No data available

Symptoms/effects after inhalation : Fatal if inhaled. Corrosive to the respiratory tract.

Symptoms/effects after skin contact : May cause frostbite. Causes severe skin burns and eye damage.

Symptoms/effects after eye contact : Contact with the product may cause cold burns or frostbite. Causes serious eye damage.

Symptoms/effects after ingestion : Ingestion is not considered a potential route of exposure.

Symptoms/effects upon intravenous : Not known.

administration

Chronic symptoms : Adverse effects not expected from this product.

11/26/2018 EN (English US) SDS ID: 906487 5/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on ozone layer : No known effects from this product.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Contact supplier if guidance is required. Do not discharge into any place where its

accumulation could be dangerous. Ensure that the emission levels from local regulations or

operating permits are not exceeded.

Product/Packaging disposal recommendations : Refer to the CGA Pamphlet P-63 "Disposal of Gases" available at www.cganet.com for

more guidance on suitable disposal methods.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN3310 Liquefied gas, toxic, oxidizing, corrosive, n.o.s. (Iodine Heptafluoride) Inhalation

Hazard Zone B, 2.3 (5.1;8)

UN-No.(DOT) : UN3310

Proper Shipping Name (DOT) : Liquefied gas, toxic, oxidizing, corrosive, n.o.s.

Inhalation Hazard Zone B

Class (DOT) : 2.3 - Class 2.3 - Poisonous gas 49 CFR 173.115

Subsidiary risk (DOT) : 5.1 - Class 5.1 - Oxidizer 49 CFR 173.128,8 - Class 8 - Corrosive material 49 CFR 173.136

Hazard labels (DOT) : 2.3 - Poison gas 5.1 - Oxidiser

8 - Corrosive







DOT Packaging Non Bulk (49 CFR 173.xxx)

DOT Packaging Bulk (49 CFR 173.xxx)

DOT Symbols

: 304 : 314:315

: G - Identifies PSN requiring a technical name,I - Proper shipping name appropriate for international and domestic transportation

DOT Special Provisions (49 CFR 172.102)

: 2 - This material is poisonous by inhalation (see 171.8 of this subchapter) in Hazard Zone B (see 173.116(a) or 173.133(a) of this subchapter), and must be described as an inhalation hazard under the provisions of this subchapter.

B9 - Bottom outlets are not authorized.

B14 - Each bulk packaging, except a tank car or a multi-unit-tank car tank, must be insulated with an insulating material so that the overall thermal conductance at 15.5 C (60 F) is no more than 1.5333 kilojoules per hour per square meter per degree Celsius (0.075 Btu per hour per square foot per degree Fahrenheit) temperature differential. Insulating materials must not promote corrosion to steel when wet.

DOT Packaging Exceptions (49 CFR 173.xxx) : None
DOT Quantity Limitations Passenger aircraft/rail : Forbidden

(49 CFR 173.27)

11/26/2018 EN (English US) SDS ID: 906487 6/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Quantity Limitations Cargo aircraft only (49 : Forbidden

CFR 175.75)

DOT Vessel Stowage Location

: D - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers or one passenger per each 3 m of overall vessel length, but the material is prohibited on passenger vessels in which the limiting number of passengers is exceeded.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters",89 - Segregation same as for oxidizers,90 - Stow "separated

from" radioactive materials

Emergency Response Guide (ERG) Number : 124

Other information : No supplementary information available.

Transportation of Dangerous Goods

Transport document description : UN3310 Liquefied gas, toxic, oxidizing, corrosive, n.o.s., 2.3 (5.1;8)

UN-No. (TDG) : UN3310

Proper Shipping Name : Liquefied gas, toxic, oxidizing, corrosive, n.o.s.

TDG Primary Hazard Classes : 2.3 - Class 2.3 - Toxic Gas.

TDG Subsidiary Classes : 5.1;8

TDG Special Provisions

: 16 - (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the hazard or hazards posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods Safety Marks). (2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name: (a)UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S; (b)UN1851, MEDICINE, LIQUID, TOXIC, N.O.S; (c)UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S; (d)UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or (e)UN3249, MEDICINE, SOLID, TOXIC, N.O.S. An example in Canada is the "Food and Drugs Act". (3) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a small means of containment: (a)UN2814. INFECTIOUS SUBSTANCE. AFFECTING HUMANS: or (b)UN2900. INFECTIOUS SUBSTANCE, AFFECTING ANIMALS. SOR/2014-306,23 - (1) A consignor of these dangerous goods must include, except for UN1005, ANHYDROUS AMMONIA, the words "toxic by inhalation" or "toxic — inhalation hazard" or "toxique par inhalation" or "toxicité par inhalation" in the following places, unless the words are already part of the shipping name: (a)on a shipping document, immediately after the description of the dangerous goods; (b)on a small means of containment, next to the shipping name of the dangerous goods; and (c)on a large means of containment, next to the placard for the primary class of the dangerous goods or the placard for the subsidiary class, if any. For example, the notation on a shipping document would be "UN1935, CYANIDE SOLUTION, N.O.S, Class 6.1, PG I, toxic by inhalation". (2) This special provision does not apply to a person who transports these dangerous goods in accordance with an exemption set out in sections 1.15, 1.17 or 1.17.1 of Part 1 (Coming Into Force, Repeal, Interpretation, General Provisions and Special Cases). (3) A consignor of UN1005, ANHYDROUS AMMONIA, must include the words "inhalation hazard" or "dangereux par inhalation": (a)on a shipping document, immediately after the shipping name of the dangerous goods; and (b)on a small means of containment, next to the shipping name of the dangerous goods. When UN1005, ANHYDROUS AMMONIA, is contained in a large means of containment on which is affixed the anhydrous ammonia placard, the words "Anhydrous Ammonia, Inhalation Hazard" or "Ammoniac anhydre, dangereux par inhalation" must be displayed next to the placard in accordance with paragraph 4.18.2(b). SOR/2014-306,38 - A person must not handle, offer for transport or transport these dangerous goods in a large means of containment if they are in direct contact with the large means of containment. SOR/2014-306

ERAP Index : 25
Explosive Limit and Limited Quantity Index : 0

Transport by sea

Transport document description (IMDG) : UN 3310 LIQUEFIED GAS, TOXIC, OXIDIZING, CORROSIVE, N.O.S., 2.3 (5.1+8)

UN-No. (IMDG) : 331

Proper Shipping Name (IMDG) : LIQUEFIED GAS, TOXIC, OXIDIZING, CORROSIVE, N.O.S.

Class (IMDG) : 2 - Gases

11/26/2018 EN (English US) SDS ID: 906487 7/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Subsidiary risks (IMDG) : 5.1 - Oxidizing substances

8 - Corrosive substances

Air transport

Forbidden

SECTION 15: Regulatory information

15.1. US Federal regulations

Iodine Heptafluoride (16921-96-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

Iodine Heptafluoride (16921-96-3)

Listed on the Canadian NDSL (Non-Domestic Substances List)

EU-Regulations

Iodine Heptafluoride (16921-96-3)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Iodine Heptafluoride (16921-96-3)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

15.3. US State regulations

No additional information available

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 11/26/2018

Other information : This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29

CFR, 1910.1200. Other government regulations must be reviewed for applicability to this

product.

Full text of H-phrases:

•••	it tokt of 11 priladod.			
	H270	May cause or intensify fire; oxidizer		
	H280	Contains gas under pressure; may explode if heated		
	H314	Causes severe skin burns and eye damage		
	H318	Causes serious eye damage		
	H330	Fatal if inhaled		

SDS US (GHS HazCom 2012)

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of Air Liquide USA LLC and its affiliates' knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this product is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

11/26/2018 EN (English US) SDS ID: 906487 8/8