

Safety Data Sheet SII6463.0 Date of issue: 11/02/2015 Version: 1.0

SECTION 1: Identification

Identification

Product name : ISOPROPYLMETHYLDICHLOROSILANE

Product code : SII6463.0 Product form : Substance Physical state : Liquid Formula 18236-89-0

1-METHYLDICHLOROSILYL-1-METHYLETHANE Synonyms

Chemical family : ORGANOCHLOROSILANE

Recommended use and restrictions on use

: Chemical intermediate Recommended use

1.3. **Supplier**

GELEST, INC.

11 East Steel Road Morrisville, PA 19067

USA

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com

Emergency telephone number

: CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International) Emergency number

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

GHS-US classification

Flammable liquids Category 2 H225 Highly flammable liquid and vapor

Skin corrosion/irritation Category 1B Causes severe skin burns and eye damage H314

H318 Causes serious eye damage Serious eye damage/eye irritation Category 1

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US) H225 - Highly flammable liquid and vapor

H314 - Causes severe skin burns and eye damage

Precautionary statements (GHS US) P280 - Wear protective gloves/protective clothing/eye protection/face protection. P310 - Immediately call a doctor

P210 - Keep away from heat, open flames, sparks. - No smoking.

P233 - Keep container tightly closed.

P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical equipment

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P260 - Do not breathe vapors.

P264 - Wash hands thoroughly after handling.

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting

P303+P361+P353 - If on skin (or hair): take off immediately all contaminated clothing. rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P321 - Specific treatment (see first aid instructions on this label)

P363 - Wash contaminated clothing before reuse.

P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide, dry chemical to

extinguish.

P403+P235 - Keep in a cool place

P405 - Store locked up.

EN (English US) Print date: 04/10/2019 SDS ID: SII6463.0 Page 1

Safety Data Sheet

P501 - Dispose of contents/container to licensed waste disposal facility.

Hazards not otherwise classified (HNOC)

Other hazards not contributing to the classification

Hydrogen chloride may be formed by reaction with water and moisture in air. The US OSHA PEL (TWA) for hydrogen chloride is 5 ppm.

Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

Substances

Substance type : Mono-constituent

Name : ISOPROPYLMETHYLDICHLOROSILANE

Name	Product identifier	%	GHS-US classification
Isopropylmethyldichlorosilane	(CAS-No.) 18236-89-0	97 - 100	Flam. Liq. 2, H225 Skin Corr. 1B. H314
			Eye Dam. 1, H318

Full text of hazard classes and H-statements : see section 16

Mixtures

Not applicable

SECTION 4: First-aid measures

Description of first aid measures

First-aid measures general

: Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label.

First-aid measures after inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact

: Wash with plenty of soap and water. Get immediate medical advice/attention.

First-aid measures after eve contact

: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion

Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

Most important symptoms and effects (acute and delayed)

Symptoms/effects

: Causes severe skin burns and eye damage. May cause irritation to the respiratory tract.

Symptoms/effects after inhalation Symptoms/effects after skin contact

Causes (severe) skin burns. : Causes serious eye damage.

Symptoms/effects after eye contact Symptoms/effects after ingestion

: May be harmful if swallowed.

Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media

: Alcohol-resistant foam. Carbon dioxide. Dry chemical. Use of high expansion foam (100:1) is

recommended to cover flames.

Unsuitable extinguishing media · Water

Specific hazards arising from the chemical

Fire hazard

: Highly flammable liquid and vapor. Irritating fumes of hydrochloric acid and organic acid vapors may develop when material is exposed to water or open flame.

: May form flammable/explosive vapor-air mixture. Explosion hazard

Special protective equipment and precautions for fire-fighters

Firefighting instructions

: Exercise caution when fighting any chemical fire. Use only dry media to extinguish flames. Water spray or fog should only be used to knock down hydrogen chloride vapors in areas downwind from the fire.

Protection during firefighting

: Do not enter fire area without proper protective equipment, including respiratory protection. Avoid all eye and skin contact and do not breathe vapor and mist.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

: Eliminate every possible source of ignition. Use special care to avoid static electric charges. General measures

6.1.1. For non-emergency personnel

Protective equipment : Wear protective equipment as described in Section 8.

Print date: 04/10/2019 EN (English US) SDS ID: SII6463.0 2/7

Safety Data Sheet

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with

proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

Methods for cleaning up Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or

shovel spills into appropriate container for disposal. Use only non-sparking tools.

Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapors are flammable. Keep away from

heat/sparks/open flames/hot surfaces. - No smoking.

Precautions for safe handling : Avoid all eye and skin contact and do not breathe vapor and mist. Ground/bond container and

receiving equipment. Provide good ventilation in process area to prevent accumulation of vapors. Take precautionary measures against static discharge. Use only non-sparking tools.

Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild Hygiene measures

soap and water before eating, drinking or smoking and when leaving work.

Conditions for safe storage, including any incompatibilities

Technical measures Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof

electrical equipment.

Storage conditions Keep container tightly closed. Keep in a cool place. Store locked up.

Incompatible materials Acids. Alcohols. Oxidizing agent.

Storage area Store in a well-ventilated place. Store away from heat.

SECTION 8: Exposure controls/personal protection

Control parameters

No additional information available

Appropriate engineering controls

Appropriate engineering controls : Provide local exhaust or general room ventilation.

Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Hand protection:

Neoprene or nitrile rubber gloves

Eye protection:

Chemical goggles or face shield. Contact lenses should not be worn

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified combination organic vapor/acid gas (yellow cartridge) respirator.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state : Liquid Appearance : Clear liquid. Molecular mass : 157.11 g/mol

Print date: 04/10/2019 EN (English US) SDS ID: SII6463.0 3/7

Safety Data Sheet

Color : Straw

Odor : Acrid. Similar to hydrogen chloride.

Odor threshold : No data available

Refractive index : 1.425

pH : No data available Relative evaporation rate (butyl acetate=1) : No data available Melting point : No data available

Freezing point : < 0 °C Boiling point : 116 - 117 °C Flash point : 14 °C

Auto-ignition temperature : No data available Decomposition temperature : No data available

Flammability (solid, gas) : Highly flammable liquid and vapor

Vapor pressure : No data available

Relative vapor density at 20 °C : > 1
Relative density : 1.033
% Volatiles : > 25 %

Solubility : Reacts with water. Log Pow : No data available Log Kow : No data available No data available Viscosity, kinematic No data available Viscosity, dynamic Explosive properties : No data available No data available Oxidizing properties No data available **Explosion limits**

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable in sealed containers stored under a dry inert atmosphere.

10.3. Possibility of hazardous reactions

Reacts with water and moisture in air, liberating hydrogen chloride.

10.4. Conditions to avoid

Heat. Open flame. Sparks.

10.5. Incompatible materials

Acids. Alcohols. Oxidizing agent.

10.6. Hazardous decomposition products

Hydrogen chloride. Organic acid vapors.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes severe skin burns and eye damage.

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
Specific target organ toxicity – single exposure : Not classified

Specific target organ toxicity – repeated

exposure

: Not classified

Print date: 04/10/2019 EN (English US) SDS ID: **SII6463.0** 4/7

Safety Data Sheet

Aspiration hazard : Not classified

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.

Symptoms/effects after skin contact : Causes (severe) skin burns. Symptoms/effects after eye contact : Causes serious eye damage. Symptoms/effects after ingestion : May be harmful if swallowed.

Reason for classification : Expert judgment

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

Persistence and degradability

No additional information available

Bioaccumulative potential

No additional information available

Mobility in soil

No additional information available

12.5. Other adverse effects

Other adverse effects : This substance may be hazardous to the environment.

Effect on the ozone layer : No additional information available

SECTION 13: Disposal considerations

13.1. **Disposal methods**

Sewage disposal recommendations : Do not dispose of waste into sewer.

Product/Packaging disposal recommendations Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to licensed waste disposal facility.

Additional information Handle empty containers with care because residual vapors are flammable.

Ecology - waste materials Avoid release to the environment.

SECTION 14: Transport information

14.1. **UN** number

UN-No.(DOT) 2985 DOT NA no. UN2985

14.2. **UN** proper shipping name

Transport document description : UN2985 Chlorosilanes, flammable, corrosive, n.o.s.

(ISOPROPYLMETHYLDICHLOROSILANE), 3 (8), II

Proper Shipping Name (DOT) : Chlorosilanes, flammable, corrosive, n.o.s.

(ISOPROPYLMETHYLDICHLOROSILANE)

Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Packing group (DOT) : II - Medium Danger Hazard labels (DOT) : 3 - Flammable liquid

8 - Corrosive





DOT Packaging Non Bulk (49 CFR 173.xxx) : 206 DOT Packaging Bulk (49 CFR 173.xxx) : 243 DOT Packaging Exceptions (49 CFR 173.xxx) : none

14.3. Additional information

Emergency Response Guide (ERG) Number : 155

Other information : No supplementary information available.

Print date: 04/10/2019 EN (English US) SDS ID: SII6463.0 5/7

Safety Data Sheet

Transport by sea

DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this

section is exceeded.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

Air transport

DOT Quantity Limitations Passenger aircraft/rail : Forbidden

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 5 L

CFR 175.75)

SECTION 15: Regulatory information

15.1. US Federal regulations

ISOPROPYLMETHYLDICHLOROSILANE	
TSCA Exemption/Exclusion	CAUTION: This material is supplied for research and development purposes subject to the R&D exemption under TSCA, 40 CFR 720.36, and must meet the requirements of the exemption, including supervision by a "technically qualified individual" as defined by 40 CFR 720.3(ee). The use of this material for "commercial purposes" as defined by 40 CFR 720.3(r) is not permitted in the United States

Isopropylmethyldichlorosilane (18236-89-0)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

Isopropylmethyldichlorosilane (18236-89-0)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases::

H225	Highly flammable liquid and vapor
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage

Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling; APF: Assigned Protection Factor.

Hazard Rating

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is

given

Flammability : 4 Severe Hazard - Flammable gases, or very volatile flammable liquids with flash points below

73 F, and boiling points below 100 F. Materials may ignite spontaneously with air. (Class IA)

Print date: 04/10/2019 EN (English US) SDS ID: \$116463.0 6/7

Safety Data Sheet

Physical

: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.

Prepared by safety and environmental affairs.


Date of issue: 11/02/2015 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2019 Gelest Inc. Morrisville, PA 19067



Print date: 04/10/2019 EN (English US) SDS ID: **SII6463.0** 7/7