

SAFETY DATA SHEET

Version 6.4 Revision Date 09/30/2021 Print Date 02/05/2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifiers**

Product name Diphenylzinc

Product Number : 481076 Brand Aldrich CAS-No. 1078-58-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

: Sigma-Aldrich Inc. Company

3050 SPRUCE ST ST. LOUIS MO 63103

UNITED STATES

Telephone +1 314 771-5765 +1 800 325-5052 Fax

Emergency telephone 1.4

> Emergency Phone # 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Pyrophoric solids (Category 1), H250

Germ cell mutagenicity (Category 1B), H340

Carcinogenicity (Category 1A), H350

Specific target organ toxicity - repeated exposure (Category 1), Blood, H372

Short-term (acute) aquatic hazard (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger



Hazard statement(s)	
H250	Catches fire spontaneously if exposed to air.
H340	May cause genetic defects.
H350	May cause cancer.
H372	Causes damage to organs (Blood) through prolonged or
	repeated exposure.
H402	Harmful to aquatic life.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and
-	understood.
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No
	smoking.
P222	Do not allow contact with air.
P260	Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face
	protection.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P335 + P334	Brush off loose particles from skin. Immerse in cool water/ wrap
	in wet bandages.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant
	foam to extinguish.
P405	Store locked up.
P422	Store contents under inert gas.
P501	Dispose of contents/ container to an approved waste disposal
	plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Spontaneously flammable in air.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Formula : $C_{12}H_{10}Zn$ Molecular weight : 219.60 g/mol

Component		Classification	Concentration
benzene			
CAS-No.	71-43-2	Flam. Liq. 2; Skin Irrit. 2;	>= 5 - < 10
EC-No.	200-753-7	Eye Irrit. 2A; Muta. 1B;	%
Index-No.	601-020-00-8	Carc. 1A; STOT RE 1; Asp.	
Registration	01-2119447106-44-	Tox. 1; Aquatic Acute 2;	
number	XXXX	Aquatic Chronic 3; H225,	
		H315, H319, H340, H350,	
		H372, H304, H401, H412	

For the full text of the H-Statements mentioned in this Section, see Section 16.



SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Zinc/zinc oxides

Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Handle under argon. Store under argon.

Tightly closed. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Air and moisture sensitive. Handle and store under inert gas.

Storage class

Storage class (TRGS 510): 4.2: Pyrophoric and self-heating hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Millipore

Component	CAS-No.	Value	Control	Basis		
			parameters			
benzene	71-43-2	TWA	0.5 ppm	USA. ACGIH Threshold Limit		
				Values (TLV)		
	Remarks	Leukemia				
		Substances for which there is a Biological Exposure Index or Indices (see BEI® section)				
		Confirmed human carcinogen				
		Danger of cutaneous absorption				
		STEL	2.5 ppm	USA. ACGIH Threshold Limit		
		0		Values (TLV)		
		Leukemia Substances for which there is a Biological Exposure Index				
			or Indices (see BEI® section)			
		Confirmed human carcinogen				
		Danger of cutaneous absorption				
		TWA	10 ppm	USA. Occupational Exposure		
		' ' ' ' '	PP	Limits (OSHA) - Table Z-2		
		Z37.40-1969				
		CEIL	25 ppm	USA. Occupational Exposure		
		CLIL	25 ppiii	Limits (OSHA) - Table Z-2		
		Z37.40-19	59	Zimite (Germi) Table Z Z		
		Peak	50 ppm	USA. Occupational Exposure		
		reak	эо ррии	Limits (OSHA) - Table Z-2		
		Z37.40-1969 See 1910.1028. See Table Z-2 for the limits applicable in the operations or sectors excluded in 1910.1028 The final benzene standard in 1910.1028 applies to all occupational exposures to benzene except some				
		subsegments of industry where exposures are consistently under the action level (i.e., distribution and sale of fuels, sealed containers and pipelines, coke production, oil and gas drilling and production, natural gas processing, and the				
		percentage exclusion for liquid mixtures); for the excepted				
				limits in Table Z-2 apply.		
		TWA	0.1 ppm	USA. NIOSH Recommended		
		' ' ' ' '	O.1 PPIII	Exposure Limits		
	+	Potential O	ccupational Card			
		See Appen	•	dillogen		
	+	ST See Appen	1 ppm	USA. NIOSH Recommended		
		اد	T phili	Exposure Limits		
		Potential Occupational Carcinogen				
		See Appendix A				
		Dec Appelluix A				

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses



Skin protection

Handle with impervious gloves.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance Form: solid

b) Odorc) Odor Thresholdd) pHNo data availableNo data available

e) Melting point/range: 102 - 106 °C (216 - 223 °F) - lit.

point/freezing point

f) Initial boiling point $280 - 285 \, ^{\circ}\text{C} \, 536 - 545 \, ^{\circ}\text{F} - \text{lit.}$

and boiling range

g) Flash point No data availableh) Evaporation rate No data availablei) Flammability (solid, No data available

gas)

No data available

j) Upper/lower flammability or explosive limits

k) Vapor pressure No data available

I) Vapor density No data available
 m) Density No data available
 Relative density No data available
 n) Water solubility No data available
 o) Partition coefficient: No data available n-octanol/water

p) Autoignition temperature

No data available

q) Decomposition temperature

No data available

r) Viscosity No data availables) Explosive properties No data availablet) Oxidizing properties No data available

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

Sensitive to air.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Exposure to air.

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

Oral: No data available Inhalation: No data available Dermal: No data available

Skin corrosion/irritation

No data available



Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Possible mutagen

Carcinogenicity

Possible human carcinogen

IARC: 1 - Group 1: Carcinogenic to humans (benzene)

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Mixture causes damage to organs through prolonged or repeated exposure. - Blood

Aspiration hazard

No data available

11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. (diphenylzinc)

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Stomach - Irregularities - Based on Human Evidence

Components

benzene

Acute toxicity

LD50 Oral - Rat - male - > 2,000 mg/kg (OECD Test Guideline 401)

Symptoms: Nausea

LC50 Inhalation - Rat - female - 4 h - 43.7 mg/l

(OECD Test Guideline 403)

LD50 Dermal - Rabbit - male and female - > 8,260 mg/kg

(OECD Test Guideline 402)

No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Irritating to skin. - 4 h

Aldrich - 481076

Page 8 of 11

(OECD Test Guideline 404)

Drying-out effect resulting in rough and chapped skin.

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Eye irritation Remarks: (ECHA)

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Germ cell mutagenicity

May cause genetic defects. Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Chinese hamster lung cells

Result: positive

Test Type: In vitro mammalian cell gene mutation test

Result: positive

Method: OECD Test Guideline 474 Species: Mouse - male - Bone marrow

Result: positive **Carcinogenicity**

May cause cancer. Positive evidence from human epidemiological studies.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Acute oral toxicity - Nausea

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure. - Blood

Aspiration hazard

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1 Toxicity

Mixture

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

Components

benzene

Toxicity to fish flow-through test LC50 - Oncorhynchus mykiss (rainbow trout)

- 5.3 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic

static test EC50 - Daphnia magna (Water flea) - 10 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to algae

invertebrates

static test ErC50 - Pseudokirchneriella subcapitata (green

algae) - 100 mg/l - 72 h (OECD Test Guideline 201)

Toxicity to bacteria static test IC50 - - 13 mg/l - 24 h

Remarks: (ECHA)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

DOT (US)

UN number: 3393 Class: 4.2 (4.3) Packing group: I

Proper shipping name: Organometallic substance, solid, pyrophoric, water-reactive

(diphenylzinc, benzene)

Reportable Quantity (RQ): 133 lbs Reportable Quantity (RQ): 10 lbs Poison Inhalation Hazard: No

IMDG

UN number: 3393 Class: 4.2 (4.3) Packing group: I EMS-No: F-G, S-M Proper shipping name: ORGANOMETALLIC SUBSTANCE, SOLID, PYROPHORIC, WATER-

REACTIVE (diphenylzinc, benzene)

IATA

UN number: 3393 Class: 4.2 (4.3)

Proper shipping name: Organometallic substance, solid, pyrophoric, water-reactive

(diphenylzinc, benzene)

Aldrich - 481076

Millipore SigMa IATA Passenger: Not permitted for transport IATA Cargo: Not permitted for transport

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III,

Section 313:

CAS-No. 1078-58-6 Revision Date

diphenylzinc

10/0-30-0

2015-07-08

71-43-2

2007-07-01

benzene

SARA 311/312 Hazards

Reactivity Hazard, Acute Health Hazard, Chronic Health Hazard

Reportable Quantity

D018 lbs

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.4 Revision Date: 09/30/2021 Print Date: 02/05/2022

Aldrich - 481076

Millipore Sigma