

# SAFETY DATA SHEET

Version 8.2 Revision Date 09/30/2020 Print Date 10/12/2020

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifiers

Product name : 3-Pentylmagnesium bromide solution

Product Number : 675245
Brand : Aldrich
CAS-No. : 4852-26-0

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

# 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 Spruce Street ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225

Chemicals which, in contact with water, emit flammable gases (Category 2), H261

Acute toxicity, Oral (Category 4), H302

Skin corrosion (Category 1B), H314

Serious eye damage (Category 1), H318

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Aldrich - 675245 Page 1 of 9



Hazard statement(s) H225 H261 H302 H314 H336	Highly flammable liquid and vapor. In contact with water releases flammable gas. Harmful if swallowed. Causes severe skin burns and eye damage. May cause drowsiness or dizziness.
Precautionary statement(s) P210	) Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P223 P231 + P232 P233 P240 P241	Do not allow contact with water. Handle under inert gas. Protect from moisture. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242 P243 P261 P264	Use only non-sparking tools.  Take precautionary measures against static discharge.  Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.  Wash skin thoroughly after handling.
P270 P271 P280	Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P301 + P330 + P331 P303 + P361 + P353	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated
P304 + P340 + P310	clothing. Rinse skin with water/ shower.  IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P335 + P334	Brush off loose particles from skin. Immerse in cool water/ wrap in wet bandages.
P363 P370 + P378	Wash contaminated clothing before reuse.  In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P402 + P404 P403 + P233 P403 + P235 P405 P501	Store in a dry place. Store in a closed container. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Reacts violently with water., May form explosive peroxides.

# **SECTION 3: Composition/information on ingredients**

# 3.2 Mixtures

Aldrich - 675245 Page 2 of 9



Component		Classification	Concentration			
Diethyl ether						
CAS-No. EC-No. Index-No. Registration number	60-29-7 200-467-2 603-022-00-4 01-2119535785-29- XXXX	Flam. Liq. 1; Acute Tox. 4; STOT SE 3; H224, H302, H336 Concentration limits: >= 20 %: STOT SE 3, H336;	>= 50 - < 70 %			
3-Pentylmagnesium bromide						
CAS-No.	4852-26-0	Water-react 2; Skin Corr. 1B; Eye Dam. 1; H261, H314, H318	>= 30 - < 50 %			

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

#### **General advice**

Consult a physician. Show this material safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

## In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

# Suitable extinguishing media

Dry powder Dry sand

#### Unsuitable extinguishing media

Do NOT use water jet.

Aldrich - 675245 Page 3 of 9



# 5.2 Special hazards arising from the substance or mixture

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

No data available

#### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Do not flush with water.

#### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Never allow product to get in contact with water during storage.

Reacts violently with water. Handle and store under inert gas. Storage class (TRGS 510): 4.3: Hazardous materials, which set free flammable gases upon contact with water

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Ingredients with workplace control parameters

Aldrich - 675245 Page 4 of 9

Component	CAS-No.	Value	Control parameters	Basis
Diethyl ether	60-29-7	TWA	400 ppm	USA. ACGIH Threshold Limit Values (TLV)
		STEL	500 ppm	USA. ACGIH Threshold Limit Values (TLV)
		TWA	400 ppm 1,200 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		PEL	400 ppm 1,200 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		STEL	500 ppm 1,500 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

## 8.2 Exposure controls

# **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

## Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Aldrich - 675245 Page 5 of 9



b) Odor No data available c) Odor Threshold No data available No data available d) e) Melting No data available point/freezing point No data available Initial boiling point and boiling range -29 °C (-20 °F) g) Flash point h) Evaporation rate No data available Flammability (solid, No data available gas) Upper/lower No data available j) flammability or explosive limits k) Vapor pressure No data available Vapor density No data available m) Relative density 0.953 g/cm3 at 25 °C (77 °F) n) Water solubility No data available o) Partition coefficient: No data available n-octanol/water p) Autoignition No data available temperature q) Decomposition No data available temperature r) Viscosity No data available s) Explosive properties No data available No data available Oxidizing properties

## 9.2 Other safety information

No data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

Vapors may form explosive mixture with air.Reacts violently with water.

# 10.4 Conditions to avoid

Heat, flames and sparks. Exposure to moisture.

#### 10.5 Incompatible materials

Oxidizing agents, Strong oxidizing agents, Strong acids

Aldrich - 675245 Page 6 of 9



# 10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

## **Acute toxicity**

No data available

Inhalation: No data available Dermal: No data available

No data available

#### Skin corrosion/irritation

No data available

# Serious eye damage/eye irritation

No data available

# Respiratory or skin sensitization

No data available

# Germ cell mutagenicity

No data available

# Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

# Reproductive toxicity

No data available No data available

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Aldrich - 675245 Page 7 of 9

Liver - Ingestion may provoke the following symptoms:, Irregularities - Based on Human Evidence

# **SECTION 12: Ecological information**

# 12.1 Toxicity

No data available

# 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

No data available

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Contact a licensed professional waste disposal service to dispose of this material.

## Contaminated packaging

Dispose of as unused product.

## **SECTION 14: Transport information**

## DOT (US)

UN number: 3399 Class: 4.3 (3) Packing group: I

Proper shipping name: Organometallic substance, liquid, water-reactive, flammable (3-

Pentylmagnesium bromide, Diethyl ether)

Reportable Quantity (RQ): 149 lbs Reportable Quantity (RQ): 100 lbs Poison Inhalation Hazard: No

**IMDG** 

UN number: 3399 Class: 4.3 (3) Packing group: I EMS-No: F-G, S-N Proper shipping name: ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE,

FLAMMABLE (Diethyl ether, 3-Pentylmagnesium bromide)

**IATA** 

UN number: 3399 Class: 4.3 (3) Packing group: I

Aldrich - 675245 Page 8 of 9



Proper shipping name: Organometallic substance, liquid, water-reactive, flammable

(Diethyl ether, 3-Pentylmagnesium bromide) IATA Passenger: Not permitted for transport

## **SECTION 15: Regulatory information**

#### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# SARA 311/312 Hazards

Fire Hazard, Reactivity Hazard, Acute Health Hazard, Chronic Health Hazard

**Reportable Quantity** F003 lbs

# **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

# **Pennsylvania Right To Know Components**

Diethyl ether CAS-No. Revision Date 60-29-7 1993-02-16

3-Pentylmagnesium bromide 4852-26-0

## **SECTION 16: Other information**

## **Further information**

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 8.2 Revision Date: 09/30/2020 Print Date: 10/12/2020

Aldrich - 675245 Page 9 of 9

