

# SAFETY DATA SHEET

Version 6.6 Revision Date 04/13/2022 Print Date 06/01/2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Dibromomethane-d<sub>2</sub>

Product Number : 259020 Brand : Aldrich CAS-No. : 22117-86-8

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

# 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #: 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

### SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Inhalation (Category 4), H332 Short-term (acute) aquatic hazard (Category 3), H402 Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram

**(!)** 

Signal Word Warning

Hazard statement(s)

H332 Harmful if inhaled.

Aldrich - 259020

Millipore

H412 Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P261 Avoid breathing mist or vapors.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P501 Dispose of contents/ container to an approved waste disposal

plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms : Methylene-d2 bromide

Methylene-d2 bromide

Formula : CD<sub>2</sub>Br<sub>2</sub>
Molecular weight : 175.85 g/mol
CAS-No. : 22117-86-8

| Component         | Classification           | Concentration |  |  |
|-------------------|--------------------------|---------------|--|--|
| Dibromomethane-d2 |                          |               |  |  |
|                   | Acute Tox. 4; Aquatic    | <= 100 %      |  |  |
|                   | Acute 3; Aquatic Chronic |               |  |  |
|                   | 3; H332, H402, H412      |               |  |  |

| Copper(bulk) |            |
|--------------|------------|
|              | >= 90 - <= |
|              | 100 %      |

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

### If inhaled

After inhalation: fresh air. If breathing stops: mouth-to-mouth breathing or artificial respiration. Oxygen if necessary. Immediately call in physician.

## In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

### In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.



#### If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

## Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Hydrogen bromide gas

Copper oxides

Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.

## 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb® ). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

For disposal see section 13.



## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

## Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

## **Hygiene measures**

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

### Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

**Ingredients with workplace control parameters** 

| Component    | CAS-No.   | Value | Control parameters | Basis   |
|--------------|-----------|-------|--------------------|---|
| Copper(bulk) | 7440-50-8 | TWA   | 1 mg/m3            | USA. ACGIH Threshold Limit Values (TLV)   |
|              |           | TWA   | 0.2 mg/m3          | USA. ACGIH Threshold Limit Values (TLV)   |
|              |           | TWA   | 1 mg/m3            | USA. NIOSH Recommended Exposure Limits  |
|              |           | TWA   | 1 mg/m3            | USA. NIOSH Recommended Exposure Limits  |
|              |           | TWA   | 1 mg/m3            | USA. Occupational Exposure<br>Limits (OSHA) - Table Z-1<br>Limits for Air Contaminants  |
|              |           | TWA   | 0.1 mg/m3          | USA. Occupational Exposure<br>Limits (OSHA) - Table Z-1<br>Limits for Air Contaminants  |
|              |           | PEL   | 0.1 mg/m3          | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |

#### 8.2 Exposure controls

## **Appropriate engineering controls**

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.



## Personal protective equipment

## **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

### Skin protection

required

## **Body Protection**

protective clothing

## **Respiratory protection**

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

## Control of environmental exposure

Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

| a) | Appearance | Form: | liquid |
|----|------------|-------|--------|
|----|------------|-------|--------|

b) Odor No data available

c) Odor Threshold No data available

d) pH No data available

e) Melting No data available

point/freezing point

Initial boiling point 99 °C 210 °F - lit.

and boiling range

g) Flash point ()No data available

h) Evaporation rate No data available

i) Flammability (solid, No data available

gas)

j) Upper/lower No data available

flammability or explosive limits

k) Vapor pressure No data available

I) Vapor density No data available

m) Density 2.505 g/mL at 25 °C (77 °F)2.505 g/cm3 at 25 °C (77 °F)

Relative density
No data available
No data available
Partition coefficient: log Pow: 5.0

n-octanol/water

p) Autoignition No data available

temperature

q) Decomposition No data available temperature

r) Viscosity No data availables) Explosive properties No data availablet) Oxidizing properties No data available

## 9.2 Other safety information

No data available

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) . Stable

Contains the following stabilizer(s): Copper(bulk) (>=0 - <=1000 %)

## 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

no information available

## 10.5 Incompatible materials

No data available

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

### **Acute toxicity**

Oral: No data available

LC50 Inhalation - 4.0 h - 11.0 mg/l - vapor

(Acute toxicity estimate)
Inhalation: No data available
Dermal: No data available

# Skin corrosion/irritation

No data available

## Serious eye damage/eye irritation

No data available

## Respiratory or skin sensitization

No data available

## Germ cell mutagenicity

No data available

#### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

## Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

#### 11.2 Additional Information

narcosis, prolonged or repeated exposure can cause:, Dermatitis, Acts as a simple asphyxiant by displacing air., Dizziness, Disorientation, Headache, excitement, Central nervous system depression

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

## 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

No data available



#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# **SECTION 14: Transport information**

DOT (US)

UN number: 2664 Class: 6.1 Packing group: III

Proper shipping name: Dibromomethane Reportable Quantity (RQ): 1000 lbs Poison Inhalation Hazard: No

**IMDG** 

UN number: 2664 Class: 6.1 Packing group: III EMS-No: F-A, S-A

Proper shipping name: DIBROMOMETHANE

**IATA** 

UN number: 2664 Class: 6.1 Packing group: III

Proper shipping name: Dibromomethane

## **SECTION 15: Regulatory information**

### **SARA 302 Components**

This material does not contain any components with a section 302 EHS TPQ.

#### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

Dibromomethane-d2 CAS-No. Revision Date 22117-86-8 2020-07-14

### SARA 311/312 Hazards

Chronic Health Hazard

### **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

#### **SECTION 16: Other information**

### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of



the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Details in analogy to the undeuterated compound.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.6 Revision Date: 04/13/2022 Print Date: 06/01/2022



Page 9 of 9