Vazo™ 67



Version Revision Date: SDS Number: Date of last issue: 04/04/2019 11.2 09/19/2019 1325322-00039 Date of first issue: 02/27/2017

SECTION 1. IDENTIFICATION

Product name : Vazo™ 67

SDS-Identcode : 130000000273

Manufacturer or supplier's details

Company name of supplier : The Chemours Company FC, LLC

Address : 1007 Market Street

Wilmington, DE 19801 United States of America (USA)

Telephone : 1-844-773-CHEM (outside the U.S. 1-302-773-1000)

Emergency telephone : Medical emergency: 1-866-595-1473 (outside the U.S. 1-302-

773-2000); Transport emergency: +1-800-424-9300 (outside

the U.S. +1-703-527-3887)

Recommended use of the chemical and restrictions on use

Recommended use : Intermediate

Restrictions on use : For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Self-reactive chemicals : Type D

Combustible dust

Acute toxicity (Oral) : Category 4

GHS label elements

Hazard pictograms





Signal Word : Danger

Hazard Statements : H242 Heating may cause a fire.

May form combustible dust concentrations in air.

H302 Harmful if swallowed.

Precautionary Statements : Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces.

No smoking.

P220 Keep/Store away from clothing/ combustible materials.

P234 Keep only in original container.

Vazo™ 67



Version Revision Date: SDS Number: Date of last issue: 04/04/2019 11.2 09/19/2019 1325322-00039 Date of first issue: 02/27/2017

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool. P411 Store at temperatures not exceeding 24 $^{\circ}$ C/ 75 $^{\circ}$ F.

P420 Store away from other materials.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Risk of explosion if heated under confinement.

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Substance name : 2,2'-Azodi(2-methylbutyronitrile)

CAS-No. : 13472-08-7

Components

Chemical name	CAS-No.	Concentration (% w/w)
2,2'-Azodi(2-methylbutyronitrile)	13472-08-7	>= 90 - <= 100

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.

Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do

so by medical personnel.





Version Revision Date: SDS Number: Date of last issue: 04/04/2019 11.2 09/19/2019 1325322-00039 Date of first issue: 02/27/2017

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Eye contact may provoke the following symptoms

Irritation Pain tearing

Impairment of vision

Ingestion may provoke the following symptoms:

Tremors

Lack of coordination

Lethargy

central nervous system effects

Harmful if swallowed.

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Do not use a solid water stream as it may scatter and spread

fire.

The product burns violently.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Nitrogen oxides (NOx)

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Ose water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Vazo™ 67



Version 11.2 Revision Date: 09/19/2019

SDS Number: 1325322-00039

Date of last issue: 04/04/2019 Date of first issue: 02/27/2017

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec-:

tive equipment and emer-

gency procedures

Remove all sources of ignition.
Use personal protective equipment.

Follow safe handling advice and personal protective

equipment recommendations.

Environmental precautions : Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Clear spills immediately.

Take any precaution to avoid mixing with combustibles.

Soak up with inert absorbent material.

Remove mechanically and with care (e.g. with clean

polyethylene plastic shovel).

Sweep up and shovel into suitable containers for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.

Isolate waste and do not reuse.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventila-

tion.

Advice on safe handling : Do not breathe dust.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Non-sparking tools should be used.

Prevent pressure build-up

Protect container from physical shock.





Version **Revision Date:** SDS Number: Date of last issue: 04/04/2019 09/19/2019 1325322-00039 Date of first issue: 02/27/2017 11.2

Protect from contamination.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage Keep in properly labeled containers.

Store in original container.

Keep in a dry, cool and well-ventilated place.

Protect from sunlight.

Adhere to recommended storage temperature.

Store in accordance with the particular national regulations.

Keep away from heat and sources of ignition.

Materials to avoid Store away from other materials.

Recommended storage tem- : < 75 °F / < 24 °C

perature

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2,2'-Azodi(2- methylbutyronitrile)	13472-08-7	TWA	5 mg/m³ (Cyanide)	OSHA Z-1
		С	5 mg/m³ (Cyanide)	ACGIH
		С	4.7 ppm 5 mg/m³ (Cyanide)	NIOSH REL

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Hydrogen cyanide	74-90-8	ST	4.7 ppm 5 mg/m ³	NIOSH REL
		TWA	10 ppm 11 mg/m³	OSHA Z-1
		С	4.7 ppm (Cyanide)	ACGIH
Carbon monoxide	630-08-0	TWA	25 ppm	ACGIH
		TWA	35 ppm 40 mg/m ³	NIOSH REL
		С	200 ppm 229 mg/m³	NIOSH REL
		TWA	50 ppm	OSHA Z-1





 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/04/2019

 11.2
 09/19/2019
 1325322-00039
 Date of first issue: 02/27/2017

			55 mg/m ³	
Carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm	OSHA Z-1
			9,000 mg/m ³	
		TWA	5,000 ppm	NIOSH REL
			9,000 mg/m ³	
		ST	30,000 ppm	NIOSH REL
			54,000 mg/m ³	

Engineering measures

Processing may form hazardous compounds (see section

10).

Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations. Apply measures to prevent dust explosions.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust

ventilation.

Personal protective equipment

Respiratory protection

General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Material : Neoprene

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Breakthrough time is not determined for the

product. Change gloves often!

Eye protection : Wear the following personal protective equipment:

Safety goggles





Version Revision Date: SDS Number: Date of last issue: 04/04/2019 11.2 09/19/2019 1325322-00039 Date of first issue: 02/27/2017

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Wear the following personal protective equipment:

If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic

protective clothing.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : solid, crystalline

Color : white

Odor : odorless

Odor Threshold : No data available

pH : 7

Melting point/freezing point : 120.9 °F / 49.4 °C

Do not attempt to verify melting point; decomposition can be

violent.

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture.

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

0.03 - 0.04 %(V)

Vapor pressure : 0.00354 hPa (77 °F / 25 °C)

Relative vapor density : Not applicable

Vazo™ 67



Version **Revision Date:** SDS Number: Date of last issue: 04/04/2019 09/19/2019 1325322-00039 Date of first issue: 02/27/2017 11.2

1.1 (77 °F / 25 °C) Relative density

Bulk density 400 kg/m³

Solubility(ies)

Water solubility < 10 g/l

Partition coefficient: n-

octanol/water

log Pow: 2.07 (68 °F / 20 °C)

365 °F / 185 °C Autoignition temperature

Decomposition temperature The product is a self-reactive substance or mixture classified

as type D.

Self-Accelerating decomposi-

tion temperature (SADT)

113 °F / 45 °C

Viscosity

Viscosity, kinematic Not applicable

Extreme risk of explosion by shock, friction, fire or other Explosive properties

sources of ignition.

Oxidizing properties The substance or mixture is not classified as oxidizing.

Particle size No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity Heating may cause a fire.

Chemical stability Follow precautionary advice and avoid incompatible materials

and conditions

Possibility of hazardous reac-

tions

May form explosive dust-air mixture.

Oxidizing material can cause a reaction.

Hazardous decomposition products will be formed at elevated

temperatures.

May explode under confinement.

Conditions to avoid Heat, flames and sparks.

> Protect from contamination. Avoid dust formation.

Temperatures greater than recommended storage

temperature.

Contact with incompatible substances can cause

decomposition at or below SADT.

Incompatible materials Oxidizing agents

Avoid impurities (e.g. rust, dust, ash), risk of decomposition.

Flammable materials

Vazo™ 67



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/04/2019

 11.2
 09/19/2019
 1325322-00039
 Date of first issue: 02/27/2017

Hazardous decomposition products

Thermal decomposition : Hydrogen cyanide

Nitrogen

Carbon monoxide Carbon dioxide

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 338.35 mg/kg

Method: Calculation method

Components:

2,2'-Azodi(2-methylbutyronitrile):

Acute oral toxicity : LD50 (Rat): 337 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 8.9 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:

2,2'-Azodi(2-methylbutyronitrile):

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Vazo™ 67



Version Revision Date: SDS Number: Date of last issue: 04/04/2019 11.2 09/19/2019 1325322-00039 Date of first issue: 02/27/2017

Components:

2,2'-Azodi(2-methylbutyronitrile):

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

2,2'-Azodi(2-methylbutyronitrile):

Routes of exposure : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

2,2'-Azodi(2-methylbutyronitrile):

Germ cell mutagenicity - : Weight of evidence does not support classification as a germ

Assessment cell mutagen., Based on data from similar materials

Carcinogenicity

Not classified based on available information.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

2,2'-Azodi(2-methylbutyronitrile):

Reproductive toxicity - As- : Weight of evidence does not support classification for

sessment reproductive toxicity, Based on data from similar materials

Vazo™ 67



Version Revision Date: SDS Number: Date of last issue: 04/04/2019 11.2 09/19/2019 1325322-00039 Date of first issue: 02/27/2017

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Components:

2,2'-Azodi(2-methylbutyronitrile):

Assessment : No significant health effects observed in animals at concentra-

tions of 100 mg/kg bw or less.

Repeated dose toxicity

Components:

2,2'-Azodi(2-methylbutyronitrile):

Species : Rat

NOAEL : 50 mg/kg

LOAEL : > 50 mg/kg

Application Route : Ingestion

Exposure time : 42 d

Remarks : No significant adverse effects were reported

Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

2,2'-Azodi(2-methylbutyronitrile):

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 580 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 51.9 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 67 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 12.5

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

NOEC (Oryzias latipes (Orange-red killifish)): > 10 mg/l

Exposure time: 14 d

Vazo™ 67



Version Revision Date: SDS Number: Date of last issue: 04/04/2019 11.2 09/19/2019 1325322-00039 Date of first issue: 02/27/2017

Method: OECD Test Guideline 204

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 2.2 mg/l

Exposure time: 21 d

Remarks: Based on data from similar materials

Persistence and degradability

Components:

2,2'-Azodi(2-methylbutyronitrile):

Biodegradability : Result: Not readily biodegradable.

Method: OECD Test Guideline 301D

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Results of PBT and vPvB

assessment

Non-classified vPvB substance Non-classified PBT substance

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3236

Proper shipping name : SELF-REACTIVE SOLID TYPE D, TEMPERATURE

CONTROLLED (2,2'-AZODI(2-METHYLBUTYRONITRILE))

Class : 4.1

Packing group : Not assigned by regulation

Labels : 4.1

IATA-DGR

Not permitted for transport

IMDG-Code

UN number : UN 3236

Proper shipping name : SELF-REACTIVE SOLID TYPE D, TEMPERATURE

Vazo™ 67



Version Revision Date: SDS Number: Date of last issue: 04/04/2019 11.2 09/19/2019 1325322-00039 Date of first issue: 02/27/2017

CONTROLLED (2,2'-AZODI(2-METHYLBUTYRONITRILE))

Class : 4.1

Packing group : Not assigned by regulation

Labels : 4.1 EmS Code : F-F, S-K Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 3236

Proper shipping name : Self-reactive solid type D, temperature controlled (2,2-

Azodi(2-methylbutyronitrile))

Class : 4.1

Packing group : Not assigned by regulation Labels : FLAMMABLE SOLID

ERG Code : 150 Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible dust

Self-reactive chemicals

Acute toxicity (any route of exposure)

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

2,2'-Azodi(2-methylbutyronitrile) 13472-08-7

Vazo™ 67




 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/04/2019

 11.2
 09/19/2019
 1325322-00039
 Date of first issue: 02/27/2017

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Vazo[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours™ and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

Samples of 100 grams or less per package may ship as UN3226 without temperature control per CA-1998100007.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

ACGIH / C : Ceiling limit

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded

at any time during a workday

NIOSH REL / C : Ceiling value not be exceeded at any time.

OSHA Z-1 / TWA : 8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized Sys-

Vazo™ 67



Version Revision Date: SDS Number: Date of last issue: 04/04/2019 11.2 09/19/2019 1325322-00039 Date of first issue: 02/27/2017

tem; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 09/19/2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8