

SAFETY DATA SHEET

Revision Date 24-Mar-2020 Revision Number 4

1. Identification

Product Name 19(R)-Hydroxyprostaglandin E2, 0.05% w/v in ethanol

Cat No. : J67420

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099 Tel: 800-343-0660

Fax: 800-322-4757 Email: tech@alfa.com

www.alfa.com

Emergency Telephone Number

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660.

After normal business hours, call Carechem 24 at (866) 928-0789.

2. Hazard(s) identification

Category 2

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids

Serious Eye Damage/Eye Irritation Category 2
Specific target organ toxicity (single exposure) Category 2 Category 3

Target Organs - Central nervous system (CNS), Optic nerve.

Label Elements

Signal Word

Danger

Hazard Statements

Highly flammable liquid and vapor Causes serious eye irritation May cause drowsiness or dizziness May cause damage to organs



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not breathe dust/fume/gas/mist/vapors/spray

Do not eat, drink or smoke when using this product

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/protective clothing/eye protection/face protection

Response

If exposed or you feel unwell: Call a POISON CENTER or doctor/physician

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep cool

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other hazards

Poison, may be fatal or cause blindness if swallowed. Vapor harmful. CANNOT BE MADE NON-POISONOUS.

WARNING. Cancer and Reproductive Harm - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients

| Component | CAS-No | Weight % |
|--------------------------------|------------|----------|
| Ethyl alcohol | 64-17-5 | 90 |
| Methyl alcohol | 67-56-1 | 5 |
| Isopropyl alcohol | 67-63-0 | 5 |
| 19(R)-hydroxy Prostaglandin E2 | 64625-54-3 | < 0.1 |

4. First-aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Inhalation Remove to fresh air, If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and

effects

Notes to Physician

Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like

headache, dizziness, tiredness, nausea and vomiting

Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Water mist may be used to cool closed containers.

Unsuitable Extinguishing Media No information available

Flash Point 17 °C / 62.6 °F

Method - No information available

Autoignition Temperature

Explosion Limits

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO2).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

| Health | Flammability | Instability | Physical hazards |
|--------|--------------|-------------|------------------|
| 2 | 3 | 0 | - |

Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Remove all

sources of ignition. Take precautionary measures against static discharges.

Environmental Precautions Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. **Up** Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

| | 7. Handling and storage |
|----------|--|
| Handling | Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid |
| _ | ingestion and inhalation. Do not get in eyes, on skin, or on clothing. Keep away from oper |

flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

Take precautionary measures against static discharges.

Storage Storage Store in freezer. Keep container tightly closed in a dry and well-ventilated place. Keep away

from heat, sparks and flame.

8. Exposure controls / personal protection

Exposure Guidelines

| Component | ACGIH TLV | OSHA PEL | NIOSH IDLH | Mexico OEL (TWA) |
|-------------------|----------------|---------------------------------------|------------------------------|------------------|
| Ethyl alcohol | STEL: 1000 ppm | (Vacated) TWA: 1000 ppm | IDLH: 3300 ppm | STEL: 1000 ppm |
| | | (Vacated) TWA: 1900 mg/m ³ | TWA: 1000 ppm | |
| | | TWA: 1000 ppm | TWA: 1900 mg/m ³ | |
| | | TWA: 1900 mg/m ³ | | |
| Methyl alcohol | TWA: 200 ppm | (Vacated) TWA: 200 ppm | IDLH: 6000 ppm | TWA: 200 ppm |
| | STEL: 250 ppm | (Vacated) TWA: 260 mg/m ³ | TWA: 200 ppm | STEL: 250 ppm |
| | Skin | (Vacated) STEL: 250 ppm | TWA: 260 mg/m ³ | |
| | | (Vacated) STEL: 325 mg/m ³ | STEL: 250 ppm | |
| | | Skin | STEL: 325 mg/m ³ | |
| | | TWA: 200 ppm | | |
| | | TWA: 260 mg/m ³ | | |
| Isopropyl alcohol | TWA: 200 ppm | (Vacated) TWA: 400 ppm | IDLH: 2000 ppm | TWA: 200 ppm |
| | STEL: 400 ppm | (Vacated) TWA: 980 mg/m ³ | TWA: 400 ppm | STEL: 400 ppm |
| | | (Vacated) STEL: 500 ppm | TWA: 980 mg/m ³ | |
| | | (Vacated) STEL: 1225 | STEL: 500 ppm | |
| | | mg/m³ | STEL: 1225 mg/m ³ | |
| | | TWA: 400 ppm | _ | |
| | | TWA: 980 mg/m ³ | | |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Ensure that eyewash stations and safety showers are close to the workstation location.

Ensure adequate ventilation, especially in confined areas. Use explosion-proof

electrical/ventilating/lighting/equipment.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protectionWear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State Liquid

Appearance No information available Odor No information available

OdorNo information availableOdor ThresholdNo information availablepHNo information available

Melting Point/RangeNo data availableBoiling Point/RangeNo information availableFlash Point17 °C / 62.6 °FEvaporation RateNo information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

Upper No data available
Lower No data available
No data available

Vapor PressureNo information availableVapor DensityNo information availableSpecific GravityNo information availableSolubilityNo information availablePartition coefficient; n-octanol/waterNo data available

Autoignition TemperatureNo information availableDecomposition TemperatureNo information availableViscosityNo information available

Molecular FormulaC20 H34 O6Molecular Weight370.49

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Keep away from open flames, hot surfaces and sources of ignition.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous ReactionsNone under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Oral LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Dermal LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Vapor LC50

Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.

Component Information

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-------------------|----------------------------------|-------------------------------|-----------------------------|
| Ethyl alcohol | LD50 = 10470 mg/kg | Not listed | LC50 = 117-125 mg/l (4h) |
| | OCED 401 (Rat) | | OECD 403 (rat) |
| | 3450 mg/kg (Mouse) | | 20000 ppm/10H (rat) |
| Methyl alcohol | LD50 > 1187 – 2769 mg/kg (Rat) | LD50 = 17100 mg/kg (Rabbit) | LC50 = 128.2 mg/L (Rat) 4 h |
| Isopropyl alcohol | 5840 mg/kg (Rat) | 13900 mg/kg (Rat) | 72.6 mg/L (Rat) 4 h |
| | | 12870 mg/kg (Rabbit) | , , |

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component | CAS-No | IARC | NTP | ACGIH | OSHA | Mexico |
|-----------------------------------|------------|------------|------------|------------|------------|------------|
| Ethyl alcohol | 64-17-5 | Group 1 | Known | A3 | X | A3 |
| Methyl alcohol | 67-56-1 | Not listed |
| Isopropyl alcohol | 67-63-0 | Not listed |
| 19(R)-hydroxy Prostaglandin E2 | 64625-54-3 | Not listed |

IARC (International Agency for Research on Cancer) IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program) NTP: (National Toxicity Program) Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

ACGIH: (American Conference of Governmental Industrial

Mexico - Occupational Exposure Limits - Carcinogens

Hygienists)

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens

A1 - Confirmed Human Carcinogen A2 - Suspected Human Carcinogen A3 - Confirmed Animal Carcinogen

A4 - Not Classifiable as a Human Carcinogen A5 - Not Suspected as a Human Carcinogen

Mutagenic Effects No information available

Reproductive Effects No information available. **Developmental Effects** No information available. **Teratogenicity** No information available.

STOT - single exposure Central nervous system (CNS) Optic nerve

STOT - repeated exposure None known

No information available **Aspiration hazard**

delayed

Symptoms / effects,both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Contains a substance which is:. Toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|-------------------|------------------------|---------------------------|--------------------------|------------------------|
| Ethyl alcohol | EC50 (72h) = 275 mg/l | Fathead minnow | Photobacterium | EC50 = 9268 mg/L/48h |
| | (Chlorella vulgaris) | (Pimephales promelas) | phosphoreum:EC50 = 34634 | EC50 = 10800 mg/L/24h |
| | | LC50 = 14200 mg/l/96h | mg/L/30 min | |
| | | | Photobacterium | |
| | | | phosphoreum:EC50 = 35470 | |
| | | | mg/L/5 min | |
| Methyl alcohol | Not listed | Pimephales promelas: LC50 | EC50 = 39000 mg/L 25 min | EC50 > 10000 mg/L 24h |
| | | > 10000 mg/L 96h | EC50 = 40000 mg/L 15 min | |
| | | | EC50 = 43000 mg/L 5 min | |
| Isopropyl alcohol | EC50: > 1000 mg/L, 72h | LC50: = 9640 mg/L, 96h | = 35390 mg/L EC50 | 13299 mg/L EC50 = 48 h |
| | (Desmodesmus | flow-through (Pimephales | Photobacterium | 9714 mg/L EC50 = 24 h |
| | subspicatus) | promelas) | phosphoreum 5 min | |
| | EC50: > 1000 mg/L, 96h | LC50: > 1400000 µg/L, 96h | | |
| | (Desmodesmus | (Lepomis macrochirus) | | |
| | subspicatus) | LC50: = 11130 mg/L, 96h | | |
| | | static (Pimephales | | |
| | | promelas) | | |
| | | | | |

Persistence and Degradability Persistence is unlikely

Bioaccumulation/ Accumulation

No information available.

Mobility

Is not likely mobile in the environment due its low water solubility.

| Component | log Pow |
|-------------------|---------|
| Ethyl alcohol | -0.32 |
| Methyl alcohol | -0.74 |
| Isopropyl alcohol | 0.05 |

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

| Component | RCRA - U Series Wastes | RCRA - P Series Wastes |
|--------------------------|------------------------|------------------------|
| Methyl alcohol - 67-56-1 | U154 | - |

14. Transport information

DOT

UN-No UN1170
Proper Shipping Name ETHANOL

Hazard Class 3
Packing Group ||

TDG

UN-No UN1170
Proper Shipping Name ETHANOL

Hazard Class 3 Packing Group II

IATA

UN-No UN1170 Proper Shipping Name ETHANOL

Hazard Class 3
Packing Group ||

IMDG/IMO

UN-No UN1170
Proper Shipping Name ETHANOL

Hazard Class 3
Packing Group ||

15. Regulatory information

United States of America Inventory

| Component | CAS-No | TSCA | TSCA Inventory notification - Active/Inactive | TSCA - EPA Regulatory Flags |
|--------------------------------|------------|------|---|-----------------------------|
| Ethyl alcohol | 64-17-5 | X | ACTIVE | - |
| Methyl alcohol | 67-56-1 | X | ACTIVE | - |
| Isopropyl alcohol | 67-63-0 | X | ACTIVE | - |
| 19(R)-hydroxy Prostaglandin E2 | 64625-54-3 | - | - | - |

Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

| Component | CAS-No | DSL | NDSL | EINECS | PICCS | ENCS | AICS | IECSC | KECL |
|--------------------------------|------------|-----|------|-----------|-------|------|------|-------|----------|
| Ethyl alcohol | 64-17-5 | X | - | 200-578-6 | X | X | Χ | Х | KE-13217 |
| Methyl alcohol | 67-56-1 | Х | - | 200-659-6 | X | Х | Х | Х | KE-23193 |
| Isopropyl alcohol | 67-63-0 | Х | - | 200-661-7 | X | Х | Х | Х | KE-29363 |
| 19(R)-hydroxy Prostaglandin E2 | 64625-54-3 | - | - | - | - | - | - | - | - |

U.S. Federal Regulations

SARA 313

| Component | CAS-No | Weight % | SARA 313 - Threshold Values % |
|-------------------|---------|----------|----------------------------------|
| Methyl alcohol | 67-56-1 | 5 | 1.0 |
| Isopropyl alcohol | 67-63-0 | 5 | 1.0 |

SARA 311/312 Hazard Categories

See section 2 for more information

CWA (Clean Water Act)

Not applicable

Clean Air Act

| Component | HAPS Data | Class 1 Ozone Depletors | Class 2 Ozone Depletors | |
|----------------|-----------|-------------------------|-------------------------|--|
| Methyl alcohol | X | | - | |

OSHA - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

| Component | Hazardous Substances RQs | CERCLA EHS RQs | |
|----------------|--------------------------|----------------|--|
| Methyl alcohol | 5000 lb | - | |

California Proposition 65

This product contains the following Proposition 65 chemicals.

| Component | CAS-No | California Prop. 65 | Prop 65 NSRL | Category |
|----------------|---------|------------------------|--------------|---------------|
| Ethyl alcohol | 64-17-5 | Development (alcoholic | - | Developmental |
| | | beverages only) | | Carcinogen |
| | | Carcinogen | | |
| Methyl alcohol | 67-56-1 | Developmental | - | Developmental |

U.S. State Right-to-Know

Regulations

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|-------------------|---------------|------------|--------------|----------|--------------|
| Ethyl alcohol | X | X | X | X | X |
| Methyl alcohol | X | X | X | X | X |
| Isopropyl alcohol | X | X | Х | = | Х |

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

| 16. (|)tl | ner i | intc | ormat | tion |
|-------|-----|-------|------|-------|------|
|-------|-----|-------|------|-------|------|

Prepared By Health, Safety and Environmental Department

Email: tech@alfa.com

www.alfa.com

Revision Date24-Mar-2020Print Date24-Mar-2020

Revision Summary SDS authoring systems update, replaces ChemGes SDS No. 2,426.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS