

SAFETY DATA SHEET

Creation Date 07-Sep-2010 Revision Date 14-Feb-2020 Revision Number 2

1. Identification

Product Name 1,3-Dibromopropane

Cat No. : A14687

CAS-No 109-64-8

Synonyms Trimethylene bromide

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Alfa Aesar

Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757 **Email:** tech@alfa.com

www.alfa.com

Emergency Telephone Number

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660.

After normal business hours, call Carechem 24 at (866) 928-0789.

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids
Category 3
Acute oral toxicity
Category 4
Skin Corrosion/Irritation
Category 2
Serious Eye Damage/Eye Irritation
Category 2
Specific target organ toxicity (single exposure)
Category 3

Target Organs - Respiratory system.

Label Elements

Signal Word

Warning

Hazard Statements

Flammable liquid and vapor Harmful if swallowed Causes skin irritation

1,3-Dibromopropane Revision Date 14-Feb-2020

Causes serious eye irritation May cause respiratory irritation



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Skin

Wash contaminated clothing before reuse

If skin irritation occurs: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Propane, 1,3-dibromo-	109-64-8	>95
1,2-Butylene oxide	106-88-7	<0.1

1,3-Dibromopropane Revision Date 14-Feb-2020

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and

effects

. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may

be used to cool closed containers.

Unsuitable Extinguishing Media No information available

Flash Point 54 °C / 129.2 °F

Method - No information available

Autoignition Temperature

Explosion Limits

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO2).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

HealthFlammabilityInstabilityPhysical hazards20N/A

6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Remove all

sources of ignition. Take precautionary measures against static discharges.

Environmental Precautions Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. **Up**Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

7. Handling and storage

Revision Date 14-Feb-2020

1,3-Dibromopropane

Handling Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on

clothing. Avoid ingestion and inhalation. Ensure adequate ventilation. Keep away from open

flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take

precautionary measures against static discharges.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Flammables area.

Keep away from heat, sparks and flame.

8. Exposure controls / personal protection

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure

limitsestablished by the region specific regulatory bodies.

Engineering Measures Use only under a chemical fume hood. Ensure that eyewash stations and safety showers

are close to the workstation location. Use explosion-proof

electrical/ventilating/lighting/equipment. Ensure adequate ventilation, especially in confined

areas.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State Liquid

Appearance Colorless, Yellow Odor Characteristic

Odor Threshold

No information available

pH No information available Melting Point/Range -34 °C / -29.2 °F

Boiling Point/Range 167 °C / 332.6 °F @ 760 mmHg

Flash Point 54 °C / 129.2 °F
Evaporation Rate No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

Upper No data available
Lower No data available
Vapor Pressure 2.6 hPa @ 20 °C
Vapor Density No information available

Specific Gravity 1.989

Solubility

No information available

Partition coefficient; n-octanol/water

No data available

Autoignition Temperature

Decomposition Temperature

No information available
No information available

Viscosity

No information available

Molecular FormulaC3 H6 Br2Molecular Weight201.89

Revision Date 14-Feb-2020

1,3-Dibromopropane

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition.

Incompatible Materials Strong oxidizing agents, Strong bases

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Propane, 1,3-dibromo-	LD50: 315 mg/kg (rat)	Not listed	Not listed
1,2-Butylene oxide	LD50 = 900 mg/kg (Rat) LD50 = 500 mg/kg (Rat)	LD50 1255 - 2546 mg/kg (Rabbit)	LC50 > 6300 mg/m³ (Rat) 4 h

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes, respiratory system and skin

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Propane, 1,3-dibromo-	109-64-8	Not listed				
1,2-Butylene oxide	106-88-7	Group 2B	Not listed	Not listed	Χ	Not listed

No information available **Mutagenic Effects**

No information available. **Reproductive Effects**

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure Respiratory system None known STOT - repeated exposure

Aspiration hazard No information available

delayed

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

No information available **Endocrine Disruptor Information**

Other Adverse Effects The toxicological properties have not been fully investigated.

1,3-Dibromopropane Revision Date 14-Feb-2020

12. Ecological information

Ecotoxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Propane, 1,3-dibromo-	Not listed	LC50: 1.79 mg/L/96h	Not listed	Not listed
		(Fathead minnow); LC50:		
		5.3 mg/L/24h (Pimephales		
		promelas)		
1,2-Butylene oxide	EC50: > 500 mg/L, 72h (Desmodesmus	LC50: 100 - 220 mg/L, 96h static (Leuciscus idus)	EC50 = 4840 mg/L 17 h	EC50: = 69.8 mg/L, 48h (Daphnia magna)
	subspicatus)			

Persistence and Degradability

Persistence is unlikely

Bioaccumulation/ Accumulation

No information available.

Mobility

. Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Propane, 1,3-dibromo-	2.37
1,2-Butylene oxide	0.416

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN1993

Proper Shipping NameFlammable liquid, n.o.s.Technical Name(1,3-DIBROMOPROPANE)

Hazard Class 3 Packing Group III

TDG

UN-No UN1993

Proper Shipping Name Flammable liquid, n.o.s.

Hazard Class 3
Packing Group III

<u>IATA</u>

UN-No UN1993

Proper Shipping Name Flammable liquid, n.o.s.

Hazard Class 3 Packing Group III

IMDG/IMO

UN-No UN1993

Proper Shipping Name Flammable liquid, n.o.s.

Hazard Class 3
Packing Group III

15. Regulatory information

United States of America Inventory

Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
Propane, 1,3-dibromo-	109-64-8	X	ACTIVE	-
1,2-Butylene oxide	106-88-7	X	ACTIVE	-

Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed
'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
Propane, 1,3-dibromo-	109-64-8	X	-	203-690-3	Χ	X	Х	Χ	KE-09951
1,2-Butylene oxide	106-88-7	X	-	203-438-2	Х	Х	Х	Х	KE-04286

U.S. Federal Regulations

SARA 313 Not applicable

0		-		
Comp	ponent	CAS-No	Weight %	SARA 313 - Threshold Values %
1,2-Buty	ene oxide	106-88-7	<0.1	0.1

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
1.2-Butvlene oxide	X		-

OSHA - Occupational Safety and

Health Administration

Not applicable

Not applicable

CERCLA Not applicable

Component	Hazardous Substances RQs	CERCLA EHS RQs
1.2-Butvlene oxide	100 lb	-

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

	Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Γ	1.2-Butvlene oxide	X	X	Х	X	X

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

16. Other information

Revision Date 14-Feb-2020

1,3-Dibromopropane

Prepared By Health, Safety and Environmental Department

Email: tech@alfa.com

www.alfa.com

 Creation Date
 07-Sep-2010

 Revision Date
 14-Feb-2020

 Print Date
 14-Feb-2020

Revision Summary SDS authoring systems update, replaces ChemGes SDS No. 109-64-8/3.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS