

# Safety Data Sheet Paliotol® Yellow L 0960 HD

Revision date : 2015/05/27 Page: 1/9
Version: 3.0 (30041697/SDS\_GEN\_US/EN)

#### 1. Identification

#### Product identifier used on the label

# Paliotol® Yellow L 0960 HD

#### Recommended use of the chemical and restriction on use

Recommended use\*: colourant(s)

Suitable for use in industrial sector: plastics processing industry

#### Details of the supplier of the safety data sheet

#### Company:

BASF Colors & Effects USA LLC 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

#### **Emergency telephone number**

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

#### Other means of identification

Molecular formula: C26H6Cl8N2O4

Chemical family: quinophthalone pigment Synonyms: Quinophthalone yellow

#### 2. Hazards Identification

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

#### Classification of the product

Combustible Dust (1) Combustible Dust

#### Label elements

Signal Word: Warning

<sup>\*</sup> The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

# Paliotol® Yellow L 0960 HD

Revision date: 2015/05/27 Page: 2/9
Version: 3.0 (30041697/SDS GEN US/EN)

Hazard Statement:

May form combustible dust concentration in air.

#### Hazards not otherwise classified

The product is under certain conditions capable of dust explosion.

# 3. Composition / Information on Ingredients

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

This product does not contain any components classified as hazardous under the referenced regulation.

#### According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

The product contains:

CAS Number Weight % Chemical name

30125-47-4 100.0 % C.I. Pigment Yellow 138

#### 4. First-Aid Measures

#### Description of first aid measures

#### General advice:

Remove contaminated clothing.

#### If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

#### If on skin:

Remove contaminated clothing. Wash thoroughly with soap and water. If irritation develops, seek medical attention.

#### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open. If irritation develops, seek medical attention.

#### If swallowed:

Rinse mouth and then drink plenty of water. Do not induce vomiting. Seek medical attention if necessary.

#### Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

#### Indication of any immediate medical attention and special treatment needed

# Paliotol® Yellow L 0960 HD

Revision date: 2015/05/27 Page: 3/9
Version: 3.0 (30041697/SDS GEN US/EN)

Note to physician

Treat according to symptoms (decontamination, vital functions), no

known specific antidote.

### 5. Fire-Fighting Measures

#### **Extinguishing media**

Suitable extinguishing media:

dry powder, foam

Unsuitable extinguishing media for safety reasons:

carbon dioxide

Additional information:

Avoid whirling up the material/product because of the danger of dust explosion.

#### Special hazards arising from the substance or mixture

Hazards during fire-fighting:

harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

#### Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

#### **Further information:**

Dusty conditions may ignite explosively in the presence of an ignition source causing flash fire.

**Impact Sensitivity:** 

Impact Weight: 10 kg Height of Fall: 0.4 m

Method: Explosive properties

Number of positive

reactions:

#### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Use personal protective clothing.

#### **Environmental precautions**

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

#### Methods and material for containment and cleaning up

For small amounts: Pick up with suitable appliance and dispose of. For large amounts: Contain with dust binding material and dispose of.

Avoid raising dust.

# Paliotol® Yellow L 0960 HD

Revision date: 2015/05/27 Page: 4/9 (30041697/SDS GEN US/EN) Version: 3.0

# 7. Handling and Storage

#### Precautions for safe handling

Breathing must be protected when large quantities are decanted without local exhaust ventilation.

Closed containers should only be opened in well-ventilated areas.

Protection against fire and explosion:

Avoid dust formation. Take precautionary measures against static discharges.

# Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

### 8. Exposure Controls/Personal Protection

No occupational exposure limits known.

#### Advice on system design:

Provide local exhaust ventilation to control dust.

#### Personal protective equipment

#### Respiratory protection:

Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator.

Observe OSHA regulations for respirator use (29 CFR 1910.134).

#### Hand protection:

Chemical resistant protective gloves

#### Eye protection:

Safety glasses with side-shields. Wear face shield if splashing hazard exists.

#### General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Due to the colouring properties of the product closed work clothes should be used, to avoid stains during manipulation. Eye wash fountains and safety showers must be easily accessible. Wash soiled clothing immediately.

### 9. Physical and Chemical Properties

Form: powder Odour: odourless Odour threshold: not applicable Colour: vellow pH value: 3.5 - 6.5

> (50 g/l, 20 °C) (as suspension)

> 350 °C

Melting point:

(1,013 hPa)

Boiling point: not determined

> 150 °C (DIN 51758, closed Flash point:

cup)

# Paliotol® Yellow L 0960 HD

Revision date: 2015/05/27 Page: 5/9
Version: 3.0 (30041697/SDS GEN US/EN)

Flammability: not highly flammable (Directive

84/449/EEC, A.10)

(calculated)

Lower explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit: As a result of our experience with this

product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Autoignition: No data available.

Vapour pressure: < 0.00001 hPa (OECD Guideline

(20 °C) 104)

Density: approx. 1.80 g/cm3

(20°C)

Bulk density: approx. 310 kg/m3

Vapour density: The product is a non-volatile solid.

Partitioning coefficient n- 1.24

octanol/water (log Pow):

Self-ignition Based on its structural properties the (Directive

temperature: product is not classified as self- 92/69/EEC, A.16)

ianitina.

Thermal decomposition: Not a substance liable to self-decomposition according to UN

transport regulations, class 4.1.

Viscosity, dynamic: Study does not need to be conducted.

Particle size: (134001)

Solubility in water: insoluble

Evaporation rate: The product is a non-volatile solid.

#### 10. Stability and Reactivity

#### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

No corrosive effect on metal.

Oxidizing properties:

not fire-propagating (Directive 84/449/EEC, A.17)

#### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

#### Possibility of hazardous reactions

In spite of the dedusting carried out for reasons of industrial health a dust explosion hazard can not be excluded.

#### Conditions to avoid

Avoid dust formation. See MSDS section 7 - Handling and storage.

### Incompatible materials

No substances known that should be avoided.

# Paliotol® Yellow L 0960 HD

Revision date: 2015/05/27 Page: 6/9
Version: 3.0 (30041697/SDS GEN US/EN)

#### Hazardous decomposition products

#### Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

#### Thermal decomposition:

Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

### 11. Toxicological information

# Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### **Acute Toxicity/Effects**

#### Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact.

#### Oral

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg

#### **Inhalation**

Type of value: LC50 not determined

#### Dermal

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg

#### Irritation / corrosion

Assessment of irritating effects: Not irritating to the eyes. Not irritating to the skin.

# <u>Skin</u>

Species: rabbit Result: non-irritant Method: BASF-Test

#### <u>Eye</u>

Species: rabbit Result: non-irritant Method: BASF-Test

#### Sensitization

Assessment of sensitization: The chemical structure does not suggest a sensitizing effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

No data available.

# Paliotol® Yellow L 0960 HD

Revision date: 2015/05/27 Page: 7/9
Version: 3.0 (30041697/SDS GEN US/EN)

#### Aspiration Hazard

No aspiration hazard expected.

# **Chronic Toxicity/Effects**

#### Repeated dose toxicity

Assessment of repeated dose toxicity: No known chronic effects.

#### Genetic toxicity

Assessment of mutagenicity: The substance was not mutagenic in bacteria. The substance was not mutagenic in a test with mammals. Mutagenicity tests revealed no genotoxic potential.

#### Carcinogenicity

Assessment of carcinogenicity: No data available concerning carcinogenic effects.

#### Reproductive toxicity

Assessment of reproduction toxicity: No data available.

#### **Teratogenicity**

Assessment of teratogenicity: No data available.

#### Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

# 12. Ecological Information

### **Toxicity**

#### Aquatic toxicity

Assessment of aquatic toxicity:

At the present state of knowledge, no negative ecological effects are expected. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

The ecological data given are those of the active ingredient.

#### Toxicity to fish

LC50 (96 h) > 100 mg/l, Brachydanio rerio (OECD 203; ISO 7346; 84/449/EEC, C.1)

Nominal concentration. The ecological data given are those of the active ingredient.

#### Aquatic invertebrates

EC50 (48 h) > 100 mg/l, Daphnia magna

The product has low solubility in the test medium. An eluate has been tested. Nominal concentration. The ecological data given are those of the active ingredient.

#### Aquatic plants

EC50 (72 h) > 100 mg/l, Desmodesmus subspicatus (OECD Guideline 201)

Nominal concentration. The ecological data given are those of the active ingredient.

#### Chronic toxicity to fish

No data available.

#### Chronic toxicity to aquatic invertebrates

No data available.

# Paliotol® Yellow L 0960 HD

Revision date: 2015/05/27 Page: 8/9
Version: 3.0 (30041697/SDS\_GEN\_US/EN)

#### Microorganisms/Effect on activated sludge

#### Toxicity to microorganisms

Directive 88/302/EEC, part C, p. 118 activated sludge/EC50 (0.5 h): > 100 mg/l

The ecological data given are those of the active ingredient.

#### Persistence and degradability

#### Assessment biodegradation and elimination (H2O)

The product is not very soluble in water and can thus be removed from water mechanically in suitable effluent treatment plants.

#### Elimination information

50 - 100 % (Static test)

# **Bioaccumulative potential**

#### Assessment bioaccumulation potential

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

#### Mobility in soil

#### Assessment transport between environmental compartments

The substance will not evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is not expected.

#### **Additional information**

Adsorbable organically-bound halogen (AOX):

The product contains according to the formulation, organically bound halogen. It can increase the AOX-value in the water purification plants overflow or if it reaches waters.

#### 13. Disposal considerations

#### Waste disposal of substance:

Do not discharge into drains/surface waters/groundwater. Dispose of in accordance with national, state and local regulations.

#### Container disposal:

Dispose of in accordance with national, state and local regulations. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

RCRA: NONE

# 14. Transport Information

#### Land transport

**USDOT** 

Not classified as a dangerous good under transport regulations

#### Sea transport

**IMDG** 

# Paliotol® Yellow L 0960 HD

Revision date: 2015/05/27 Page: 9/9
Version: 3.0 (30041697/SDS GEN US/EN)

Not classified as a dangerous good under transport regulations

Air transport IATA/ICAO

Not classified as a dangerous good under transport regulations

# 15. Regulatory Information

#### Federal Regulations

Registration status:

Chemical TSCA, US released / listed

**EPCRA 311/312 (Hazard categories):** Fire (Combustible Dust);

CA Prop. 65:

WARNING: THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

NFPA Hazard codes:

Health: 1 Fire: 1 Reactivity: 0 Special:

**HMIS III rating** 

Health: 1 Flammability: 1 Physical hazard:0

#### 16. Other Information

#### SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2015/05/27

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Paliotol® Yellow L 0960 HD END OF DATA SHEET