

# **SAFETY DATA SHEET**

Creation Date 24-Nov-2010 Revision Date 02-Mar-2022 Revision Number 3

1. Identification

Product Name 1,2-Bis(chlorodimethylsilyl)ethane

Cat No. : L02570

**CAS No** 13528-93-3

**Synonyms** 1,1,4,4-Tetramethyl-1,4-dichloro-disylethylene

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

## Details of the supplier of the safety data sheet

Company

Alfa Aesar

Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757 **Email:** tech@alfa.com

www.alfa.com

**Emergency Telephone Number** 

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660.

After normal business hours, call Carechem 24 at (866) 928-0789.

# 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Corrosion/Irritation Category 1 B
Serious Eye Damage/Eye Irritation Category 1

Label Elements

Signal Word

Danger

**Hazard Statements** 

Causes severe skin burns and eye damage



### **Precautionary Statements**

### Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

### Response

Immediately call a POISON CENTER or doctor/physician

### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing **Ingestion** 

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

### Storage

Store locked up

### **Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

None identified

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %	
Silane, 1,2-ethanediylbis[chlorodimethyl-	13528-93-3	<=100	

## 4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required. Keep eye wide open while rinsing.

**Skin Contact** Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Call a physician immediately.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Call a physician or poison

control center immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a

one-way valve or other proper respiratory medical device.

Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person.

Most important symptoms and

effects

Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric

Dhysical barards

lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation Treat symptomatically

Notes to Physician

# Fire-fighting measures

**Suitable Extinguishing Media** CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool

closed containers.

**Unsuitable Extinguishing Media** No information available

**Flash Point** 65 °C / 149 °F

Method -No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

### **Specific Hazards Arising from the Chemical**

The product causes burns of eyes, skin and mucous membranes. Combustible material. Containers may explode when heated.

### **Hazardous Combustion Products**

Haalth

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Silicon dioxide. Hydrogen chloride gas.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

**NFPA** 

пеанн	riammability	instability	Physical nazarus
3	1	0	N/A
· ·	•	· ·	1 1// 1
		·	

### Accidental release measures

Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid **Personal Precautions** 

contact with skin, eyes or clothing. Remove all sources of ignition. Take precautionary

Inatability.

measures against static discharges.

**Environmental Precautions** Should not be released into the environment. Do not allow material to contaminate ground

water system.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Remove Up

all sources of ignition.

Clammability

	7. Handling and storage
Handling	Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Use only under a chemical fume hood. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance. Handle under an inert atmosphere. Keep away from open flames, hot surfaces and sources of ignition.
Storage.	Keep container tightly closed in a dry and well-ventilated place. Keep away from heat, sparks and flame. Store under an inert atmosphere. Corrosives area. Protect from moisture.

# 8. Exposure controls / personal protection

Incompatible Materials. Acids. Strong oxidizing agents. Strong bases.

### 1,2-Bis(chlorodimethylsilyl)ethane

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure

limitsestablished by the region specific regulatory bodies.

Engineering Measures Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations

and safety showers are close to the workstation location. Ensure adequate ventilation,

especially in confined areas.

**Personal Protective Equipment** 

**Eye/face Protection**Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

Physical State Solid Low melting solid

**Appearance** Clear

OdorNo information availableOdor ThresholdNo information available

**pH** Not applicable

**Melting Point/Range** 35 - 38 °C / 95 - 100.4 °F

Boiling Point/Range 198 - 200 °C / 388.4 - 392 °F @ 760 mmHg

Flash Point 65 °C / 149 °F Evaporation Rate Not applicable

Flammability (solid,gas)

No information available

Flammability or explosive limits

Upper No data available
Lower No data available
Vapor Pressure No information available

Vapor Density Not applicable

Specific Gravity

Solubility

Partition coefficient; n-octanol/water

Autoignition Temperature

No information available
Reacts with water
No data available
No information available

Decomposition Temperature

No information available

Not applicable

ViscosityNot applicableMolecular FormulaC6 H16 Cl2 Si2Molecular Weight215.27

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Moisture sensitive.

Conditions to Avoid Incompatible products. Exposure to moist air or water. Keep away from open flames, hot

surfaces and sources of ignition.

Incompatible Materials Acids, Strong oxidizing agents, Strong bases

### 1,2-Bis(chlorodimethylsilyl)ethane

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Silicon dioxide, Hydrogen chloride gas

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

# Toxicological information

**Acute Toxicity** 

**Product Information** 

No acute toxicity information is available for this product

**Component Information Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Silane,	13528-93-3	Not listed				
1,2-ethanediylbis[chlor						
odimethyl-						

No information available **Mutagenic Effects** 

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

No information available. **Teratogenicity** 

None known STOT - single exposure None known STOT - repeated exposure

**Aspiration hazard** No information available

delaved

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

> Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

# 12. Ecological information

Ecotoxicity

Reacts with water so no ecotoxicity data for the substance is available.

Persistence and Degradability Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

Is not likely mobile in the environment. **Mobility** 

### Disposal considerations

**Waste Disposal Methods** Chemical waste generators must determine whether a discarded chemical is classified as a

hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOT

UN-No UN2987

Proper Shipping Name CHLOROSILANES, CORROSIVE, N.O.S.

Hazard Class 8
Packing Group

TDG

UN-No UN2987

Proper Shipping Name CHLOROSILANES, CORROSIVE, N.O.S.

Hazard Class 8
Packing Group ||

IATA

UN-No UN2987

Proper Shipping Name CHLOROSILANES, CORROSIVE, N.O.S.

Hazard Class 8
Packing Group

IMDG/IMO

UN-No UN2987

Proper Shipping Name CHLOROSILANES, CORROSIVE, N.O.S.

Hazard Class 8
Packing Group

# 15. Regulatory information

### **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Silane,	13528-93-3	X	ACTIVE	-
1,2-ethanediylbis[chlorodimethyl-				

### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Silane,	13528-93-3	-	Х	236-871-0	Х	Χ	Х	Х	Х	-
1,2-ethanediylbis[chlorodimethyl-										

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

## 1,2-Bis(chlorodimethylsilyl)ethane

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

**California Proposition 65** This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

Not applicable

**U.S. Department of Transportation** 

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

## Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous
					Substances (RoHS)
Silane,	13528-93-3	Not applicable	Not applicable	Not applicable	Not applicable
1,2-ethanediylbis[chlorodimet					
hyl-					

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Silane, 1,2-ethanediylbis[chlorodimet hyl-	13528-93-3	Not applicable	Not applicable	Not applicable	Not applicable

# 16. Other information

Prepared By Health, Safety and Environmental Department

Email: tech@alfa.com

www.alfa.com

 Creation Date
 24-Nov-2010

 Revision Date
 02-Mar-2022

 Print Date
 02-Mar-2022

Revision Summary SDS authoring systems update, replaces ChemGes SDS No. 13528-93-3/2.

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**