

# **SAFETY DATA SHEET**

Creation Date 03-May-2012 Revision Date 14-Feb-2020 Revision Number 2

## 1. Identification

Product Name 3-Chloro-4-methylaniline

Cat No. : A15439

**CAS-No** 95-74-9

Synonyms 3-Chloro-p-toluidine

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

#### Company

Alfa Aesar

Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757 **Email:** tech@alfa.com

www.alfa.com

## **Emergency Telephone Number**

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660.

After normal business hours, call Carechem 24 at (866) 928-0789.

# 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity
Category 4
Acute dermal toxicity
Category 3
Skin Corrosion/Irritation
Category 2
Serious Eye Damage/Eye Irritation
Category 2
Skin Sensitization
Category 1

## Label Elements

## **Signal Word**

Danger

#### **Hazard Statements**

Harmful if swallowed
Toxic in contact with skin
Causes skin irritation

Causes serious eye irritation

May cause an allergic skin reaction



#### **Precautionary Statements**

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

#### Skin

IF ON SKIN: Wash with plenty of soap and water

Call a POISON CENTER or doctor/physician if you feel unwell

Remove/Take off immediately all contaminated clothing

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

## Storage

Store locked up

#### Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

# 3. Composition/Information on Ingredients

Component		CAS-No	Weight %		
	3-Chloro-p-toluidine	95-74-9	>95		

## 4. First-aid measures

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact**Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get medical attention.

Inhalation Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial

respiration. Get medical attention.

**Ingestion** Clean mouth with water. Get medical attention.

Most important symptoms and

effects

May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest

pain, muscle pain or flushing

#### 3-Chloro-4-methylaniline

**Notes to Physician** Treat symptomatically

## Fire-fighting measures

Water spray. Carbon dioxide (CO<sub>2</sub>). Dry chemical. Chemical foam. **Suitable Extinguishing Media** 

**Unsuitable Extinguishing Media** No information available

100 °C / 212 °F **Flash Point** 

Method -No information available

**Autoignition Temperature** 500 °C / 932 °F

**Explosion Limits** 

Upper No data available Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

Do not allow run-off from fire-fighting to enter drains or water courses.

#### **Hazardous Combustion Products**

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Hydrogen chloride gas.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
3	1	0	N/A

### Accidental release measures

**Personal Precautions Environmental Precautions**  Ensure adequate ventilation. Use personal protective equipment as required. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Up

Handling Avoid contact with skin and eyes. Do not breathe dust.

Storage Keep in a dry, cool and well-ventilated place. Refer product specification and/or product

label for specific storage temperature requirement. Keep container tightly closed. Material

darkens in color during storage. Keep under nitrogen.

## 8. Exposure controls / personal protection

**Exposure Guidelines** 

This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations **Engineering Measures** 

and safety showers are close to the workstation location.

#### Personal Protective Equipment

**Eye/face Protection**Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

Physical StateSolidAppearanceDark brownOdorOdorless

Odor Threshold<br/>pHNo information available<br/>No information available

Melting Point/Range 25 °C / 77 °F

**Boiling Point/Range** 237 - 238 °C / 458.6 - 460.4 °F @ 760 mmHg

Flash Point 100 °C / 212 °F Evaporation Rate Not applicable

Flammability (solid,gas)

No information available

Flammability or explosive limits

Upper<br/>LowerNo data available<br/>No data availableVapor Pressure0.04 mbar @ 20 °CVapor DensityNot applicable

Specific Gravity 1.170

Solubility
Partition coefficient; n-octanol/water
Autoignition Temperature
No information available
No data available
500 °C / 932 °F

Decomposition Temperature> 400°CViscosityNot applicableMolecular FormulaC7 H8 CI NMolecular Weight141.6

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Incompatible products.

Incompatible Materials Acids, Strong oxidizing agents, Acid anhydrides, Acid chlorides, Chloroformates

Hazardous Decomposition Products Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen chloride

gas

Hazardous Polymerization No information available.

**Hazardous Reactions**None under normal processing.

## 11. Toxicological information

**Acute Toxicity** 

#### **Product Information**

**Component Information** 

		LD50 Oral	LD50 Dermal	LC50 Inhalation
	3-Chloro-p-toluidine	LD50 = 1500 mg/kg (Rat)	LD50 = 336 mg/kg (Rat)	LC50 > 7.62 mg/L (Rat) 4 h

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available Irritation

Sensitization May cause sensitization by skin contact

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
3-Chloro-p-toluidine	95-74-9	Not listed				

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

STOT - single exposure None known None known STOT - repeated exposure

No information available **Aspiration hazard** 

delayed

Symptoms / effects,both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

## 12. Ecological information

#### **Ecotoxicity**

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Algae	Microtox	Water Flea		
3-Chloro-p-toluidine	Not listed	Not listed	EC50 = 125 mg/L 30 min	EC50: 0.47 - 0.81 mg/L, 48h Static (Daphnia magna) EC50: = 0.62 mg/L, 48h (Daphnia magna)	

Persistence and Degradability Persistence is unlikely

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Will likely be mobile in the environment due to its water solubility.

Component	log Pow
3-Chloro-p-toluidine	2.6

## 13. Disposal considerations

Chemical waste generators must determine whether a discarded chemical is classified as a **Waste Disposal Methods** 

hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT

UN-No UN2239
Hazard Class 6.1
Packing Group III

TDG

UN-No UN2239
Hazard Class 6.1
Packing Group III

<u>IATA</u>

UN-No UN2239

Proper Shipping Name CHLOROTOLUIDINES, SOLID

Hazard Class 6.1 Packing Group

IMDG/IMO

UN-No UN2239

Proper Shipping Name CHLOROTOLUIDINES, SOLID

Hazard Class 6.1 Packing Group III

## 15. Regulatory information

#### **United States of America Inventory**

Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
3-Chloro-p-toluidine	95-74-9	Х	ACTIVE	-

#### Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

#### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
3-Chloro-p-toluidine	95-74-9	Х	-	202-446-3	Х	Х	-	Χ	KE-05511

## U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

#### 3-Chloro-4-methylaniline

**California Proposition 65**This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

Not applicable

**U.S. Department of Transportation** 

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

## 16. Other information

Prepared By Health, Safety and Environmental Department

Email: tech@alfa.com

www.alfa.com

 Creation Date
 03-May-2012

 Revision Date
 14-Feb-2020

 Print Date
 14-Feb-2020

**Revision Summary** SDS authoring systems update, replaces ChemGes SDS No. 95-74-9/2.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**