

Printing date 07/31/2016

Reviewed on 07/31/2016

## 1 Identification

- **Product name**
- **Trade name:** Selenic acid, 40% solution
- **Item number:** 93-3420
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Strem Chemicals, Inc.  
7 Mulliken Way  
NEWBURYPORT, MA 01950  
USA  
info@strem.com
- **Information department:** Technical Department
- **Emergency telephone number:**  
EMERGENCY: CHEMTREC: + 1 (800) 424-9300  
During normal opening times: +1 (978) 499-1600

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05



GHS06



GHS08

- **Signal word** *Danger*
- **Hazard-determining components of labeling:**  
*selenic acid*
- **Hazard statements**  
H301+H331 Toxic if swallowed or if inhaled.  
H314 Causes severe skin burns and eye damage.  
H373 May cause damage to organs through prolonged or repeated exposure.

(Contd. on page 2)

Printing date 07/31/2016

Reviewed on 07/31/2016

**Trade name: Selenic acid, 40% solution**

(Contd. of page 1)

· **Precautionary statements**

- P231 Handle under inert gas.  
P260 Do not breathe dust/fume/gas/mist/vapors/spray.  
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**

|            |   |                |
|------------|---|----------------|
| HEALTH     | 4 | Health = 4     |
| FIRE       | 0 | Fire = 0       |
| REACTIVITY | 0 | Reactivity = 0 |

· **Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.  
· **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

|           |              |       |
|-----------|--------------|-------|
| 7783-08-6 | selenic acid | 40.0% |
|-----------|--------------|-------|

### 4 First-aid measures

· **Description of first aid measures**

· **General information:**

Immediately remove any clothing soiled by the product.  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· **After inhalation:**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:**

Do not induce vomiting; immediately call for medical help.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

(Contd. on page 3)

Printing date 07/31/2016

Reviewed on 07/31/2016

**Trade name: Selenic acid, 40% solution**

(Contd. of page 2)

- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**  
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Mount respiratory protective device.  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralizing agent.  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

US  
(Contd. on page 4)

Printing date 07/31/2016

Reviewed on 07/31/2016

**Trade name: Selenic acid, 40% solution**

(Contd. of page 3)

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.  
Avoid contact with the eyes and skin.
- **Breathing equipment:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

|               |                   |
|---------------|-------------------|
| <b>Form:</b>  | Liquid            |
| <b>Color:</b> | Colorless         |
| <b>Odor:</b>  | undistinguishable |

(Contd. on page 5)

US

Printing date 07/31/2016

Reviewed on 07/31/2016

**Trade name: Selenic acid, 40% solution**

(Contd. of page 4)

|                                                   |                                               |
|---------------------------------------------------|-----------------------------------------------|
| · <b>Odor threshold:</b>                          | Not determined.                               |
| · <b>pH-value:</b>                                | Not determined.                               |
| · <b>Change in condition</b>                      |                                               |
| <b>Melting point/Melting range:</b>               | Undetermined.                                 |
| <b>Boiling point/Boiling range:</b>               | Undetermined.                                 |
| · <b>Flash point:</b>                             | Not applicable.                               |
| · <b>Flammability (solid, gaseous):</b>           | Not determined.                               |
| · <b>Ignition temperature:</b>                    |                                               |
| <b>Decomposition temperature:</b>                 | Not determined.                               |
| · <b>Auto igniting:</b>                           | Product is not selfigniting.                  |
| · <b>Danger of explosion:</b>                     | Product does not present an explosion hazard. |
| · <b>Explosion limits:</b>                        |                                               |
| <b>Lower:</b>                                     | Not determined.                               |
| <b>Upper:</b>                                     | Not determined.                               |
| · <b>Vapor pressure at 20 °C (68 °F):</b>         | 23 hPa (17 mm Hg)                             |
| · <b>Density:</b>                                 | Not determined.                               |
| · <b>Relative density</b>                         | Not determined.                               |
| · <b>Vapor density</b>                            | Not determined.                               |
| · <b>Evaporation rate</b>                         | Not determined.                               |
| · <b>Solubility in / Miscibility with Water:</b>  | Not miscible or difficult to mix.             |
| · <b>Partition coefficient (n-octanol/water):</b> | Not determined.                               |
| · <b>Viscosity:</b>                               |                                               |
| <b>Dynamic:</b>                                   | Not determined.                               |
| <b>Kinematic:</b>                                 | Not determined.                               |
| · <b>Solvent content:</b>                         |                                               |
| <b>Organic solvents:</b>                          | 0.0 %                                         |
| <b>Water:</b>                                     | 60.0 %                                        |
| <b>VOC content:</b>                               | 0.0 g/l / 0.00 lb/gl                          |
| · <b>Other information</b>                        | No further relevant information available.    |

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

(Contd. on page 6)

Printing date 07/31/2016

Reviewed on 07/31/2016

**Trade name: Selenic acid, 40% solution**

(Contd. of page 5)

## 11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:**

- **Primary irritant effect:**

- **on the skin:** Strong caustic effect on skin and mucous membranes.

- **on the eye:** Strong caustic effect.

- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

|           |              |   |
|-----------|--------------|---|
| 7783-08-6 | selenic acid | 3 |
|-----------|--------------|---|

- **NTP (National Toxicology Program)**

|           |              |   |
|-----------|--------------|---|
| 7783-08-6 | selenic acid | R |
|-----------|--------------|---|

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:** Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

US

(Contd. on page 7)

**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/31/2016

Reviewed on 07/31/2016

**Trade name: Selenic acid, 40% solution**

(Contd. of page 6)

**14 Transport information**

|                                                                                                                                                                     |                                                                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| · <b>UN-Number</b>                                                                                                                                                  |                                                                        |
| · <b>DOT, IMDG, IATA</b>                                                                                                                                            | UN1905                                                                 |
| · <b>UN proper shipping name</b>                                                                                                                                    |                                                                        |
| · <b>DOT, IATA</b>                                                                                                                                                  | Selenic acid solution                                                  |
| · <b>IMDG</b>                                                                                                                                                       | SELENIC ACID solution, MARINE POLLUTANT                                |
| · <b>Transport hazard class(es)</b>                                                                                                                                 |                                                                        |
| · <b>DOT</b>                                                                                                                                                        |                                                                        |
|                                                                                    |                                                                        |
| · <b>Class</b>                                                                                                                                                      | 8 Corrosive substances                                                 |
| · <b>Label</b>                                                                                                                                                      | 8                                                                      |
| · <b>IMDG</b>                                                                                                                                                       |                                                                        |
|   |                                                                        |
| · <b>Class</b>                                                                                                                                                      | 8 Corrosive substances                                                 |
| · <b>Label</b>                                                                                                                                                      | 8                                                                      |
| · <b>IATA</b>                                                                                                                                                       |                                                                        |
|                                                                                  |                                                                        |
| · <b>Class</b>                                                                                                                                                      | 8 Corrosive substances                                                 |
| · <b>Label</b>                                                                                                                                                      | 8                                                                      |
| · <b>Packing group</b>                                                                                                                                              |                                                                        |
| · <b>DOT, IMDG, IATA</b>                                                                                                                                            | I                                                                      |
| · <b>Environmental hazards:</b>                                                                                                                                     | Product contains environmentally hazardous substances: selenic acid    |
| · <b>Marine pollutant:</b>                                                                                                                                          | Yes<br>Symbol (fish and tree)                                          |
| · <b>Special precautions for user</b>                                                                                                                               | Warning: Corrosive substances                                          |
| · <b>Danger code (Kemler):</b>                                                                                                                                      | 88                                                                     |
| · <b>EMS Number:</b>                                                                                                                                                | F-A,S-B                                                                |
| · <b>Segregation groups</b>                                                                                                                                         | Acids                                                                  |
| · <b>Stowage Category</b>                                                                                                                                           | A                                                                      |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>                                                                                    | Not applicable.                                                        |
| · <b>Transport/Additional information:</b>                                                                                                                          |                                                                        |
| · <b>DOT</b>                                                                                                                                                        |                                                                        |
| · <b>Quantity limitations</b>                                                                                                                                       | On passenger aircraft/rail: Forbidden<br>On cargo aircraft only: 25 kg |

(Contd. on page 8)

Printing date 07/31/2016

Reviewed on 07/31/2016

**Trade name: Selenic acid, 40% solution**

(Contd. of page 7)

- |                                   |                                                |
|-----------------------------------|------------------------------------------------|
| · <b>IMDG</b>                     |                                                |
| · <b>Limited quantities (LQ)</b>  | 0                                              |
| · <b>Excepted quantities (EQ)</b> | Code: E0<br>Not permitted as Excepted Quantity |
| · <b>UN "Model Regulation":</b>   | UN 1905 SELENIC ACID SOLUTION, 8, I            |

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

### · **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

### · **Section 313 (Specific toxic chemical listings):**

7783-08-6 selenic acid

### · **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

### · **Proposition 65**

#### · **Chemicals known to cause cancer:**

None of the ingredients is listed.

#### · **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

#### · **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

#### · **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

### · **Carcinogenic categories**

#### · **EPA (Environmental Protection Agency)**

7783-08-6 selenic acid

D

#### · **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

#### · **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

#### · **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

#### · **Hazard pictograms**



GHS05 GHS06 GHS08

#### · **Signal word** Danger

#### · **Hazard-determining components of labeling:**

selenic acid

#### · **Hazard statements**

H301+H331 Toxic if swallowed or if inhaled.

(Contd. on page 9)

# Safety Data Sheet according to OSHA HCS

Printing date 07/31/2016

Reviewed on 07/31/2016

**Trade name: Selenic acid, 40% solution**

(Contd. of page 8)

H314 Causes severe skin burns and eye damage.

H373 May cause damage to organs through prolonged or repeated exposure.

• **Precautionary statements**

P231 Handle under inert gas.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Department issuing SDS:** Technical Department.

• **Contact:** Technical Director

• **Date of preparation / last revision** 07/31/2016 / -

• **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Tox. 3: Acute toxicity, Hazard Category 3

Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2