

**1 Identification****Product identifier****Product name:** Thallium(I) thiocyanate**Stock number:** A16972**CAS Number:**

3535-84-0

**EC number:**

222-571-7

**Index number:**

615-031-00-0

**Relevant identified uses of the substance or mixture and uses advised against.****Identified use:** SU24 Scientific research and development**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Alfa Aesar

Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660

Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com

**Information Department:** Health, Safety and Environmental Department**Emergency telephone number:**

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

**2 Hazard(s) identification****Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)**

GHS06 Skull and crossbones

Acute Tox. 2 H300 Fatal if swallowed.

Acute Tox. 2 H330 Fatal if inhaled.



GHS08 Health hazard

STOT RE 2 H373 May cause damage to the blood through prolonged or repeated exposure. Route of exposure: Oral.



GHS07

Acute Tox. 4 H312 Harmful in contact with skin.

**Hazards not otherwise classified** No information known.**Label elements****GHS label elements** The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)**Hazard pictograms**

GHS06 GHS08

**Signal word** Danger**Hazard statements**

H300+H330 Fatal if swallowed or if inhaled.

H312 Harmful in contact with skin.

H373 May cause damage to the blood through prolonged or repeated exposure. Route of exposure: Oral.

**Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P284 [In case of inadequate ventilation] wear respiratory protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...

P320 Specific treatment is urgent (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**WHMIS classification**

D1A - Very toxic material causing immediate and serious toxic effects

**Classification system****HMIS ratings (scale 0-4)****(Hazardous Materials Identification System)**

HEALTH 3

Health (acute effects) = 3

FIRE 0

Flammability = 0

REACTIVITY 1

Physical Hazard = 1

**Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**3 Composition/information on ingredients****Chemical characterization: Substances****CAS# Description:**

3535-84-0 Thallium(I) thiocyanate

Product name: **Thallium(I) thiocyanate**

Identification number(s):  
EC number: 222-571-7  
Index number: 615-031-00-0

(Contd. of page 1)

#### 4 First-aid measures

##### Description of first aid measures

###### General information

Immediately remove any clothing soiled by the product.  
Remove breathing apparatus only after contaminated clothing has been completely removed.  
In case of irregular breathing or respiratory arrest provide artificial respiration.

###### After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.  
Seek immediate medical advice.

###### After skin contact

Immediately wash with water and soap and rinse thoroughly.  
Seek immediate medical advice.

**After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.

**After swallowing** Do not induce vomiting; immediately call for medical help.

###### Information for doctor

**Most important symptoms and effects, both acute and delayed** No further relevant information available.

**Indication of any immediate medical attention and special treatment needed** No further relevant information available.

#### 5 Fire-fighting measures

##### Extinguishing media

**Suitable extinguishing agents** Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

##### Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

Hydrogen cyanide (HCN)

Sulfur oxides (SOx)

Toxic metal oxide fume

##### Advice for firefighters

##### Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

#### 6 Accidental release measures

##### Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

**Environmental precautions:** Do not allow material to be released to the environment without proper governmental permits.

##### Methods and material for containment and cleaning up:

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

**Prevention of secondary hazards:** No special measures required.

##### Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

##### Handling

##### Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Open and handle container with care.

**Information about protection against explosions and fires:** The product is not flammable

##### Conditions for safe storage, including any incompatibilities

##### Storage

**Requirements to be met by storerooms and receptacles:** No special requirements.

##### Information about storage in one common storage facility:

Store away from oxidizing agents.

Do not store together with acids.

Store away from water/moisture.

##### Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

**Specific end use(s)** No further relevant information available.

#### 8 Exposure controls/personal protection

##### Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

##### Control parameters

**Components with limit values that require monitoring at the workplace:**

Thallium and soluble thallium compounds (as Tl)  
mg/m<sup>3</sup>

ACGIH TLV 0.1 (skin)

Austria MAK 0.1

Belgium TWA 0.1 (skin)

Finland TWA 0.1 (skin)

France VME 0.1

Germany MAK 0.1

Netherlands MAC-TGG 0.1 (skin)

Norway TWA 0.1

Poland TWA 0.1; 0.3-STEL

Switzerland MAK-W 0.1 (skin)

(Contd. on page 3)

USA

**Product name: Thallium(I) thiocyanate**

(Contd. of page 2)

United Kingdom 0.1-LTEL (skin)  
USA PEL 0.1 (skin)

**Additional information:** No data

**Exposure controls**

**Personal protective equipment**

**General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

**Breathing equipment:** Use self-contained respiratory protective device in emergency situations.

**Protection of hands:**

Impervious gloves

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

**Penetration time of glove material (in minutes)** Not determined

**Eye protection:** Safety glasses

**Body protection:** Protective work clothing.

**9 Physical and chemical properties**

**Information on basic physical and chemical properties**

**General Information**

**Appearance:**

**Form:** Crystalline

**Color:** White

**Odor:** Not determined

**Odor threshold:** Not determined.

**pH-value:** Not applicable.

**Change in condition**

**Melting point/Melting range:** Not determined

**Boiling point/Boiling range:** Not determined

**Sublimation temperature / start:** Not determined

**Flash point:** Not applicable

**Flammability (solid, gaseous)** Not determined.

**Ignition temperature:** Not determined

**Decomposition temperature:** Not determined

**Auto igniting:** Not determined.

**Danger of explosion:** Product does not present an explosion hazard.

**Explosion limits:**

**Lower:** Not determined

**Upper:** Not determined

**Vapor pressure:** Not applicable.

**Density:** Not determined

**Relative density** Not determined.

**Vapor density** Not applicable.

**Evaporation rate** Not applicable.

**Solubility in / Miscibility with**

**Water:** Not determined

**Partition coefficient (n-octanol/water):** Not determined.

**Viscosity:**

**dynamic:** Not applicable.

**kinematic:** Not applicable.

**Other information** No further relevant information available.

**10 Stability and reactivity**

**Reactivity** Contact with acids liberates very toxic gas.

**Chemical stability** Stable under recommended storage conditions.

**Thermal decomposition / conditions to be avoided:** Decomposition will not occur if used and stored according to specifications.

**Possibility of hazardous reactions**

Contact with acids liberates very toxic gas.

May react with strong acids to produce very toxic hydrogen sulfide gas.

**Conditions to avoid** No further relevant information available.

**Incompatible materials:**

Oxidizing agents

Acids

Water/moisture

**Hazardous decomposition products:**

Carbon monoxide and carbon dioxide

Nitrogen oxides

Hydrogen sulfide

Sulfur oxides (SOx)

Toxic metal oxide fume

Hydrogen cyanide

**11 Toxicological information**

**Information on toxicological effects**

**Acute toxicity:**

Harmful in contact with skin.

Fatal if inhaled.

Fatal if swallowed.

Danger through skin absorption.

**LD/LC50 values that are relevant for classification:** No data

**Skin irritation or corrosion:** May cause irritation

**Eye irritation or corrosion:** May cause irritation

**Sensitization:** No sensitizing effects known.

(Contd. on page 4)

USA

**Product name: Thallium(I) thiocyanate**

(Contd. of page 3)

**Germ cell mutagenicity:** No effects known.**Carcinogenicity:** No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.**Reproductive toxicity:** No effects known.**Specific target organ system toxicity - repeated exposure:** May cause damage to the blood through prolonged or repeated exposure. Route of exposure: Oral.**Specific target organ system toxicity - single exposure:** No effects known.**Aspiration hazard:** No effects known.**Subacute to chronic toxicity:**

The main symptoms of thallium poisoning are peripheral neuropathy and loss of hair. Acute poisoning causes paresthesias, ataxia, alopecia, fever, coryza, abdominal pain, nausea and vomiting. May progress to lethargy, speech disorders, tremors, convulsions, cyanosis, pulmonary edema, bronchopneumonia and death. Kidney, liver and brain damage may occur. During the first trimester of pregnancy, thallium poisoning can cause skeletal deformities, alopecia, low birth weight and premature birth. Chronic exposure may produce alopecia, salivation, a blue line on the gums and disturbances of the gastrointestinal, endocrine system and kidneys.

**Subacute to chronic toxicity:** No effects known.**Subacute to chronic toxicity:**

Thiocyanates have variable toxicity. They are not normally dissociated into cyanide. Prolonged absorption may produce skin eruptions, running nose, and occasionally dizziness, cramps, nausea, vomiting and mild or severe disturbances of the nervous system. Thiocyanates emit cyanide on contact with acids.

**Additional toxicological information:** To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.**12 Ecological information****Toxicity****Aquatic toxicity:** No further relevant information available.**Persistence and degradability** No further relevant information available.**Bioaccumulative potential** No further relevant information available.**Mobility in soil** No further relevant information available.**Ecotoxicological effects:****Remark:** Toxic for aquatic organisms**Additional ecological information:****General notes:**

Do not allow product to reach ground water, water course or sewage system.

Do not allow material to be released to the environment without proper governmental permits.

Toxic for aquatic organisms

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic to aquatic life.

May cause long lasting harmful effects to aquatic life.

Avoid transfer into the environment.

**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.**13 Disposal considerations****Waste treatment methods****Recommendation** Consult state, local or national regulations to ensure proper disposal.**Uncleaned packagings:****Recommendation:** Disposal must be made according to official regulations.**14 Transport information****UN-Number****DOT, IMDG, IATA**

UN1707

**UN proper shipping name****DOT****IMDG, IATA**

Thallium compounds, n.o.s. (Thallium(I) thiocyanate)

THALLIUM COMPOUND, N.O.S. (Thallium(I) thiocyanate)

**Transport hazard class(es)****DOT****Class****Label****Class****Label****IMDG, IATA**

6.1 Toxic substances.

6.1

6.1 (T5) Toxic substances

6.1

**Class****Label**

6.1 Toxic substances.

6.1

**Packing group****DOT, IMDG, IATA**

II

**Environmental hazards:**

Environmentally hazardous substance, solid

**Special precautions for user**

Warning: Toxic substances

**Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.**Transport/Additional information:****DOT****Marine Pollutant (DOT):**

No

**UN "Model Regulation":**

UN1707, Thallium compounds, n.o.s. (Thallium(I) thiocyanate), 6.1, II

**15 Regulatory information****Safety, health and environmental regulations/legislation specific for the substance or mixture****GHS label elements** The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

(Contd. on page 5)

USA

**Product name: Thallium(I) thiocyanate**

(Contd. of page 4)

**Hazard pictograms**



GHS06 GHS08

**Signal word** Danger

**Hazard statements**

H300+H330 Fatal if swallowed or if inhaled.

H312 Harmful in contact with skin.

H373 May cause damage to the blood through prolonged or repeated exposure. Route of exposure: Oral.

**Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P284 [In case of inadequate ventilation] wear respiratory protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...

P320 Specific treatment is urgent (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**National regulations**

This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

**SARA Section 313 (specific toxic chemical listings)**

3535-84-0 Thallium(I) thiocyanate

**California Proposition 65**

**Prop 65 - Chemicals known to cause cancer** Substance is not listed.

**Prop 65 - Developmental toxicity** Substance is not listed.

**Prop 65 - Developmental toxicity, female** Substance is not listed.

**Prop 65 - Developmental toxicity, male** Substance is not listed.

**Information about limitation of use:** For use only by technically qualified individuals.

**Other regulations, limitations and prohibitive regulations**

**Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.** Substance is not listed.

**The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.**

Substance is not listed.

**Annex XIV of the REACH Regulations (requiring Authorisation for use)** Substance is not listed.

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**16 Other information**

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

**Department issuing SDS:** Global Marketing Department

**Date of preparation / last revision** 11/23/2015 / -

**Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDGs: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

vPvB: very Persistent and very Bioaccumulative

ACGIH: American Conference of Governmental Industrial Hygienists (USA)

OSHA: Occupational Safety and Health Administration (USA)

NTP: National Toxicology Program (USA)

IARC: International Agency for Research on Cancer

EPA: Environmental Protection Agency (USA)