

## SAFETY DATA SHEET

Version 6.8 Revision Date 05/07/2021 Print Date 02/05/2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifiers** 1.1

Product name Nickel(II) sulfate

Product Number : 656895 Brand Aldrich

: 028-009-00-5 Index-No. : 7786-81-4 CAS-No.

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

## 1.3 Details of the supplier of the safety data sheet

Company Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 **UNITED STATES** 

: +1 314 771-5765

Telephone : +1 800 325-5052 Fax

**Emergency telephone** 

800-424-9300 CHEMTREC (USA) +1-703-Emergency Phone #

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 4), H332

Skin irritation (Category 2), H315

Respiratory sensitization (Category 1), H334

Skin sensitization (Category 1), H317

Germ cell mutagenicity (Category 2), H341

Carcinogenicity, Inhalation (Category 1A), H350

Reproductive toxicity (Category 1B), H360

Specific target organ toxicity - repeated exposure, Inhalation (Category 1), respiratory

tract irritation, H372

Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410



For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Hazard statement(s)

H302 + H332 Harmful if swallowed or if inhaled.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties

if inhaled.

H341 Suspected of causing genetic defects. H350 May cause cancer by inhalation.

H360 May damage fertility or the unborn child.

H372 Causes damage to organs (respiratory tract irritation) through

prolonged or repeated exposure if inhaled.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the

workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P285 In case of inadequate ventilation wear respiratory protection.
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P391 Collect spillage. P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal

plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## **SECTION 3: Composition/information on ingredients**

3.1 Substances

Formula : NiO<sub>4</sub>S

Aldrich - 656895

Millipore

Molecular weight : 154.76 g/mol CAS-No. : 7786-81-4 EC-No. : 232-104-9 Index-No. : 028-009-00-5

Component	Classification Concentration				
nickel sulphate					
	Acute Tox. 4; Skin Irrit. 2; Resp. Sens. 1; Skin Sens. 1; Muta. 2; Carc. 1A; Repr. 1B; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H302, H332, H315, H334, H317, H341, H350, H360, H372, H400, H410 Concentration limits: >= 1 %: STOT RE 1, H372; 0.1 - < 1 %: STOT RE 2, H373; >= 20 %: Skin Irrit. 2, H315; >= 0.01 %: Skin Sens. 1, H317; M-Factor - Aquatic Acute: 1 - Aquatic Chronic: 1	<= 100 %			

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

## **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

## If inhaled

If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

## In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

## In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Aldrich - 656895

Millipore

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Sulfur oxides

Nickel/nickel oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

#### **5.3** Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

## 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

## 6.2 Environmental precautions

Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

## 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

## Advice on safe handling

Work under hood. Do not inhale substance/mixture.

## **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

## Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
nickel sulphate	7786-81-4	TWA	1 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	0.1 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Not classifiable as a human carcinogen		
		TWA	0.015 mg/m3	USA. NIOSH Recommended Exposure Limits
		Potential Occupational Carcinogen		
		PEL	0.05 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

## 8.2 Exposure controls

## **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

## Personal protective equipment

#### **Eve/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### Skin protection

Handle with impervious gloves.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact



Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

# **Body Protection** protective clothing

## **Respiratory protection**

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

## Control of environmental exposure

Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: solid

Color: green

b) Odorc) Odor Thresholddata availableNo data available

d) pH 4.5

e) Melting No data available

point/freezing point

f) Initial boiling point No data available and boiling range

g) Flash point ()Not applicableh) Evaporation rate No data available

i) Flammability (solid, No data available

gas)

...

No data available

j) Upper/lower flammability or explosive limits

NO data available

k) Vapor pressure No data available
 l) Vapor density No data available
 m) Relative density No data available
 n) Water solubility No data available

o) Partition coefficient: log Pow: 5

n-octanol/water



p) Autoignition No data available

temperature

q) Decomposition No data available temperature

r) Viscosity No data availables) Explosive properties No data availablet) Oxidizing properties No data available

## 9.2 Other safety information

No data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No data available

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

## 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

no information available

## 10.5 Incompatible materials

Oxidizing agents

## 10.6 Hazardous decomposition products

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

## **Acute toxicity**

LD50 Oral - Rat - female - 361.9 mg/kg

(OECD Test Guideline 425)

Remarks: Information given is based on data obtained from similar substances.

LC50 Inhalation - Rat - male and female - 4 h - 2.48 mg/l

(OECD Test Guideline 403)

Remarks: Information given is based on data obtained from similar substances.

Dermal: No data available

LD50 Intraperitoneal - Mouse - 20.894 mg/kg

## Skin corrosion/irritation

Skin - Rabbit Result: irritating

(OECD Test Guideline 404)

Remarks: Information given is based on data obtained from similar substances.

## Serious eye damage/eye irritation

No data available



## Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: positive (Maximization Test)

## Germ cell mutagenicity

Suspected of causing genetic defects. Suspected of causing genetic defects.

Test Type: Microbial mutagenesis assay (Ames test)
Test system: Escherichia coli/Salmonella typhimurium
Metabolic activation: without metabolic activation

Method: see user defined free text

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Other cell types

Metabolic activation: without metabolic activation

Method: see user defined free text

Result: positive

Remarks: (in analogy to similar products)

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Species: Rat

Cell type: Bone marrow Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Test Type: Mutagenicity (mammal cell test):

Species: Rat

Application Route: Inhalation Method: see user defined free text

Result: positive

Species: Rat

## Result: positive Carcinogenicity

Positive evidence from human epidemiological studies (inhalation) Positive evidence from human epidemiological studies (inhalation)

IARC: 1 - Group 1: Carcinogenic to humans (nickel sulphate)

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

## Reproductive toxicity

May damage the unborn child. May damage the unborn child.

## Specific target organ toxicity - single exposure

No data available



## Specific target organ toxicity - repeated exposure

inhalation (dust/mist/fume) - Causes damage to organs through prolonged or repeated exposure. - respiratory tract irritation

## **Aspiration hazard**

No data available

#### 11.2 Additional Information

RTECS: QR9350000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) -

2.9 - 17.6 mg/l - 96 h (OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 2 mg/l - 48 h

Toxicity to algae static test EC50 - Pseudokirchneriella subcapitata (green algae) -

0.081 - 0.148 mg/l - 72 h (OECD Test Guideline 201)

## 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

Bioaccumulation Cyprinus carpio (Carp) - 46.5 h

- 3200 μg/l(nickel sulphate)

Bioconcentration factor (BCF): 11.3

#### **12.4 Mobility in soil**

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

No data available

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

## **SECTION 14: Transport information**

DOT (US)

UN number: 3077 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (nickel sulphate)

Reportable Quantity (RQ): 100 lbs Poison Inhalation Hazard: No

**IMDG** 

UN number: 3077 Class: 9 Packing group: III EMS-No: F-A, S-F Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(nickel sulphate) Marine pollutant : yes

**IATA** 

UN number: 3077 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (nickel sulphate)

**Further information** 

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids

or > 5kg for solids.

## **SECTION 15: Regulatory information**

## **SARA 302 Components**

This material does not contain any components with a section 302 EHS TPQ.

## **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

nickel sulphate CAS-No. Revision Date 7786-81-4 2007-03-01

## SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

## **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

#### **SECTION 16: Other information**

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See

Aldrich - 656895

Millipore SiGMa www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.8 Revision Date: 05/07/2021 Print Date: 02/05/2022

