

SAFETY DATA SHEET

Version 6.5 Revision Date 03/25/2022 Print Date 05/28/2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : 2,3-Pentanedione

Product Number : 241962 Brand : Aldrich CAS-No. : 600-14-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #: 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Skin sensitization (Sub-category 1B), H317

Specific target organ toxicity - repeated exposure (Category 2), H373

Short-term (acute) aquatic hazard (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger



Hazard statement(s) H225 H317 H373	Highly flammable liquid and vapor. May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure.	
П402	Harmful to aquatic life.	
Precautionary statement(s)		
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.	
P233	Keep container tightly closed.	
P240	Ground/bond container and receiving equipment.	
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipmer	
P242	Use only non-sparking tools.	
P243	Take precautionary measures against static discharge.	
P260	Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.	
P272	Contaminated work clothing must not be allowed out of the workplace.	
P273	Avoid release to the environment.	
P280	Wear protective gloves/ eye protection/ face protection.	
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.	
P314	Get medical advice/ attention if you feel unwell.	
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.	
P363	Wash contaminated clothing before reuse.	
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.	
P403 + P235	Store in a well-ventilated place. Keep cool.	
P501	Dispose of contents/ container to an approved waste disposal plant.	

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : Acetylpropionyl

Formula : $C_5H_8O_2$ Molecular weight : 100.12 g/mol CAS-No. : 600-14-6 EC-No. : 209-984-8

Component	Classification	Concentration
2,3-pentanedione		
	Flam. Liq. 2; Skin Sens. 1B; STOT RE 2; Aquatic Acute 3; H225, H317, H373, H402	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.



SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) Foam Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire.

Forms explosive mixtures with air at ambient temperatures.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Storage stability

Recommended storage temperature 2 - 8 °C

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Aldrich - 241962

Millipore Sigma

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.7 mm Break through time: 480 min

Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 30 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

b) Odorc) Odor Thresholdd) pHNo data availableNo data available

e) Melting Melting point/range: -52 °C (-62 °F) - lit.

point/freezing point

Initial boiling point 110 - 112 °C 230 - 234 °F - lit. f) and boiling range

19 °C (66 °F) - open cup g) Flash point

h) Evaporation rate No data available Flammability (solid, No data available i)

gas)

Upper/lower

No data available

flammability or explosive limits

k) Vapor pressure 28.530 hPa at 20 °C (68 °F)

Vapor density No data available

m) Density 0.957 g/cm3 at 25 °C (77 °F) - lit.

Relative density No data available

60 g/l at 15 °C (59 °F) n) Water solubility

o) Partition coefficient: log Pow: -0.85 - Bioaccumulation is not expected.

n-octanol/water

p) Autoignition No data available temperature

q) Decomposition No data available temperature

No data available r) Viscosity No data available s) Explosive properties

t) Oxidizing properties none

Other safety information 9.2

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Vapors may form explosive mixture with air.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Exothermic reaction with:

Bases

polymerization

Violent reactions possible with:

acids

various metals



10.4 Conditions to avoid

Warming.

10.5 Incompatible materials

various metals, Strong oxidizing agents

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 3,000 mg/kg

Remarks: (RTECS)

Inhalation: No data available

LD50 Dermal - Rabbit - > 2,500 mg/kg

Remarks: (External MSDS)

Skin corrosion/irritation

Skin - Rabbit Result: Irritations

Remarks: (External MSDS)

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: positive Remarks: (ECHA)

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure. **Aspiration hazard** No data available

11.2 Additional Information

RTECS: SA1850000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

For additional studies related to this product, review OSHA literature on Diacetyl and flavorings (www.OSHA.gov), the OSHA NEP for Microwave Popcorn Processing Plants, NIOSH publication 2004-110d, and other NIOSH literature regarding flavorings (www.cdc.gov/NIOSH).,Animals exposed to diacetyl and other related diacetyl substitutes experienced damage to the nose and upper airways, including severe damage to cells lining the respiratory tract. NIOSH has reported that employees exposed to butter flavorings containing diacetyl are at risk of developing occupational lung diseases and that in one instance, similar illnesses have been found among employees producing butter and vanilla flavorings containing diacetyl.

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

Other information

The following applies to ketones in general: when vapours/aerosols occur, mucosal irritations, coughing, and dyspnoea after inhalation. The absorption of large quantities leads to: CNS depression (narcosis). Repeated skin contact leads to a degreasing effect, with secondary inflammation possible. Toxic effects on the liver and kidneys cannot be excluded after high doses. The inhalation of droplets may result in the formation of oedemas in the respiratory tract.

Further data:

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish LC50 - Leuciscus idus (Golden orfe) - 46 - 100 mg/l - 96 h

Remarks: (External MSDS)

Toxicity to bacteria Remarks: (External MSDS)

(2,3-pentanedione)

12.2 Persistence and degradability

Biodegradability Result: 80 % - Readily biodegradable.

(OECD Test Guideline 302B)

Chemical Oxygen 1,810 mg/g

Demand (COD) Remarks: (External MSDS)

Ratio BOD/ThBOD 20 - 60 %

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available



12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Additional ecological Discharge into the environment must be avoided. information

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

DOT (US)

UN number: 1224 Class: 3 Packing group: II Proper shipping name: Ketones, liquid, n.o.s. (2,3-pentanedione)

Reportable Quantity (RQ): Poison Inhalation Hazard: No

IMDG

UN number: 1224 Class: 3 Packing group: II EMS-No: F-E, S-D

Proper shipping name: KETONES, LIQUID, N.O.S. (2,3-pentanedione)

IATA

UN number: 1224 Class: 3 Packing group: II Proper shipping name: Ketones, liquid, n.o.s. (2,3-pentanedione)

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Aldrich - 241962

Millipore SiGMa

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.5 Revision Date: 03/25/2022 Print Date: 05/28/2022



