

**t-BUTYLDICHLOROSILANE**

Safety Data Sheet SIB1933.0

Date of issue: 03/01/2016

Revision date: 03/15/2017

Version: 1.1

**SECTION 1: Identification****1.1. Identification**

Product name : t-BUTYLDICHLOROSILANE  
 Product code : SIB1933.0  
 Product form : Substance  
 Physical state : Liquid  
 Formula : C<sub>4</sub>H<sub>10</sub>Cl<sub>2</sub>Si  
 Synonyms : DICHLORO(1,1-DIMETHYLETHYL)SILANE  
 DICHLORO(1,1-DIMETHYLETHYL)SILYL HYDRIDE  
 Chemical family : ORGANOCHLOROSILANE

**1.2. Recommended use and restrictions on use**

Recommended use : Chemical intermediate

**1.3. Supplier****GELEST, INC.**

11 East Steel Road  
 Morrisville, PA 19067

**USA**

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

[info@gelest.com](mailto:info@gelest.com) - [www.gelest.com](http://www.gelest.com)

**1.4. Emergency telephone number**

Emergency number : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

**SECTION 2: Hazard(s) identification****2.1. Classification of the substance or mixture****GHS-US classification**

Flammable liquids Category 2 H225 Highly flammable liquid and vapor  
 Skin corrosion/irritation Category 1B H314 Causes severe skin burns and eye damage  
 Serious eye damage/eye irritation Category 1 H318 Causes serious eye damage  
 Specific target organ toxicity (single exposure) Category 3 H335 May cause respiratory irritation  
 Full text of H statements : see section 16

**2.2. GHS Label elements, including precautionary statements****GHS US labeling**

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger

Hazard statements (GHS US) : H225 - Highly flammable liquid and vapor  
 H314 - Causes severe skin burns and eye damage  
 H335 - May cause respiratory irritation

Precautionary statements (GHS US) : P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
 P210 - Keep away from heat, open flames, sparks. - No smoking.  
 P240 - Ground/Bond container and receiving equipment  
 P241 - Use explosion-proof electrical equipment  
 P242 - Use only non-sparking tools.  
 P243 - Take precautionary measures against static discharge.  
 P260 - Do not breathe vapors.  
 P264 - Wash hands thoroughly after handling.  
 P271 - Use only outdoors or in a well-ventilated area.  
 P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting  
 P303+P361+P353 - If on skin (or hair): take off immediately all contaminated clothing. rinse skin with water/shower  
 P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing  
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 P310 - Immediately call a doctor  
 P321 - Specific treatment (see first aid instructions on this label)  
 P363 - Wash contaminated clothing before reuse.  
 P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide, dry chemical to

# t-BUTYLDICHLOROSILANE

## Safety Data Sheet

extinguish.  
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.  
P403+P235 - Keep in a cool place  
P405 - Store locked up.  
P501 - Dispose of contents/container to licensed waste disposal facility.

### 2.3. Hazards not otherwise classified (HNOC)

Other hazards not contributing to the classification : Hydrogen chloride may be formed by reaction with water and moisture in air. The US OSHA PEL (TWA) for hydrogen chloride is 5 ppm.

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Substance type : Mono-constituent  
Name : t-BUTYLDICHLOROSILANE  
CAS-No. : 85121-42-2

| Name                  | Product identifier   | %        | GHS-US classification                                                            |
|-----------------------|----------------------|----------|----------------------------------------------------------------------------------|
| t-Butyldichlorosilane | (CAS-No.) 85121-42-2 | 97 - 100 | Flam. Liq. 2, H225<br>Skin Corr. 1B, H314<br>Eye Dam. 1, H318<br>STOT SE 3, H335 |

Full text of hazard classes and H-statements : see section 16

### 3.2. Mixtures

Not applicable

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures general : Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Wash with plenty of soap and water. Get immediate medical advice/attention.

First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion : Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : Causes severe skin burns and eye damage.

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Causes (severe) skin burns.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : May be harmful if swallowed.

### 4.3. Immediate medical attention and special treatment, if necessary

No additional information available

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Alcohol-resistant foam. Carbon dioxide. Dry chemical. Use of high expansion foam (100:1) is recommended to cover flames.

Unsuitable extinguishing media : Water.

### 5.2. Specific hazards arising from the chemical

Fire hazard : Highly flammable liquid and vapor. Irritating fumes of hydrochloric acid and organic acid vapors may develop when material is exposed to water or open flame.

Explosion hazard : May form flammable/explosive vapor-air mixture.

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use only dry media to extinguish flames. Water spray or fog should only be used to knock down hydrogen chloride vapors in areas downwind from the fire.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Avoid all eye and skin contact and do not breathe vapor and mist.

# t-BUTYLDICHLOROSILANE

## Safety Data Sheet

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Eliminate every possible source of ignition. Use special care to avoid static electric charges.

##### 6.1.1. For non-emergency personnel

Protective equipment : Wear protective equipment as described in Section 8.

Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or shovel spills into appropriate container for disposal. Use only non-sparking tools.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapors are flammable. Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Precautions for safe handling : Avoid all eye and skin contact and do not breathe vapor and mist. Ground/bond container and receiving equipment. Take precautionary measures against static discharge. Use only outdoors or in a well-ventilated area. Use only non-sparking tools.

Hygiene measures : Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof electrical equipment.

Storage conditions : Keep container tightly closed. Keep in a cool place. Store locked up.

Incompatible materials : Acids. Alcohols. Oxidizing agent. Precious metals.

Storage area : Store in a well-ventilated place. Store away from heat.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Provide local exhaust or general room ventilation.

#### 8.3. Individual protection measures/Personal protective equipment

##### Personal protective equipment:

Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

##### Hand protection:

Neoprene or nitrile rubber gloves

##### Eye protection:

Chemical goggles or face shield. (Viton recommended). Contact lenses should not be worn

##### Skin and body protection:

Wear suitable protective clothing

##### Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified combination organic vapor/acid gas (yellow cartridge) respirator.

# t-BUTYLDICHLOROSILANE

## Safety Data Sheet

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

|                                             |                                        |
|---------------------------------------------|----------------------------------------|
| Physical state                              | : Liquid                               |
| Appearance                                  | : Liquid to solid.                     |
| Molecular mass                              | : 157.11 g/mol                         |
| Color                                       | : No data available                    |
| Odor                                        | : Acrid. Similar to hydrogen chloride. |
| Odor threshold                              | : No data available                    |
| Refractive index                            | : No data available                    |
| pH                                          | : No data available                    |
| Relative evaporation rate (butyl acetate=1) | : No data available                    |
| Melting point                               | : < 20 °C                              |
| Freezing point                              | : No data available                    |
| Boiling point                               | : 108 - 109 °C                         |
| Flash point                                 | : 5 °C                                 |
| Auto-ignition temperature                   | : No data available                    |
| Decomposition temperature                   | : No data available                    |
| Flammability (solid, gas)                   | : Highly flammable liquid and vapor    |
| Vapor pressure                              | : No data available                    |
| Relative vapor density at 20 °C             | : > 1                                  |
| Relative density                            | : No data available                    |
| % Volatiles                                 | : 100 %                                |
| Solubility                                  | : Reacts with water.                   |
| Log Pow                                     | : No data available                    |
| Log Kow                                     | : No data available                    |
| Viscosity, kinematic                        | : No data available                    |
| Viscosity, dynamic                          | : No data available                    |
| Explosive properties                        | : No data available                    |
| Oxidizing properties                        | : No data available                    |
| Explosion limits                            | : No data available                    |

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Stable in sealed containers stored under a dry inert atmosphere.

#### 10.3. Possibility of hazardous reactions

Reacts with water and moisture in air, liberating hydrogen chloride. Reacts with base, liberating hydrogen.

#### 10.4. Conditions to avoid

Heat. Open flame. Sparks.

#### 10.5. Incompatible materials

Acids. Alcohols. Oxidizing agent. Precious metals.

#### 10.6. Hazardous decomposition products

Hydrogen. Hydrogen chloride. Organic acid vapors.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

|                                   |                                            |
|-----------------------------------|--------------------------------------------|
| Acute toxicity                    | : Not classified                           |
| Skin corrosion/irritation         | : Causes severe skin burns and eye damage. |
| Serious eye damage/irritation     | : Causes serious eye damage.               |
| Respiratory or skin sensitization | : Not classified                           |
| Germ cell mutagenicity            | : Not classified                           |
| Carcinogenicity                   | : Not classified                           |

# t-BUTYLDICHLOROSILANE

## Safety Data Sheet

|                                                     |                                                                                                                    |
|-----------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| Reproductive toxicity                               | : Not classified                                                                                                   |
| Specific target organ toxicity – single exposure    | : May cause respiratory irritation.                                                                                |
| Specific target organ toxicity – repeated exposure  | : Not classified                                                                                                   |
| Aspiration hazard                                   | : Not classified                                                                                                   |
| Potential Adverse human health effects and symptoms | : NOTE: Liquid and vapors react with moisture in the skin, eyes and mucous membranes to release hydrogen chloride. |
| Symptoms/effects after inhalation                   | : May cause respiratory irritation.                                                                                |
| Symptoms/effects after skin contact                 | : Causes (severe) skin burns.                                                                                      |
| Symptoms/effects after eye contact                  | : Causes serious eye damage.                                                                                       |
| Symptoms/effects after ingestion                    | : May be harmful if swallowed.                                                                                     |
| Reason for classification                           | : Expert judgment                                                                                                  |

### SECTION 12: Ecological information

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

|                           |                                                       |
|---------------------------|-------------------------------------------------------|
| Other adverse effects     | : This substance may be hazardous to the environment. |
| Effect on the ozone layer | : No additional information available                 |

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

|                                            |                                                                                                                                              |
|--------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| Sewage disposal recommendations            | : Do not dispose of waste into sewer.                                                                                                        |
| Product/Packaging disposal recommendations | : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to licensed waste disposal facility. |
| Additional information                     | : Handle empty containers with care because residual vapors are flammable.                                                                   |
| Ecology - waste materials                  | : Avoid release to the environment.                                                                                                          |

### SECTION 14: Transport information

#### 14.1. UN number

|             |        |
|-------------|--------|
| UN-No.(DOT) | : 2985 |
| DOT NA no.  | UN2985 |

#### 14.2. UN proper shipping name

|                                |                                                                                         |
|--------------------------------|-----------------------------------------------------------------------------------------|
| Transport document description | : UN2985 Chlorosilanes, flammable, corrosive, n.o.s. (t-BUTYLDICHLOROSILANE), 3 (8), II |
| Proper Shipping Name (DOT)     | : Chlorosilanes, flammable, corrosive, n.o.s.<br>(t-BUTYLDICHLOROSILANE)                |
| Class (DOT)                    | : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120                         |
| Packing group (DOT)            | : II - Medium Danger                                                                    |
| Hazard labels (DOT)            | : 3 - Flammable liquid<br>8 - Corrosive                                                 |



|                                           |        |
|-------------------------------------------|--------|
| DOT Packaging Non Bulk (49 CFR 173.xxx)   | : 206  |
| DOT Packaging Bulk (49 CFR 173.xxx)       | : 243  |
| DOT Packaging Exceptions (49 CFR 173.xxx) | : none |

# t-BUTYLDICHLOROSILANE

## Safety Data Sheet

### 14.3. Additional information

Emergency Response Guide (ERG) Number : 155

Other information : No supplementary information available.

### Transport by sea

DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

### Air transport

DOT Quantity Limitations Passenger aircraft/rail : Forbidden  
(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 5 L  
CFR 175.75)

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

#### t-BUTYLDICHLOROSILANE (85121-42-2)

TSCA Exemption/Exclusion

CAUTION: This material is supplied for research and development purposes subject to the R&D exemption under TSCA, 40 CFR 720.36, and must meet the requirements of the exemption, including supervision by a "technically qualified individual" as defined by 40 CFR 720.3(ee). The use of this material for "commercial purposes" as defined by 40 CFR 720.3(r) is not permitted in the United States.

#### t-Butyldichlorosilane (85121-42-2)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2. International regulations

#### CANADA

No additional information available

#### EU-Regulations

No additional information available

#### National regulations

No additional information available

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

## SECTION 16: Other information

Full text of H-phrases::

|      |                                         |
|------|-----------------------------------------|
| H225 | Highly flammable liquid and vapor       |
| H314 | Causes severe skin burns and eye damage |
| H318 | Causes serious eye damage               |
| H335 | May cause respiratory irritation        |

Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemical Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling; APF: Assigned Protection Factor.

# t-BUTYLDICHLOROSILANE

## Safety Data Sheet

### Hazard Rating

|              |                                                                                                                                                                                                                                                |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Health       | : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given                                                                                                                                          |
| Flammability | : 4 Severe Hazard - Flammable gases, or very volatile flammable liquids with flash points below 73 F, and boiling points below 100 F. Materials may ignite spontaneously with air. (Class IA)                                                  |
| Physical     | : 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors. |

Prepared by safety and environmental affairs.

Date of issue: 03/01/2016      Revision date: 03/15/2017      Version: 1.1

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

*The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.*

© 2019 Gelest Inc. Morrisville, PA 19067

The logo for Gelest, Inc. features the word "Gelest" in a large, white, serif font. The text is positioned over a light blue background that includes a large, stylized triangle pointing to the right. The triangle is composed of two shades of blue, with the word "Gelest" partially overlapping it.