

### **SAFETY DATA SHEET**

Version 6.3 Revision Date 08/20/2021 Print Date 06/01/2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Chloroethane-1,1-d2

Product Number : 588059 Brand : Aldrich

Index-No. : 602-009-00-0 CAS-No. : 3652-86-6

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

## 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

#### SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable gases (Category 1), H220

Gases under pressure (Liquefied gas), H280

Carcinogenicity (Category 2), H351

Short-term (acute) aquatic hazard (Category 3), H402 Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram





Signal word	Danger	
Hazard statement(s)		
H220	Extremely flammable gas.	
H280	Contains gas under pressure; may explode if heated.	
H351	Suspected of causing cancer.	
H412	Harmful to aquatic life with long lasting effects.	
Precautionary statement(s)		
P201	Obtain special instructions before use.	
P202	Do not handle until all safety precautions have been read and understood.	
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.	
P273	Avoid release to the environment.	
P281	Use personal protective equipment as required.	
P308 + P313	IF exposed or concerned: Get medical advice/ attention.	
P377	Leaking gas fire: Do not extinguish, unless leak can be stopped	

Store locked up. Protect from sunlight. Store in a well-ventilated place. P410 + P403

Dispose of contents/ container to an approved waste disposal P501

Eliminate all ignition sources if safe to do so.

plant.

safely.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

P381

P405

: Ethyl-1,1-d2 chloride Synonyms

Ethyl-1,1-d2 chloride

Formula :  $C_2D_2H_3CI$ Molecular weight : 66.53 g/mol : 3652-86-6 CAS-No. Index-No. : 602-009-00-0

Component	Classification	Concentration	
Chloroethane-1,1-d2			
	Flam. Gas 1; Press. Gas Liquefied gas; Carc. 2; Aquatic Acute 3; Aquatic Chronic 3; H220, H280, H351, H402, H412	<= 100 %	

For the full text of the H-Statements mentioned in this Section, see Section 16.



#### **SECTION 4: First aid measures**

### 4.1 Description of first-aid measures

#### **General advice**

Consult a physician. Show this material safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Hydrogen chloride gas

### **5.3** Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

For personal protection see section 8.

Millipore

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Clean up promptly by sweeping or vacuum.

#### 6.4 Reference to other sections

For disposal see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

#### Advice on protection against fire and explosion

Use explosion-proof equipment. **Advice on protection against fire and explosion**Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

### **Hygiene measures**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place.

Store under inert gas. hygroscopic

### Storage class

Storage class (TRGS 510): 2A: Gases

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

### Ingredients with workplace control parameters

#### 8.2 Exposure controls

### **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### **SECTION 9: Physical and chemical properties**

### Information on basic physical and chemical properties

Form: Liquefied gas a) Appearance

Color: colorless

b) Odor No data available c) Odor Threshold No data available

No data available d) pH e) Melting

point/freezing point

No data available

Initial boiling point and boiling range

12.3 °C 54.1 °F - lit.

g) Flash point -50 °C (-58 °F) - closed cup

h) Evaporation rate No data available Flammability (solid, No data available i)

gas)

Upper/lower Upper explosion limit: 14.8 %(V) at 1013 hPa j) Lower explosion limit: 3.6 %(V) at 1013 hPa flammability or explosive limits

k) Vapor pressure No data available Vapor density No data available I) No data available m) Density Relative density No data available

n) Water solubility No data available

o) Partition coefficient: log Pow: 5.0

n-octanol/water



p) Autoignition No data available

temperature

q) Decomposition No data available temperature

r) Viscosity No data availables) Explosive properties No data availablet) Oxidizing properties No data available

### 9.2 Other safety information

No data available

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No data available

### **10.2 Chemical stability**

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

### 10.5 Incompatible materials

Oxidizing agents

#### 10.6 Hazardous decomposition products

In the event of fire: see section 5

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### **Acute toxicity**

Oral: No data available Inhalation: No data available Dermal: No data available

#### Skin corrosion/irritation

No data available

### Serious eye damage/eye irritation

No data available

### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

Limited evidence of carcinogenicity in animal studies

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

### Reproductive toxicity

No data available

### Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

#### 11.2 Additional Information

abdominal cramps, Vomiting, Headache, Cough, intoxication, Incoordination., Dizziness, It is readily absorbed through lungs and skin, but is also rapidly given off through the lungs., Exposure can aggravate:, Dermatitis, Damage of the:, Kidney, Liver, Consumption of alcohol may increase toxic effects., At high concentrations:, cardiac arrest, Acts as a simple asphyxiant by displacing air., Notes to physician: the use of adrenaline as a stimulant should be avoided due to the sensitizing effect of chloroethane on the myocardium., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.



#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

### Contaminated packaging

Dispose of as unused product.

### **SECTION 14: Transport information**

### DOT (US)

UN number: 1037 Class: 2.1 Proper shipping name: Ethyl chloride Reportable Quantity (RQ): 100 lbs Poison Inhalation Hazard: No

#### **IMDG**

UN number: 1037 Class: 2.1 EMS-No: F-D, S-U

Proper shipping name: ETHYL CHLORIDE

#### **IATA**

UN number: 1037 Class: 2.1 Proper shipping name: Ethyl chloride

IATA Passenger: Not permitted for transport

### **SECTION 15: Regulatory information**

#### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **Massachusetts Right To Know Components**

CAS-No. Revision Date Chloroethane-1,1-d2 3652-86-6

### **Pennsylvania Right To Know Components**

Chloroethane-1,1-d2 CAS-No. Revision Date 3652-86-6

### **New Jersey Right To Know Components**

Chloroethane-1,1-d2 CAS-No. Revision Date 3652-86-6

Aldrich - 588059

Page 8 of 9

#### California Prop. 65 Components

WARNING! This product contains a chemical known in CAS-No. the State of California to cause cancer.Chloroethane- 3652-86-6 1,1-d2

Revision Date

#### **SECTION 16: Other information**

#### **Further information**

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.3 Revision Date: 08/20/2021 Print Date: 06/01/2022

