

# SAFETY DATA SHEET

Version 6.3 Revision Date 11/27/2021 Print Date 02/05/2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Phosphorus, red

Product Number : 04004

Brand : Sigma-Aldrich Index-No. : 015-002-00-7 CAS-No. : 7723-14-0

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

## 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

⊥1 31*/*1 771<sub>-</sub>5765

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

#### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable solids (Category 2), H228

Short-term (acute) aquatic hazard (Category 3), H402 Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Warning

Sigma-Aldrich - 04004



Hazard statement(s)

H228 Flammable solid.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No

smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam to extinguish.

P501 Dispose of contents/ container to an approved waste disposal

plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Formula : F

Molecular weight : 30.97 g/mol CAS-No. : 7723-14-0 EC-No. : 231-768-7 Index-No. : 015-002-00-7

Component	Classification	Concentration
red phosphorus		
	Flam. Sol. 2; Aquatic Acute 3; Aquatic Chronic	<= 100 %
	3; H228, H402, H412	

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with

water/ shower.

# In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.



#### If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Foam Carbon dioxide (CO2) Dry powder

## Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Oxides of phosphorus

Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.

## 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### **6.2 Environmental precautions**

Do not let product enter drains. Risk of explosion.

## 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10).

#### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Advice on protection against fire and explosion

Sigma-Aldrich - 04004

Millipore SigMa Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

## **Hygiene measures**

Change contaminated clothing. Wash hands after working with substance. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

## Storage stability

Recommended storage temperature 2 - 8 °C

Heat sensitive.

## Storage class

Storage class (TRGS 510): 4.1B: Flammable solid hazardous materials

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control	Basis		
			parameters			
red phosphorus	7723-14-0	TWA	0.1 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants		
		TWA	0.1 mg/m3	USA. NIOSH Recommended Exposure Limits		
		PEL	0.1 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)		

## 8.2 Exposure controls

#### Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

## Personal protective equipment

## **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

# **Skin protection**

required

## **Body Protection**

Flame retardant antistatic protective clothing.

#### **Control of environmental exposure**

Do not let product enter drains. Risk of explosion.



## **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties 9.1

a) Appearance Form: powder

Color: red brown

b) Odor No data available c) Odor Threshold No data available

ca.3 at 10 g/l at 37 °C (99 °F) d) pH

Melting point/range: 280 °C (536 °F) - lit. e) Melting

point/freezing point

f)

Initial boiling point and boiling range

280 °C 536 °F

g) Flash point ()Not applicable No data available h) Evaporation rate

Flammability (solid, The substance or mixture is a flammable solid with the category i)

gas) 2. - Test N.1: Test method for readily combustible solids

Upper/lower No data available j)

flammability or explosive limits

0.04 hPa at 21 °C (70 °F) k) Vapor pressure

Vapor density No data available

2.34 g/cm3 at 25 °C (77 °F) - lit. m) Density

Relative density No data available

n) Water solubility 0.3 g/l at 20 °C (68 °F) - slightly soluble o) Partition coefficient:

n-octanol/water

Not applicable for inorganic substances

p) Autoignition > 300 °C (> 572 °F) at 1,013 hPa - Relative self-ignition

temperature for solids temperature

q) Decomposition temperature

No data available

r) Viscosity No data available Explosive properties No data available

Oxidizing properties none

#### 9.2 Other safety information

No data available

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No data available

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

## 10.3 Possibility of hazardous reactions

Risk of explosion with:

halogenates

nitrates

bromates

chlorates

chromyl chloride

chlorosulfonic acid

halogens

iodates

perchlorates

Organic Substances

Risk of ignition or formation of inflammable gases or vapours with:

fire-promoting substances

Oxidizing agents

peroxi compounds

sulfur

nonmetallic oxyhalides

hydrogen peroxide

alkalines

## 10.4 Conditions to avoid

no information available

## 10.5 Incompatible materials

No data available

## 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - female - > 15,000 mg/kg

(OECD Test Guideline 401)

Symptoms: Irritation symptoms in the respiratory tract.

Inhalation: No data available Dermal: No data available

## Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 24 h (OECD Test Guideline 404)

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 24 h (OECD Test Guideline 405)

## Respiratory or skin sensitization

Buehler Test - Guinea pig

Sigma-Aldrich - 04004

Result: negative

(OECD Test Guideline 406)

## Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster lung cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster lung cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

# Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

## **Reproductive toxicity**

No data available

## Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

#### Aspiration hazard

No data available

#### 11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After inhalation of dust:

After uptake of large quantities:

Pneumonia

Handle in accordance with good industrial hygiene and safety practice.



## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to fish static test LC50 - Danio rerio (zebra fish) - 33.2 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic

static test EC50 - Daphnia magna (Water flea) - 10.5 mg/l - 48 h (OECD Test Guideline 202)

invertebrates

Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) - 18.3

mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria static test EC50 - activated sludge - > 1,000 mg/l - 3 h

(OECD Test Guideline 209)

## 12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

## 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

Discharge into the environment must be avoided.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

## **SECTION 14: Transport information**

DOT (US)

UN number: 1338 Class: 4.1 Packing group: III

Proper shipping name: Phosphorus, amorphous

Reportable Quantity (RQ): 1 lbs Poison Inhalation Hazard: No

**IMDG** 

UN number: 1338 Class: 4.1 Packing group: III EMS-No: F-A, S-G

Sigma-Aldrich - 04004

Page 8 of 9



Proper shipping name: PHOSPHORUS, AMORPHOUS

Marine pollutant : yes

**IATA** 

UN number: 1338 Class: 4.1 Packing group: III

Proper shipping name: Phosphorus, amorphous

## **SECTION 15: Regulatory information**

#### **SARA 302 Components**

red phosphorus CAS-No. Revision Date 7723-14-0 2007-03-01

## **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## SARA 311/312 Hazards

Fire Hazard

## **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

# **SECTION 16: Other information**

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.3 Revision Date: 11/27/2021 Print Date: 02/05/2022

