

# **SAFETY DATA SHEET**

Version 6.5 Revision Date 07/16/2021 Print Date 06/01/2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Hydrazine-15N<sub>2</sub> monohydrate

Product Number : 492787 Brand : Aldrich Index-No. : 007-008

Index-No. : 007-008-00-3 CAS-No. : 145571-73-9

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

## 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 2)

Acute toxicity, Inhalation (Category 2), H330 Acute toxicity, Dermal (Category 3), H311


Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Skin sensitization (Category 1), H317 Carcinogenicity (Category 1B), H350

Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.



## 2.2 GHS Label elements, including precautionary statements



## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

plant.



## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Formula :  $H_4^{15}N_2 \cdot H_2O$  Molecular weight : 52.01 g/mol CAS-No. : 145571-73-9 Index-No. : 007-008-00-3

Component	Classification Concentration			
Hydrazine-15N2 monohydrate				
	Flam. Liq. 4; Acute Tox. 3; Acute Tox. 2; Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; Skin Sens. 1; Carc. 1B; Aquatic Acute 1; Aquatic Chronic 1; H227, H301, H330, H311, H314, H318, H317, H350, H400, H410 Concentration limits: >= 10 %: Skin Corr. 1B, H314; 3 - < 10 %: Skin Irrit. 2, H315; 3 - < 10 %: Eye Irrit. 2, H319; M-Factor - Aquatic Acute: 10	<= 100 %		

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

# In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

# In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal

Aldrich - 492787

Millipore SigMa (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

## Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Not combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Ambient fire may liberate hazardous vapours.

## **5.3** Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### 5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

## 6.2 Environmental precautions

Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

For disposal see section 13.



### **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

## Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

## Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

## **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

## **Storage conditions**

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

**Ingredients with workplace control parameters** 

Component	CAS-No.	Value	Control parameters	Basis
Hydrazine-15N2 monohydrate	145571- 73-9	TWA	0.01 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Confirmed animal carcinogen with unknown relevance to humans  Danger of cutaneous absorption		
		С	0.03 ppm 0.04 mg/m3	USA. NIOSH Recommended Exposure Limits
		Potential Occupational Carcinogen		
		TWA	1 ppm 1.3 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		Skin designation		
		TWA	0.1 ppm 0.1 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		Skin notation		
		PEL	0.01 ppm 0.013 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		Skin		



## 8.2 Exposure controls

## **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

## Personal protective equipment

## **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

## Skin protection

required

## **Body Protection**

protective clothing

## **Respiratory protection**

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

## Control of environmental exposure

Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

b) Odor No data available

c) Odor Threshold No data availabled) pH No data available

e) Melting point/range: -51.7 °C (-61.1 °F) - lit.

f) Initial boiling point 120.1 °C 248.2 °F - lit. and boiling range

g) Flash point 73 °C (163 °F) - closed cup

h) Evaporation rate No data availablei) Flammability (solid, No data available

gas)

j) Upper/lower No data available

flammability or explosive limits

point/freezing point

k) Vapor pressure No data availablel) Vapor density No data available

m) Density 1.073 g/mL at 25 °C (77 °F)1.073 g/cm3 at 25 °C (77 °F)

Relative density No data available

n) Water solubility No data available

o) Partition coefficient: log Pow: 5.0

n-octanol/water

p) Autoignition No data available temperature

q) Decomposition

composition No data available

temperature

r) Viscosity No data availables) Explosive properties No data availablet) Oxidizing properties No data available

## 9.2 Other safety information

No data available

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

## 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Strong heating.

### 10.5 Incompatible materials

Strong oxidizing agents

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - male - 262 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - male - 4 h - 0.76 mg/l

Remarks: (ECHA)

Dermal: No data available

No data available

### Skin corrosion/irritation

Skin - Rabbit

Result: Corrosive - 4 h (OECD Test Guideline 404) Remarks: (55% solution)

(Regulation (EC) No 1272/2008, Annex VI)



## Serious eye damage/eye irritation

Causes serious eye damage.

# Respiratory or skin sensitization

(Regulation (EC) No 1272/2008, Annex VI)

## Germ cell mutagenicity

No data available

#### Carcinogenicity

Presumed to have carcinogenic potential for humans

IARC: 2A - Group 2A: Probably carcinogenic to humans (Hydrazine-15N2 monohydrate)

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

No component of this product present at levels greater than or equal to 0.1% is OSHA:

on OSHA's list of regulated carcinogens.

## Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

#### 11.2 Additional Information

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Central nervous system depression, May cause convulsions., Damage to the eyes., Liver injury may occur., Kidney injury may occur., Damage to the lungs., Blood disorders

Stomach - Irregularities - Based on Human Evidence

Liver - Irregularities - Based on Human Evidence

#### **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish static test LC50 - Poecilia reticulata (quppy) - 0.61 mg/l - 96 h

Remarks: (ECHA)

Toxicity to daphnia

semi-static test EC50 - Daphnia pulex (Water flea) - 0.16 mg/l - 48

and other aquatic

(US-EPA)

invertebrates

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Hydrazine

hydrate

Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) - 0.017

ma/l - 48 h

(Regulation (EC) No. 440/2008, Annex, C.3)

Toxicity to bacteria static test EC50 - activated sludge - 5.5 mg/l - 3 h

(OECD Test Guideline 209)

### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 24 h

Result: 99 % - Inherently biodegradable.

(OECD Test Guideline 302B)

### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

#### **SECTION 14: Transport information**

DOT (US)

UN number: 2030 Class: 8 (6.1) Packing group: II

Proper shipping name: Hydrazine aqueous solution

Reportable Quantity (RQ): 1 lbs Poison Inhalation Hazard: No

**IMDG** 

UN number: 2030 Class: 8 (6.1) Packing group: II EMS-No: F-A, S-B

Proper shipping name: HYDRAZINE, AQUEOUS SOLUTION

Marine pollutant : yes

**IATA** 

UN number: 2030 Class: 8 (6.1) Packing group: II

Proper shipping name: Hydrazine, aqueous solution

IATA Passenger: Not permitted for transport



## **SECTION 15: Regulatory information**

## **SARA 302 Components**

Hydrazine-15N2 monohydrate CAS-No. Revision Date 145571-73-9 2007-07-01

### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

Hydrazine-15N2 monohydrate CAS-No. Revision Date 145571-73-9 2007-07-01

## SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

# **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

### **SECTION 16: Other information**

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.5 Revision Date: 07/16/2021 Print Date: 06/01/2022

