

**DI-t-BUTYLISOBUTYLSILYL TRIFLUOROMETHANESULFONATE**

Safety Data Sheet SID3226.0

Date of issue: 01/05/2015

Version: 1.0

**SECTION 1: Identification****1.1. Identification**

|                 |                                                                     |
|-----------------|---------------------------------------------------------------------|
| Product name    | : DI-t-BUTYLISOBUTYLSILYL TRIFLUOROMETHANESULFONATE                 |
| Product code    | : SID3226.0                                                         |
| Product form    | : Substance                                                         |
| Physical state  | : Liquid                                                            |
| Formula         | : C <sub>13</sub> H <sub>27</sub> F <sub>3</sub> O <sub>3</sub> SSi |
| Synonyms        | : DI-t-BUTYLISOBUTYLSILYLTRIFLATE                                   |
| Chemical family | : ORGANOSILANE                                                      |

**1.2. Recommended use and restrictions on use**

|                 |                         |
|-----------------|-------------------------|
| Recommended use | : Chemical intermediate |
|-----------------|-------------------------|

**1.3. Supplier****GELEST, INC.**11 East Steel Road  
Morrisville, PA 19067**USA**

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

[info@gelest.com](mailto:info@gelest.com) - [www.gelest.com](http://www.gelest.com)**1.4. Emergency telephone number**

|                  |                                                                   |
|------------------|-------------------------------------------------------------------|
| Emergency number | : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International) |
|------------------|-------------------------------------------------------------------|

**SECTION 2: Hazard(s) identification****2.1. Classification of the substance or mixture****GHS-US classification**

|                                              |                                              |
|----------------------------------------------|----------------------------------------------|
| Flammable liquids Category 4                 | H227 Combustible liquid                      |
| Skin corrosion/irritation Category 1B        | H314 Causes severe skin burns and eye damage |
| Serious eye damage/eye irritation Category 1 | H318 Causes serious eye damage               |
| Full text of H statements : see section 16   |                                              |

**2.2. GHS Label elements, including precautionary statements****GHS US labeling**

Hazard pictograms (GHS US)



Signal word (GHS US)

: Danger

Hazard statements (GHS US)

: H227 - Combustible liquid  
 H314 - Causes severe skin burns and eye damage  
 H318 - Causes serious eye damage

Precautionary statements (GHS US)

: P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
 P260 - Do not breathe vapors.  
 P264 - Wash hands thoroughly after handling.  
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
 P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting  
 P303+P361+P353 - If on skin (or hair): take off immediately all contaminated clothing. rinse skin with water/shower  
 P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing  
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 P310 - Immediately call a doctor  
 P363 - Wash contaminated clothing before reuse.  
 P370+P378 - In case of fire: Use water spray, foam, carbon dioxide, dry chemical to extinguish.  
 P403+P235 - Keep in a cool place  
 P405 - Store locked up.  
 P501 - Dispose of contents/container to licensed waste disposal facility.

**2.3. Hazards not otherwise classified (HNOC)**

Other hazards not contributing to the classification

: Material will generate trifluoromethanesulfonic acid on contact with moisture on skin eyes or mucous membranes.

# DI-t-BUTYLISOBUTYLSILYL TRIFLUOROMETHANESULFONATE

## Safety Data Sheet

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Substance type : Mono-constituent  
Name : DI-t-BUTYLISOBUTYLSILYL TRIFLUOROMETHANESULFONATE  
CAS-No. : 1314639-86-5

| Name                                              | Product identifier     | %    | GHS-US classification                                         |
|---------------------------------------------------|------------------------|------|---------------------------------------------------------------|
| Di-t-butylisobutylsilyl trifluoromethanesulfonate | (CAS-No.) 1314639-86-5 | > 95 | Flam. Liq. 4, H227<br>Skin Corr. 1B, H314<br>Eye Dam. 1, H318 |

Full text of hazard classes and H-statements : see section 16

### 3.2. Mixtures

Not applicable

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures general : Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Wash with plenty of soap and water. Get immediate medical advice/attention.

First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion : Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : Causes severe skin burns and eye damage.

Symptoms/effects after inhalation : May cause irritation to the respiratory tract. Overexposure may cause: Coughing. Headache. Nausea.

Symptoms/effects after skin contact : Causes (severe) skin burns.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : May be harmful if swallowed.

### 4.3. Immediate medical attention and special treatment, if necessary

No additional information available

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Foam. Carbon dioxide. Dry chemical.

### 5.2. Specific hazards arising from the chemical

Fire hazard : Combustible liquid. Irritating fumes of trifluoromethanesulfonic acid and organic acid vapors may develop when material is exposed to water or open flame.

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray to cool exposed surfaces. Exercise caution when fighting any chemical fire.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Avoid all eye and skin contact and do not breathe vapor and mist.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges.

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

# DI-t-BUTYLISOBUTYLSILYL TRIFLUOROMETHANESULFONATE

## Safety Data Sheet

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or shovel spills into appropriate container for disposal. Use only non-sparking tools.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Provide good ventilation in process area to prevent accumulation of vapors. Avoid all eye and skin contact and do not breathe vapor and mist. Containers and transfer lines require grounding during use. Take precautionary measures against static discharge. Use only non-sparking tools.

Hygiene measures : Wash contaminated clothing before reuse. Wash hands thoroughly after handling.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment.

Storage conditions : Keep container tightly closed.

Incompatible materials : Acids. Alcohols. Oxidizing agent. Moisture. Water.

Storage area : Store in a well-ventilated place. Store away from heat.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

| Di-t-butylisobutylsilyl trifluoromethanesulfonate (1314639-86-5) |                 |                                 |
|------------------------------------------------------------------|-----------------|---------------------------------|
| ACGIH                                                            | ACGIH TWA (ppm) | < 3 ppm (Gelest Recommendation) |

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Provide local exhaust or general room ventilation.

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

#### Hand protection:

Neoprene or nitrile rubber gloves

#### Eye protection:

Chemical goggles. Contact lenses should not be worn

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

NIOSH-certified combination organic vapor/acid gas (yellow cartridge) respirator.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                             |                          |
|---------------------------------------------|--------------------------|
| Physical state                              | : Liquid                 |
| Appearance                                  | : Clear liquid.          |
| Molecular mass                              | : 348.49 g/mol           |
| Color                                       | : Straw.                 |
| Odor                                        | : Acrid.                 |
| Odor threshold                              | : No data available      |
| Refractive index                            | : No data available      |
| pH                                          | : No data available      |
| Relative evaporation rate (butyl acetate=1) | : No data available      |
| Melting point                               | : No data available      |
| Freezing point                              | : < 0 °C                 |
| Boiling point                               | : 100 - 101 °C @ 1 mm Hg |
| Flash point                                 | : > 65 °C                |

# DI-*t*-BUTYLISOBUTYLSILYL TRIFLUOROMETHANESULFONATE

## Safety Data Sheet

|                                 |                      |
|---------------------------------|----------------------|
| Auto-ignition temperature       | : No data available  |
| Decomposition temperature       | : No data available  |
| Flammability (solid, gas)       | : Combustible liquid |
| Vapor pressure                  | : < 0.1 mm Hg @ 25°C |
| Relative vapor density at 20 °C | : > 1                |
| Relative density                | : 1.25               |
| % Volatiles                     | : 100 %              |
| Solubility                      | : Reacts with water. |
| Log Pow                         | : No data available  |
| Log Kow                         | : No data available  |
| Viscosity, kinematic            | : No data available  |
| Viscosity, dynamic              | : No data available  |
| Explosive properties            | : No data available  |
| Oxidizing properties            | : No data available  |
| Explosion limits                | : No data available  |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable in sealed containers stored under a dry inert atmosphere.

### 10.3. Possibility of hazardous reactions

Reacts with water and moisture in air, liberating trifluoromethanesulfonic acid.

### 10.4. Conditions to avoid

Heat. Open flame. Sparks.

### 10.5. Incompatible materials

Acids. Alcohols. Oxidizing agent. Moisture. Water.

### 10.6. Hazardous decomposition products

Hydrogen fluoride. Organic acid vapors. Trifluoromethanesulfonic acid.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

|                                                    |                                                                                                      |
|----------------------------------------------------|------------------------------------------------------------------------------------------------------|
| Acute toxicity                                     | : Not classified                                                                                     |
| Skin corrosion/irritation                          | : Causes severe skin burns and eye damage.                                                           |
| Serious eye damage/irritation                      | : Causes serious eye damage.                                                                         |
| Respiratory or skin sensitization                  | : Not classified                                                                                     |
| Germ cell mutagenicity                             | : Not classified                                                                                     |
| Carcinogenicity                                    | : Not classified                                                                                     |
| Reproductive toxicity                              | : Not classified                                                                                     |
| Specific target organ toxicity – single exposure   | : Not classified                                                                                     |
| Specific target organ toxicity – repeated exposure | : Not classified                                                                                     |
| Aspiration hazard                                  | : Not classified                                                                                     |
| Symptoms/effects after inhalation                  | : May cause irritation to the respiratory tract. Overexposure may cause: Coughing. Headache. Nausea. |
| Symptoms/effects after skin contact                | : Causes (severe) skin burns.                                                                        |
| Symptoms/effects after eye contact                 | : Causes serious eye damage.                                                                         |
| Symptoms/effects after ingestion                   | : May be harmful if swallowed.                                                                       |

## SECTION 12: Ecological information

### 12.1. Toxicity

No additional information available

# DI-t-BUTYLISOBUTYLSILYL TRIFLUOROMETHANESULFONATE

## Safety Data Sheet

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Other adverse effects : This substance may be hazardous to the environment.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Product/Packaging disposal recommendations : May be incinerated. Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to licensed waste disposal facility.

Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information

### 14.1. UN number

UN-No.(DOT) : 1760

DOT NA no. UN1760

### 14.2. UN proper shipping name

Transport document description : UN1760 Corrosive liquids, n.o.s. (DI-t-BUTYLISOBUTYLSILYL TRIFLUOROMETHANESULFONATE), 8, II

Proper Shipping Name (DOT) : Corrosive liquids, n.o.s.  
(DI-t-BUTYLISOBUTYLSILYL TRIFLUOROMETHANESULFONATE)

Class (DOT) : 8 - Class 8 - Corrosive material 49 CFR 173.136

Packing group (DOT) : II - Medium Danger

Hazard labels (DOT) : 8 - Corrosive



DOT Packaging Non Bulk (49 CFR 173.xxx) : 202

DOT Packaging Bulk (49 CFR 173.xxx) : 242

DOT Packaging Exceptions (49 CFR 173.xxx) : 154

DOT Symbols : G - Identifies PSN requiring a technical name

### 14.3. Additional information

Emergency Response Guide (ERG) Number : 154

Other information : No supplementary information available.

### Transport by sea

DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

### Air transport

DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 1 L

DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 30 L

# DI-t-BUTYLISOBUTYLSILYL TRIFLUOROMETHANESULFONATE

## Safety Data Sheet

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

##### DI-t-BUTYLISOBUTYLSILYL TRIFLUOROMETHANESULFONATE (1314639-86-5)

TSCA Exemption/Exclusion

CAUTION: This material is supplied for research and development purposes subject to the R&D exemption under TSCA, 40 CFR 720.36, and must meet the requirements of the exemption, including supervision by a "technically qualified individual" as defined by 40 CFR 720.3(ee). The use of this material for "commercial purposes" as defined by 40 CFR 720.3(r) is not permitted in the United States.

##### Di-t-butylisobutylsilyl trifluoromethanesulfonate (1314639-86-5)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2. International regulations

##### CANADA

No additional information available

##### EU-Regulations

No additional information available

##### National regulations

No additional information available

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

### SECTION 16: Other information

Full text of H-phrases::

|      |                                         |
|------|-----------------------------------------|
| H227 | Combustible liquid                      |
| H314 | Causes severe skin burns and eye damage |
| H318 | Causes serious eye damage               |

Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemical Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling; APF: Assigned Protection Factor.

#### Hazard Rating

|              |                                                                                                                                                                                                                                                |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Health       | : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given                                                                                                                                          |
| Flammability | : 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)               |
| Physical     | : 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors. |

Prepared by safety and environmental affairs.

Date of issue: 01/05/2015 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

# DI-t-BUTYLISOBUTYLSILYL TRIFLUOROMETHANESULFONATE

## Safety Data Sheet

---

© 2019 Gelest Inc. Morrisville, PA 19067

