

# SAFETY DATA SHEET

Version 6.7 Revision Date 06/01/2021 Print Date 02/05/2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Chlorotrimethylsilane

Product Number : 92361
Brand : Aldrich
CAS-No. : 75-77-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #: 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 4), H312 Skin corrosion (Category 1A), H314

Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Aldrich - 92361

AilliPORE

Hazard statement(s)				
H225	Highly flammable liquid and vapor.			
H301 + H331	Toxic if swallowed or if inhaled.			
H312	Harmful in contact with skin.			
H314	Causes severe skin burns and eye damage.			
	· · · · · · · · · · · · · · · · · · ·			
Precautionary statement(s)				
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.			
P233	Keep container tightly closed.			
P240	Ground/bond container and receiving equipment.			
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.			
P242	Use only non-sparking tools.			
P243	Take precautionary measures against static discharge.			
P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.			
P264	Wash skin thoroughly after handling.			
P270	Do not eat, drink or smoke when using this product.			
P271	Use only outdoors or in a well-ventilated area.			
P280	Wear protective gloves/ protective clothing/ eye protection/ face			
	protection.			
P301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.			
	Rinse mouth.			
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.			
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated			
	clothing. Rinse skin with water/ shower.			
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable			
	for breathing. Immediately call a POISON CENTER/ doctor.			
P305 + P351 + P338 +	IF IN EYES: Rinse cautiously with water for several minutes.			
P310	Remove contact lenses, if present and easy to do. Continue			
	rinsing. Immediately call a POISON CENTER/ doctor.			
P363	Wash contaminated clothing before reuse.			
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant			
	foam to extinguish.			
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.			
P403 + P235	Store in a well-ventilated place. Keep cool.			
P405	Store locked up.			
P501	Dispose of contents/ container to an approved waste disposal			
- <del></del>	plant.			
	r			

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Reacts violently with water.

# **SECTION 3: Composition/information on ingredients**

# 3.1 Substances

Synonyms : TMCS

Trimethylchlorosilane Trimethylsilyl chloride



Component	Classification	Concentration
chlorotrimethylsilane		
•	Flam. Liq. 2; Acute Tox. 3; Acute Tox. 4; Skin Corr. 1A; Eye Dam. 1; H225, H301, H331, H312, H314, H318	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

#### **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2) Dry powder

#### Unsuitable extinguishing media

Foam Water



## 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Hydrogen chloride gas

silicon oxides

Flash back possible over considerable distance., Container explosion may occur under fire conditions.

Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

May not get in touch with: Water

Development of hazardous combustion gases or vapours possible in the event of fire.

Forms explosive mixtures with air at ambient temperatures.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### **5.4** Further information

Water hydrolyzes material liberating acidic gas which in contact with metal surfaces can generate flammable and/or explosive hydrogen gas.Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

# **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

# 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols. Keep workplace dry. Do not allow product to come into contact with water.

# Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

## **Hygiene measures**

Aldrich - 92361

**Millipore** 

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Never allow product to get in contact with water during storage.

Store under inert gas. Moisture sensitive.

Storage class (TRGS 510): 3: Flammable liquids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
chlorotrimethylsila ne	75-77-4	CEIL	5 ppm	USA. Workplace Environmental Exposure Levels (WEEL)

## 8.2 Exposure controls

# **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

## Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Viton®

Minimum layer thickness: 0.7 mm Break through time: 480 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).



Splash contact

Material: Chloroprene

Minimum layer thickness: 0.65 mm Break through time: 120 min

Material tested: KCL 720 Camapren®

## **Body Protection**

Flame retardant antistatic protective clothing.

## **Respiratory protection**

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### Control of environmental exposure

Do not let product enter drains. Risk of explosion.

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

b) Odorc) Odor Thresholdd) pHNo data availableNo data available

e) Melting point/range: -40 °C (-40 °F)

point/freezing point

f) Initial boiling point 57 °C 135 °F and boiling range

g) Flash point -28 °C (-18 °F) - closed cup

h) Evaporation rate No data availablei) Flammability (solid, No data available

gas)

j) Upper/lower Upper explosion limit: 46 %(V) flammability or Lower explosion limit: 1.5 %(V) explosive limits

k) Vapor pressure 278.6 hPa at 20 °C (68 °F)

I) Vapor density No data availablem) Relative density No data available

n) Water solubility 0.995 g/l at 24 °C (75 °F) - OECD Test Guideline 105 o) Partition coefficient: log Pow: 1.19 at 25 °C (77 °F) - Bioaccumulation is not

n-octanol/water expected.

p) Autoignition 407 °C (765 °F) at 1,013 hPa - ASTM E-659 temperature

q) Decomposition No data available

r) Viscosity No data available

Aldrich - 92361

temperature



s) Explosive properties No data available

t) Oxidizing properties No data available

## 9.2 Other safety information

No data available

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

Vapors may form explosive mixture with air. Reacts violently with water.

## 10.2 Chemical stability

sensitive to moisture

# 10.3 Possibility of hazardous reactions

Violent reactions possible with:

Alcohols

Ammonia

Bases

Oxidizing agents

Acetone

Esters

Ketones

Aldehydes

Strong acids

Amines

Water

Possible formation of:

Hydrogen chloride gas

## 10.4 Conditions to avoid

Water hydrolyzes material liberating acidic gas which in contact with metal surfaces can generate flammable and/or explosive hydrogen gas. Humid air

Heat, flames and sparks. Extremes of temperature and direct sunlight. Exposure to moisture.

Warming.

Moisture.

# 10.5 Incompatible materials

Metals, with water(generation of hydrogen)

# 10.6 Hazardous decomposition products

In the event of fire: see section 5



#### **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male - < 212 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 1 h - 4257 ppm

(OECD Test Guideline 403) Remarks: (calculated)

LD50 Dermal - Rabbit - male and female - 1,513 mg/kg

(OECD Test Guideline 402)

#### Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns. - 4 h (OECD Test Guideline 404)

## Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes burns.

(Draize Test)

Causes serious eye damage.

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Mouse lymphoma test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Mouse lymphoma test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test

Species: Rat

Cell type: Bone marrow

Application Route: Intraperitoneal injection

Method: OECD Test Guideline 475

Result: negative

# Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity**

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

**Aspiration hazard** 

No data available

## 11.2 Additional Information

Repeated dose toxicity - Rat - male and female - Inhalation - 10 d

Remarks: Subacute toxicity

(ECHA)

RTECS: VV2710000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Nerves. - Irregularities - Based on Human Evidence

Nerves. - Irregularities - Based on Human Evidence

#### **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - 271

mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia

semi-static test EC50 - Daphnia magna (Water flea) - 124 mg/l - 48

and other aquatic

[] (----

invertebrates (OECD Test Guideline 202)

Toxicity to algae static test EC50 - Pseudokirchneriella subcapitata - 566 mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria EC50 - activated sludge - 6,670 mg/l

(OECD Test Guideline 209)

## 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 0 % - Not readily biodegradable.

(OECD Test Guideline 310)

#### 12.3 Bioaccumulative potential

No data available



#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

No data available

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# **SECTION 14: Transport information**

DOT (US)

UN number: 1298 Class: 3 (8) Packing group: II

Proper shipping name: Trimethylchlorosilane

Reportable Quantity (RQ): Poison Inhalation Hazard: No

**IMDG** 

UN number: 1298 Class: 3 (8) Packing group: II EMS-No: F-E, S-C

Proper shipping name: TRIMETHYLCHLOROSILANE

**IATA** 

UN number: 1298 Class: 3 (8) Packing group: II

Proper shipping name: Trimethylchlorosilane IATA Passenger: Not permitted for transport

## **SECTION 15: Regulatory information**

# **SARA 302 Components**

chlorotrimethylsilane CAS-No. Revision Date 75-77-4 2007-07-01

#### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

## **Massachusetts Right To Know Components**

Aldrich - 92361

....

Page 10 of 11

# **SECTION 16: Other information**

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.7 Revision Date: 06/01/2021 Print Date: 02/05/2022

