

## SAFETY DATA SHEET

Version 6.4  
Revision Date 05/06/2021  
Print Date 06/01/2022

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifiers**

Product name : Ethylene- $^{13}\text{C}_1$

Product Number : 489344  
Brand : Aldrich  
CAS-No. : 6145-18-2

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Laboratory chemicals, Synthesis of substances

**1.3 Details of the supplier of the safety data sheet**

Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATES

Telephone : +1 314 771-5765  
Fax : +1 800 325-5052

**1.4 Emergency telephone**

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-  
527-3887 CHEMTREC (International) 24  
Hours/day; 7 Days/week

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Flammable gases (Category 1), H220  
Gases under pressure (Liquefied gas), H280  
Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336  
For the full text of the H-Statements mentioned in this Section, see Section 16.

**2.2 GHS Label elements, including precautionary statements**

Pictogram



Signal word : Danger

Hazard statement(s)  
H220 : Extremely flammable gas.

Aldrich - 489344

Page 1 of 8

H280	Contains gas under pressure; may explode if heated.
H336	May cause drowsiness or dizziness.
Precautionary statement(s)	
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P271	Use only outdoors or in a well-ventilated area.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P377	Leaking gas fire: Do not extinguish, unless leak can be stopped safely.
P381	Eliminate all ignition sources if safe to do so.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P410 + P403	Protect from sunlight. Store in a well-ventilated place.
P501	Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Contact with liquid or refrigerated gas can cause cold burns and frostbite.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Synonyms	: Ethene-13C1
Formula	: $^{13}\text{CCH}_4$
Molecular weight	: 29.04 g/mol
CAS-No.	: 6145-18-2

Component	Classification	Concentration
<b>Ethylene-13C1</b>		
	Flam. Gas 1; Press. Gas Liquefied gas; STOT SE 3; H220, H280, H336	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

**In case of eye contact**

After eye contact: rinse out with plenty of water. Remove contact lenses.

**If swallowed**

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

**4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available

---

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media**

Water Foam Carbon dioxide (CO<sub>2</sub>) Dry powder

**Unsuitable extinguishing media**

For this substance/mixture no limitations of extinguishing agents are given.

**5.2 Special hazards arising from the substance or mixture**

Carbon oxides

Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire.

**5.3 Advice for firefighters**

In the event of fire, wear self-contained breathing apparatus.

**5.4 Further information**

Remove container from danger zone and cool with water.

---

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Do not breathe gas. Avoid substance contact.

Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

**6.2 Environmental precautions**

No special precautionary measures necessary.

**6.3 Methods and materials for containment and cleaning up**

Observe possible material restrictions (see sections 7 and 10). Stop flow of gas, move leaking cylinder to open air if without risk.

**6.4 Reference to other sections**

For disposal see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Advice on safe handling

Avoid generation of vapours/aerosols.

#### Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Keep locked up or in an area accessible only to qualified or authorized persons. Keep away from combustible materials and sources of ignition.

Storage class (TRGS 510): 2A: Gases

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Ethylene-13C1	6145-18-2	TWA	200 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Not classifiable as a human carcinogen		

### 8.2 Exposure controls

#### Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

#### Personal protective equipment

##### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

##### Skin protection

required

##### Body Protection

Flame retardant antistatic protective clothing.

##### Respiratory protection

required when vapours/mists are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

##### Control of environmental exposure

No special precautionary measures necessary.

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

a) Appearance	Form: Liquefied gas
b) Odor	No data available
c) Odor Threshold	No data available
d) pH	No data available
e) Melting point/freezing point	-169 °C (-272 °F)
f) Initial boiling point and boiling range	-104 °C -155 °F
g) Flash point	( )No data available
h) Evaporation rate	No data available
i) Flammability (solid, gas)	No data available
j) Upper/lower flammability or explosive limits	Upper explosion limit: 36 %(V) Lower explosion limit: 2.7 %(V)
k) Vapor pressure	35,504.28 hPa
l) Vapor density	No data available
m) Relative density	No data available
n) Water solubility	No data available
o) Partition coefficient: n-octanol/water	No data available
p) Autoignition temperature	452 °C (846 °F)
q) Decomposition temperature	No data available
r) Viscosity	No data available
s) Explosive properties	No data available
t) Oxidizing properties	No data available

### 9.2 Other safety information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

No data available

#### **10.4 Conditions to avoid**

no information available

#### **10.5 Incompatible materials**

Strong oxidizing agents

#### **10.6 Hazardous decomposition products**

In the event of fire: see section 5

---

### **SECTION 11: Toxicological information**

#### **11.1 Information on toxicological effects**

##### **Acute toxicity**

Oral: No data available

Inhalation: No data available

Dermal: No data available

No data available

##### **Skin corrosion/irritation**

No data available

##### **Serious eye damage/eye irritation**

No data available

##### **Respiratory or skin sensitization**

No data available

##### **Germ cell mutagenicity**

No data available

##### **Carcinogenicity**

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

##### **Reproductive toxicity**

No data available

##### **Specific target organ toxicity - single exposure**

May cause drowsiness or dizziness.

##### **Specific target organ toxicity - repeated exposure**

No data available

##### **Aspiration hazard**

No data available

#### **11.2 Additional Information**

Acts as a simple asphyxiant by displacing air., Dermal contact with rapidly evaporating liquid could result in freezing of the tissues or frostbite., Nausea, Dizziness, Headache, narcosis, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. Pressurised gas bottle: dispose of only in empty condition! See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

---

## SECTION 14: Transport information

### DOT (US)

UN number: 1962 Class: 2.1  
Proper shipping name: Ethylene  
Reportable Quantity (RQ):  
Poison Inhalation Hazard: No

### IMDG

UN number: 1962 Class: 2.1  
Proper shipping name: ETHYLENE

EMS-No: F-D, S-U

### IATA

UN number: 1962 Class: 2.1  
Proper shipping name: Ethylene  
IATA Passenger: Not permitted for transport

---

## SECTION 15: Regulatory information

### SARA 302 Components

Aldrich - 489344

Page 7 of 8

This material does not contain any components with a section 302 EHS TPQ.

### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-No.	Revision Date
Ethylene-13C1	6145-18-2	2007-07-01

### **SARA 311/312 Hazards**

Fire Hazard, Sudden Release of Pressure Hazard

### **Massachusetts Right To Know Components**

	CAS-No.	Revision Date
Ethylene-13C1	6145-18-2	2007-07-01

No components are subject to the Massachusetts Right to Know Act.

### **Pennsylvania Right To Know Components**

	CAS-No.	Revision Date
Ethylene-13C1	6145-18-2	2007-07-01

### **New Jersey Right To Know Components**

	CAS-No.	Revision Date
Ethylene-13C1	6145-18-2	2007-07-01

---

## **SECTION 16: Other information**

### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

Version: 6.4

Revision Date: 05/06/2021

Print Date: 06/01/2022