

# SAFETY DATA SHEET

Version 6.6 Revision Date 09/08/2021 Print Date 05/28/2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Phenylhydrazine

Product Number : P26252 Brand : Aldrich

Index-No. : 612-023-00-9 CAS-No. : 100-63-0

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

: +1 314 771-5765 : +1 800 325-5052

1.4 Emergency telephone

Telephone

Fax

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 3), H331

Acute toxicity, Dermal (Category 3), H311

Skin irritation (Category 2), H315

Eye irritation (Category 2A), H319

Skin sensitization (Category 1), H317

Germ cell mutagenicity (Category 2), H341

Carcinogenicity (Category 1B), H350

Specific target organ toxicity - repeated exposure (Category 1), H372

Short-term (acute) aquatic hazard (Category 1), H400

For the full text of the H-Statements mentioned in this Section, see Section 16. Aldrich - P26252

MILLIPORE

# 2.2 GHS Label elements, including precautionary statements

GHS Label elements, including precautionary statements					
Pictogram					
Signal word	Danger				
Hazard statement(s)					
H227	Combustible liquid.				
H301 + H311 + H331	Toxic if swallowed, in contact with skin or if inhaled.				
H315	Causes skin irritation.				
H317	May cause an allergic skin reaction.				
H319	Causes serious eye irritation.				
H341	Suspected of causing genetic defects.				
H350	May cause cancer.				
H372	Causes damage to organs through prolonged or repeated				
	exposure.				
H400	Very toxic to aquatic life.				
Precautionary statement(s)					
P201	Obtain special instructions before use.				
P202	Do not handle until all safety precautions have been read and				
	understood.				
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No				
	smoking.				
P260	Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.				
P264	Wash skin thoroughly after handling.				
P270	Do not eat, drink or smoke when using this product.				
P271	Use only outdoors or in a well-ventilated area.				
P272	Contaminated work clothing must not be allowed out of the				
P273	workplace. Avoid release to the environment.				
P280	Wear protective gloves/ protective clothing/ eye protection/ face				
F 200	protection.				
P301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.				
1301 1 1310 1 1330	Rinse mouth.				
P302 + P352 + P312	IF ON SKIN: Wash with plenty of water.Call a POISON CENTER/				
	doctor if you feel unwell.				
P304 + P340 + P311	IF INHALED: Remove person to fresh air and keep comfortable				
	for breathing. Call a POISON CENTER/ doctor.				
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes.				
	Remove contact lenses, if present and easy to do. Continue				
	rinsing.				
P308 + P313	IF exposed or concerned: Get medical advice/ attention.				
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.				
P337 + P313	If eye irritation persists: Get medical advice/ attention.				
P362	Take off contaminated clothing and wash before reuse.				
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant				
D201	foam to extinguish.				
P391 P403 + P233	Collect spillage. Store in a well-ventilated place. Keep container tightly closed				
P403 + P233 P403 + P235	Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool.				
P403 + P233	Store in a weii-ventilated place. Keep cool.				

Aldrich - P26252

P405

P501



Store locked up.

plant.

Dispose of contents/ container to an approved waste disposal

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Molecular weight : 108.14 g/mol CAS-No. : 100-63-0 EC-No. : 202-873-5 Index-No. : 612-023-00-9

Component	Classification	Concentration	
phenylhydrazine			
	Flam. Liq. 4; Acute Tox. 3;	<= 100 %	
	Skin Irrit. 2; Eye Irrit. 2A;		
	Skin Sens. 1; Muta. 2;		
	Carc. 1B; STOT RE 1;		
	Aquatic Acute 1; H227,		
	H301, H331, H311, H315,		
	H319, H317, H341, H350,		
	H372, H400		
	M-Factor - Aquatic Acute:		
	10		

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

### 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

## If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

## In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Aldrich - P26252

Millipore

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

## Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Nitrogen oxides (NOx)

Carbon oxides

Nitrogen oxides (NOx)

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb ${\mathbb R}$ ). Dispose of properly. Clean up affected area.

### 6.4 Reference to other sections

For disposal see section 13.



### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

# Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

### **Storage conditions**

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Light sensitive. Store under inert gas. Air sensitive.

### Storage class

Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

**Ingredients with workplace control parameters** 

Component	CAS-No.	Value	Control	Basis	
			parameters		
phenylhydrazine	100-63-0	TWA	0.1 ppm	USA. ACGIH Threshold Limit	
				Values (TLV)	
	Remarks	Confirmed animal carcinogen with unknown relevance to			
		humans			
		Danger of cutaneous absorption			
		С	0.14 ppm	USA. NIOSH Recommended	
			0.6 mg/m3	Exposure Limits	
		Potential Occupational Carcinogen			
		Potential for dermal absorption			
		TWA	5 ppm	USA. Occupational Exposure	
			22 mg/m3	Limits (OSHA) - Table Z-1	
			_	Limits for Air Contaminants	
		Skin designation			
		TWA	5 ppm	USA. OSHA - TABLE Z-1 Limits	
			20 mg/m3	for Air Contaminants -	
				1910.1000	
		Skin notation			



STEL	10 ppm 45 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000	
Skin notation			
PEL	5 ppm 20 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	
Skin			
STEL	10 ppm 45 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	
Skin			

### 8.2 Exposure controls

### **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

### Personal protective equipment

### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Chloroprene

Minimum layer thickness: 0.6 mm Break through time: 120 min

Material tested: Camapren® (KCL 722 / Aldrich Z677493, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

protective clothing

#### Respiratory protection

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387

Aldrich - P26252

Page 6 of 11



and other accompanying standards relating to the used respiratory protection system.

### **Control of environmental exposure**

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

b) Odorc) Odor Thresholdd) pHNo data availableNo data available

e) Melting point/range: 18 - 21 °C (64 - 70 °F)

point/freezing point

f) Initial boiling point 238 - 241 °C 460 - 466 °F and boiling range

g) Flash point 89 °C (192 °F) - closed cup

h) Evaporation rate No data availablei) Flammability (solid, No data available

gas)

j) Upper/lower Lower explosion limit: 1.1 %(V)

flammability or explosive limits

k) Vapor pressure 1.35 hPa at 60 °C (140 °F)

I) Vapor density 4.33

m) Density 1.098 g/mL

Relative density No data available n) Water solubility No data available

o) Partition coefficient: log Pow: 1.25 - Bioaccumulation is not expected.

n-octanol/water

p) Autoignition No data available

temperature
q) Decomposition No data available

r) Viscosity No data availables) Explosive properties No data available

t) Oxidizing properties none

### 9.2 Other safety information

temperature

Surface tension 46.1 mN/m at 20 °C (68 °F)

Relative vapor 4.33

density

Millipore

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

### 10.3 Possibility of hazardous reactions

Exothermic reaction with:

Strong oxidizing agents

Sulfides

metallic oxides

Risk of explosion with:

metallic oxides

Halogenated hydrocarbon

organic halides

perchloryl fluoride

surface-active substances

#### 10.4 Conditions to avoid

Strong heating.

### 10.5 Incompatible materials

No data available

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - 188 mg/kg Remarks: Behavioral:Excitement.

Behavioral: Muscle contraction or spasticity.

(RTECS)

Acute toxicity estimate Inhalation - 4 h - 0.51 mg/l

(Expert judgment)

Inhalation: No data available

Acute toxicity estimate Dermal - 300 mg/kg

(Expert judgment)

Dermal: No data available

No data available

### Skin corrosion/irritation

Causes skin irritation. Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

### Serious eye damage/eye irritation

Causes serious eye irritation. Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Aldrich - P26252

## Respiratory or skin sensitization

Patch test: - Human Result: positive Remarks: (IUCLID)

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

### Germ cell mutagenicity

Suspected of causing genetic defects.

### Carcinogenicity

Presumed to have carcinogenic potential for humans

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

### Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure. Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

### **Aspiration hazard**

No data available

### 11.2 Additional Information

RTECS: MV8925000

Liver injury may occur., Kidney injury may occur., Blood disorders

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxicity to fish LC50 - Danio rerio (zebra fish) - 0.16 - 0.25 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic

invertebrates

EC50 - Daphnia magna (Water flea) - 2 - 5 mg/l - 48 h

Remarks: (External MSDS)

Toxicity to bacteria

EC50 - Photobacterium phosphoreum - 175.2 mg/l - 1 h

Remarks: (IUCLID)

Aldrich - P26252

### 12.2 Persistence and degradability

Biodegradability Result: 97 % - Readily biodegradable.

(OECD Test Guideline 301E)

## 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

### **SECTION 14: Transport information**

DOT (US)

UN number: 2572 Class: 6.1 Packing group: II

Proper shipping name: Phenylhydrazine

Reportable Quantity (RQ): Poison Inhalation Hazard: No

**IMDG** 

UN number: 2572 Class: 6.1 Packing group: II EMS-No: F-A, S-A

Proper shipping name: PHENYLHYDRAZINE

Marine pollutant : yes

**IATA** 

UN number: 2572 Class: 6.1 Packing group: II

Proper shipping name: Phenylhydrazine

### **SECTION 15: Regulatory information**

#### **SARA 302 Components**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 313 Components** 

Aldrich - P26252

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

### **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

#### **SECTION 16: Other information**

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.6 Revision Date: 09/08/2021 Print Date: 05/28/2022

