

## SAFETY DATA SHEET

Version 6.10  
Revision Date 12/28/2021  
Print Date 02/05/2022

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifiers**

Product name : LUPEROX(R) TBH70X, TERT-BUTYL  
HYDROPERO&

Product Number : 458139  
Brand : Aldrich  
CAS-No. : 75-91-2

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Laboratory chemicals, Synthesis of substances

**1.3 Details of the supplier of the safety data sheet**

Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATES

Telephone : +1 314 771-5765  
Fax : +1 800 325-5052

**1.4 Emergency telephone**

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-  
527-3887 CHEMTREC (International) 24  
Hours/day; 7 Days/week

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Flammable liquids (Category 3), H226  
Organic peroxides (Type F), H242  
Acute toxicity, Oral (Category 4), H302  
Acute toxicity, Inhalation (Category 2), H330  
Acute toxicity, Dermal (Category 3), H311  
Skin corrosion (Category 1C), H314  
Serious eye damage (Category 1), H318  
Skin sensitization (Category 1), H317  
Germ cell mutagenicity (Category 2), H341  
Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335  
Short-term (acute) aquatic hazard (Category 2), H401  
Long-term (chronic) aquatic hazard (Category 2), H411

Aldrich - 458139

Page 1 of 13

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H226	Flammable liquid and vapor.
H242	Heating may cause a fire.
H302	Harmful if swallowed.
H311 + H331	Toxic in contact with skin or if inhaled.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H341	Suspected of causing genetic defects.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P220	Keep/Store away from clothing/ combustible materials.
P233	Keep container tightly closed.
P234	Keep only in original container.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P235	Keep cool.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/ doctor.
P322	Specific measures (see supplemental first aid instructions on this label).
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P361	Remove/ Take off immediately all contaminated clothing.
P363	Wash contaminated clothing before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant

Aldrich - 458139

Page 2 of 13

P391	foam for extinction.
P403 + P233	Collect spillage.
P405	Store in a well-ventilated place. Keep container tightly closed.
P410	Store locked up.
P420	Protect from sunlight.
P501	Store away from other materials.
	Dispose of contents/ container to an approved waste disposal plant.

Pictogram



Signal word

Danger

Hazard statement(s)

H226	Flammable liquid and vapor.
H242	Heating may cause a fire.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P220	Keep/Store away from clothing/ combustible materials.
P233	Keep container tightly closed.
P234	Keep only in original container.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing must not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P284	Wear respiratory protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P391	Collect spillage.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P410	Protect from sunlight.
P420	Store away from other materials.
P501	Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Synonyms	: TBHP
Formula	: C <sub>4</sub> H <sub>10</sub> O <sub>2</sub>
Molecular weight	: 90.12 g/mol

Component		Classification	Concentration
<b>tert-Butyl hydroperoxide</b>			
CAS-No.	75-91-2	Flam. Liq. 3; Org. Perox. A; Acute Tox. 4; Acute Tox. 2; Acute Tox. 3; Skin Corr. 1C; Eye Dam. 1; Skin Sens. 1; Muta. 2; STOT SE 3; Aquatic Acute 2; Aquatic Chronic 2; H226, H240, H302, H330, H311, H314, H318, H317, H341, H335, H401, H411	>= 70 - < 90 %
EC-No.	200-915-7		
Index-No.	617-023-00-2		

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

**In case of skin contact**

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

**In case of eye contact**

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

**If swallowed**

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

**4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available

---

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media**

Water Foam Carbon dioxide (CO<sub>2</sub>) Dry powder

**Unsuitable extinguishing media**

For this substance/mixture no limitations of extinguishing agents are given.

**5.2 Special hazards arising from the substance or mixture**

Carbon oxides

Mixture with combustible ingredients.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.

**5.3 Advice for firefighters**

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

**5.4 Further information**

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition.

Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

**6.2 Environmental precautions**

Do not let product enter drains. Risk of explosion.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

### 6.4 Reference to other sections

For disposal see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Keep locked up or in an area accessible only to qualified or authorized persons. Separately or together with other organic peroxides only and away from sources of ignition and heat.

#### Storage stability

Recommended storage temperature

2 - 8 °C

#### Storage class

Storage class (TRGS 510): 5.2: Organic peroxides and self-reacting hazardous materials

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
tert-Butyl hydroperoxide	75-91-2	TWA	0.1 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Danger of cutaneous absorption		

### 8.2 Exposure controls

#### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Aldrich - 458139

Page 6 of 13

## Personal protective equipment

### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm

Break through time: 480 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.2 mm

Break through time: 60 min

Material tested: Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### Body Protection

Flame retardant antistatic protective clothing.

### Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

### Control of environmental exposure

Do not let product enter drains. Risk of explosion.

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- |                   |   |
|-------------------|---|
| a) Appearance     | Form: clear, liquid<br>Color: colorless, light yellow |
| b) Odor           | No data available                                     |
| c) Odor Threshold | No data available                                     |
| d) pH             | 4.3   |

e) Melting point/freezing point	Melting point/range: -3 °C (27 °F) at 1,013 hPa
f) Initial boiling point and boiling range	96.2 °C 205.2 °F at 1,013 hPa
g) Flash point	42 °C (108 °F) - closed cup
h) Evaporation rate	No data available
i) Flammability (solid, gas)	No data available
j) Upper/lower flammability or explosive limits	Upper explosion limit: 10.15 %(V) Lower explosion limit: 5.75 %(V)
k) Vapor pressure	30.73 hPa at 20 °C (68 °F)
l) Vapor density	No data available
m) Density	No data available
Relative density	No data available
n) Water solubility	soluble
o) Partition coefficient: n-octanol/water	No data available
p) Autoignition temperature	No data available
q) Decomposition temperature	No data available
r) Viscosity	No data available
s) Explosive properties	Not classified as explosive.
t) Oxidizing properties	none

## 9.2 Other safety information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Vapor/air-mixtures are explosive at intense warming.

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

Heating.

### 10.5 Incompatible materials

Powdered metals, Organic materials Strong oxidizing agents

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

Aldrich - 458139

Page 8 of 13



---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Mixture

##### Acute toxicity

Oral: No data available

Inhalation: No data available

Acute toxicity estimate Inhalation - 4 h - 1.2 mg/l - vapor(Calculation method)

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

Dermal: No data available

Acute toxicity estimate Dermal - 628.57 mg/kg  
(Calculation method)

No data available

##### Skin corrosion/irritation

No data available

Mixture causes burns.

##### Serious eye damage/eye irritation

No data available

Mixture causes serious eye damage. Risk of blindness!

##### Respiratory or skin sensitization

Mixture may cause an allergic skin reaction.

##### Germ cell mutagenicity

No data available

Evidence of genetic defects.

##### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

##### Reproductive toxicity

No data available

No data available

##### Specific target organ toxicity - single exposure

Remarks: No data available

Mixture may cause respiratory irritation.

##### Specific target organ toxicity - repeated exposure

No data available

**Aspiration hazard**

No data available

**11.2 Additional Information**

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea  
Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Handle in accordance with good industrial hygiene and safety practice.

**Components****tert-Butyl hydroperoxide****Acute toxicity**

LD50 Oral - Rat - male and female - 560 mg/kg

Remarks: Aqueous solution

(ECHA)

LC50 Inhalation - Rat - male and female - 4 h - 0.84 mg/l - vapor

(OECD Test Guideline 403)

LD50 Dermal - Rabbit - male and female - 440 mg/kg

(OECD Test Guideline 402)

Remarks: Aqueous solution

No data available

**Skin corrosion/irritation**

Skin - Rabbit

Result: Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days. - 24 h

Remarks: Aqueous solution

**Serious eye damage/eye irritation**

Eyes - Rabbit

Result: Corrosive - 21 d

Remarks: Aqueous solution

**Respiratory or skin sensitization**

Maximization Test - Guinea pig

Result: positive

(OECD Test Guideline 406)

Remarks: Aqueous solution

**Germ cell mutagenicity**

Suspected of causing genetic defects.

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Chinese hamster cells

Result: positive

Remarks: (in analogy to similar products)

Test Type: In vitro mammalian cell gene mutation test  
Test system: Mouse lymphoma test  
Result: positive  
Remarks: (in analogy to similar products)  
Test Type: Ames test  
Test system: S. typhimurium  
Result: positive  
Remarks: (in analogy to similar products)  
Method: Regulation (EC) No. 440/2008, Annex, B.12  
Species: Mouse - male and female  
Result: negative  
Remarks: (in analogy to similar products)  
Method: Regulation (EC) No. 440/2008, Annex, B.12  
Species: Mouse - male  
Result: positive  
Remarks: (in analogy to similar products)  
Species: Rat - male  
Result: negative  
Remarks: (in analogy to similar products)  
(ECHA)

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

May cause respiratory irritation.

**Specific target organ toxicity - repeated exposure**

**Aspiration hazard**

No data available

---

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Mixture**

No data available

**12.2 Persistence and degradability**

No data available

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment**

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

**12.6 Endocrine disrupting properties**

No data available

## 12.7 Other adverse effects

No data available

### Components

#### tert-Butyl hydroperoxide

Toxicity to fish	semi-static test LC50 - Pimephales promelas (fathead minnow) - 29.61 mg/l - 96 h (OECD Test Guideline 203) Remarks: Aqueous solution
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 14.1 mg/l - 48 h (OECD Test Guideline 202) Remarks: Aqueous solution
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata - 1.5 mg/l - 72 h (OECD Test Guideline 201) Remarks: Aqueous solution
Toxicity to bacteria	Growth inhibition EC50 - activated sludge - 17 mg/l - 30 h (OECD Test Guideline 209) Remarks: Aqueous solution

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

---

## SECTION 14: Transport information

### DOT (US)

UN number: 3109 Class: 5.2 (8)

Proper shipping name: Organic peroxide type F, liquid (tert-Butyl hydroperoxide, ≤72%)

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

### IMDG

UN number: 3109 Class: 5.2 (8)

EMS-No: F-J, S-R

Proper shipping name: ORGANIC PEROXIDE TYPE F, LIQUID (tert-BUTYL HYDROPEROXIDE)

### IATA

UN number: 3109 Class: 5.2 (8, HEAT)

Proper shipping name: Organic peroxide type F, liquid (tert-Butyl hydroperoxide)

Aldrich - 458139

Page 12 of 13

Special Provisions: "Keep away from heat" label required.

---

## **SECTION 15: Regulatory information**

### **SARA 302 Components**

This material does not contain any components with a section 302 EHS TPQ.

### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### **SARA 311/312 Hazards**

Fire Hazard, Reactivity Hazard, Acute Health Hazard, Chronic Health Hazard

### **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

---

## **SECTION 16: Other information**

### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

Version: 6.10

Revision Date: 12/28/2021

Print Date: 02/05/2022