

**2-BROMOETHYLTRICHLOROSILANE, 95%**

Safety Data Sheet SIB1880.0

Date of issue: 09/17/2015

Revision date: 10/07/2019

Version: 2.0

SECTION 1: Identification**1.1. Identification**

| | |
|-----------------|--|
| Product name | : 2-BROMOETHYLTRICHLOROSILANE, 95% |
| Product code | : SIB1880.0 |
| Product form | : Substance |
| Physical state | : Liquid |
| Formula | : C ₂ H ₄ BrCl ₃ Si |
| Synonyms | : 1-TRICHLOROSILYL-2-BROMOETHANE |
| Chemical family | : ORGANOCHLOROSILANE |

1.2. Recommended use and restrictions on use

| | |
|-----------------|-------------------------|
| Recommended use | : Chemical intermediate |
|-----------------|-------------------------|

1.3. Supplier**GELEST, INC.**

11 East Steel Road
Morrisville, PA 19067
USA

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com
1.4. Emergency telephone number

| | |
|------------------|---|
| Emergency number | : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International) |
|------------------|---|

SECTION 2: Hazard(s) identification**2.1. Classification of the substance or mixture****GHS US classification**

| | |
|--|--|
| Flammable liquids Category 3 | H226 Flammable liquid and vapor |
| Skin corrosion/irritation Category 1B | H314 Causes severe skin burns and eye damage |
| Serious eye damage/eye irritation Category 1 | H318 Causes serious eye damage |
| Full text of H statements : see section 16 | |

2.2. GHS Label elements, including precautionary statements**GHS US labeling**

Hazard pictograms (GHS US)



Signal word (GHS US)

: Danger

Hazard statements (GHS US)

: H226 - Flammable liquid and vapor
H314 - Causes severe skin burns and eye damage
H318 - Causes serious eye damage

Precautionary statements (GHS US)

: P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P260 - Do not breathe vapors.
P264 - Wash hands thoroughly after handling.
P210 - Keep away from heat, open flames, sparks. - No smoking.
P233 - Keep container tightly closed.
P240 - Ground/Bond container and receiving equipment
P241 - Use explosion-proof electrical equipment
P242 - Use only non-sparking tools.
P243 - Take precautionary measures against static discharge.
P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting
P303+P361+P353 - If on skin (or hair): take off immediately all contaminated clothing. rinse skin with water/shower
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a doctor
P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide, dry chemical to extinguish.
P363 - Wash contaminated clothing before reuse.
P403+P235 - Keep in a cool place
P405 - Store locked up.

2-BROMOETHYLTRICHLOROSILANE, 95%

Safety Data Sheet

P501 - Dispose of contents/container to licensed waste disposal facility.
P321 - Specific treatment (see first aid instructions on this label)

2.3. Hazards not otherwise classified (HNOC)

Other hazards not contributing to the classification : Hydrogen chloride may be formed by reaction with water and moisture in air. The US OSHA PEL (TWA) for hydrogen chloride is 5 ppm.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Substance type : Mono-constituent
Name : 2-BROMOETHYLTRICHLOROSILANE, 95%
CAS-No. : 17760-29-1

| Name | Product identifier | % | GHS US classification |
|-----------------------------|----------------------|----------|---|
| 2-Bromoethyltrichlorosilane | (CAS-No.) 17760-29-1 | 95 - 100 | Flam. Liq. 3, H226 Skin Corr. 1B, H314 Eye Dam. 1, H318 |

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures

Not applicable

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Wash with plenty of soap and water. Get immediate medical advice/attention.

First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion : Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : Causes severe skin burns and eye damage.

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.

Symptoms/effects after skin contact : Causes (severe) skin burns.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : May be harmful if swallowed.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Alcohol-resistant foam. Carbon dioxide. Dry chemical. Use of high expansion foam (100:1) is recommended to cover flames.

Unsuitable extinguishing media : Water.

5.2. Specific hazards arising from the chemical

Fire hazard : Flammable liquid and vapor. Irritating fumes of hydrochloric acid and organic acid vapors may develop when material is exposed to water or open flame.

Explosion hazard : May form flammable/explosive vapor-air mixture.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use only dry media to extinguish flames. Water spray or fog should only be used to knock down hydrogen chloride vapors in areas downwind from the fire.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Avoid all eye and skin contact and do not breathe vapor and mist.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Eliminate ignition sources. Use special care to avoid static electric charges.

2-BROMOETHYLTRICHLOROSILANE, 95%

Safety Data Sheet

6.1.1. For non-emergency personnel

- Protective equipment : Wear protective equipment as described in Section 8.
Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection. Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. Use only non-sparking tools.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Precautions for safe handling : Avoid all eye and skin contact and do not breathe vapor and mist. Ground/bond container and receiving equipment. Provide good ventilation in process area to prevent accumulation of vapors. Take precautionary measures against static discharge. Use only non-sparking tools.
Hygiene measures : Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof electrical equipment.
Storage conditions : Keep container tightly closed. Keep in a cool place. Store locked up.
Incompatible materials : Acids. Alcohols. Oxidizing agent.
Storage area : Store in a well-ventilated place. Store away from heat.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

- Appropriate engineering controls : Provide local exhaust or general room ventilation.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Hand protection:

Neoprene or nitrile rubber gloves

Eye protection:

Chemical goggles or face shield. Contact lenses should not be worn

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified combination organic vapor/acid gas (yellow cartridge) respirator.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- Physical state : Liquid

2-BROMOETHYLTRICHLOROSILANE, 95%

Safety Data Sheet

| | |
|---|--|
| Appearance | : Clear liquid. |
| Molecular mass | : 242.4 g/mol |
| Color | : Straw. |
| Odor | : Acrid. Similar to hydrogen chloride. |
| Odor threshold | : No data available |
| Refractive index | : 1.4901 |
| pH | : No data available |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Melting point | : No data available |
| Freezing point | : < 0 °C |
| Boiling point | : 171 - 172 °C |
| Flash point | : 40 °C |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Flammable liquid and vapor |
| Vapor pressure | : No data available |
| Relative vapor density at 20 °C | : > 1 |
| Relative density | : 1.669 |
| % Volatiles | : > 25 % |
| Solubility | : Reacts with water. |
| Log Pow | : No data available |
| Log Kow | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |
| Explosion limits | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable in sealed containers stored under a dry inert atmosphere.

10.3. Possibility of hazardous reactions

Reacts with water and moisture in air, liberating hydrogen chloride.

10.4. Conditions to avoid

Heat. Open flame. Sparks.

10.5. Incompatible materials

Acids. Alcohols. Oxidizing agent.

10.6. Hazardous decomposition products

Hydrogen bromide. Hydrogen chloride. Organic acid vapors.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|-----------------------------------|--|
| Acute toxicity | : Not classified |
| Skin corrosion/irritation | : Causes severe skin burns and eye damage. |
| Serious eye damage/irritation | : Causes serious eye damage. |
| Respiratory or skin sensitization | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified None of the components in this product at concentrations >0.1% are listed by IARC, NTP, OSHA or ACGIH as a carcinogen. |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |

2-BROMOETHYLTRICHLOROSILANE, 95%

Safety Data Sheet

| | |
|---|---|
| STOT-repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |
| Potential Adverse human health effects and symptoms | : NOTE: Material may form a siloxane polymer on the skin, eyes or in the lungs. |
| Symptoms/effects after inhalation | : May cause irritation to the respiratory tract. |
| Symptoms/effects after skin contact | : Causes (severe) skin burns. |
| Symptoms/effects after eye contact | : Causes serious eye damage. |
| Symptoms/effects after ingestion | : May be harmful if swallowed. |
| Reason for classification | : Expert judgment |

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

| | |
|---------------------------|---|
| Other adverse effects | : This substance may be hazardous to the environment. |
| Effect on the ozone layer | : No additional information available |

SECTION 13: Disposal considerations

13.1. Disposal methods

| | |
|--|--|
| Sewage disposal recommendations | : Do not dispose of waste into sewer. |
| Product/Packaging disposal recommendations | : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to licensed waste disposal facility. |
| Ecology - waste materials | : Avoid release to the environment. |

SECTION 14: Transport information

14.1. UN number

| | |
|-------------|--------|
| UN-No.(DOT) | : 2986 |
| DOT NA No | UN2986 |

14.2. UN proper shipping name

| | |
|--------------------------------|---|
| Transport document description | : UN2986 Chlorosilanes, corrosive, flammable, n.o.s. (2-BROMOETHYLTRICHLOROSILANE), 8 (3), II |
| Proper Shipping Name (DOT) | : Chlorosilanes, corrosive, flammable, n.o.s. (2-BROMOETHYLTRICHLOROSILANE) |
| Class (DOT) | : 8 - Class 8 - Corrosive material 49 CFR 173.136 |
| Packing group (DOT) | : II - Medium Danger |
| Hazard labels (DOT) | : 8 - Corrosive 3 - Flammable liquid |



| | |
|---|--------|
| DOT Packaging Non Bulk (49 CFR 173.xxx) | : 206 |
| DOT Packaging Bulk (49 CFR 173.xxx) | : 243 |
| DOT Packaging Exceptions (49 CFR 173.xxx) | : None |

14.3. Additional information

| | |
|---------------------------------------|---|
| Emergency Response Guide (ERG) Number | : 155 |
| Other information | : No supplementary information available. |

2-BROMOETHYLTRICHLOROSILANE, 95%

Safety Data Sheet

Transport by sea

DOT Vessel Stowage Location : C - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

Air transport

DOT Quantity Limitations Passenger aircraft/rail : Forbidden
(49 CFR 173.27)
DOT Quantity Limitations Cargo aircraft only (49 : 30 L
CFR 175.75)

SECTION 15: Regulatory information

15.1. US Federal regulations

2-BROMOETHYLTRICHLOROSILANE, 95% (17760-29-1)

TSCA Exemption/Exclusion

CAUTION: This material is supplied for research and development purposes subject to the R&D exemption under TSCA, 40 CFR 720.36, and must meet the requirements of the exemption, including supervision by a "technically qualified individual" as defined by 40 CFR 720.3(ee). The use of this material for "commercial purposes" as defined by 40 CFR 720.3(r) is not permitted in the United States.

2-Bromoethyltrichlorosilane (17760-29-1)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases::

| | |
|------|---|
| H226 | Flammable liquid and vapor |
| H314 | Causes severe skin burns and eye damage |
| H318 | Causes serious eye damage |

Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemical Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling; APF: Assigned Protection Factor.

Hazard Rating

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability : 3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB & IC)
Physical : 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.

2-BROMOETHYLTRICHLOROSILANE, 95%

Safety Data Sheet

Prepared by safety and environmental affairs.

Date of issue: 09/17/2015

Revision date: 10/07/2019

Version: 2.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2019 Gelest Inc. Morrisville, PA 19067

