

# **SAFETY DATA SHEET**

Creation Date 23-Sep-2010 Revision Date 24-Dec-2021 Revision Number 5

1. Identification

Product Name Copper(II) fluoride

Cat No.: AC203370000; AC203370200; AC203370250; AC203371000

CAS No 7789-19-7 Synonyms Cupric fluoride

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410
Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

# 2. Hazard(s) identification

## Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Corrosion/Irritation Category 1 B
Serious Eye Damage/Eye Irritation Category 1
Specific target organ toxicity (single exposure) Category 3

Target Organs - Respiratory system.

Label Elements

Signal Word

Danger

**Hazard Statements** 

Causes severe skin burns and eye damage May cause respiratory irritation

.. ,



## **Precautionary Statements**

#### Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

## Response

Immediately call a POISON CENTER or doctor/physician

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### **Skin**

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

#### Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

## **Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### Disposal

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Contact with acids liberates very toxic gas

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Copper fluoride (CuF2)	7789-19-7	>95

## 4. First-aid measures

**General Advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required. Keep eye wide open while rinsing.

**Skin Contact**Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Call a physician immediately.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Call a physician or poison

control center immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a

one-way valve or other proper respiratory medical device.

**Immediate medical attention is required.** Do NOT induce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person.

Most important symptoms and

effects

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation Treat symptomatically

**Notes to Physician** 

## 5. Fire-fighting measures

Suitable Extinguishing Media CO 2, dry chemical, dry sand, alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

Flash Point No information available

Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

## **Specific Hazards Arising from the Chemical**

The product causes burns of eyes, skin and mucous membranes.

#### **Hazardous Combustion Products**

Hydrogen fluoride. Copper oxides.

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

**NFPA** 

Health	Flammability	Instability	Physical hazards
4	1	1	N/A

## 6. Accidental release measures

**Personal Precautions** 

Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing.

**Environmental Precautions** 

Should not be released into the environment. Do not allow material to contaminate ground water system. See Section 12 for additional Ecological Information. Do not flush into

surface water or sanitary sewer system.

**Methods for Containment and Clean** Sweep up and shovel into suitable containers for disposal. Avoid dust formation. **Up** 

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance.
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Store under an inert atmosphere. Protect from moisture. Incompatible Materials. Strong oxidizing agents. Acids.

## 8. Exposure controls / personal protection

**Exposure Guidelines** 

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Copper fluoride (CuF2)	TWA: 1 mg/m <sup>3</sup> TWA: 2.5	(Vacated) TWA: 2.5 mg/m <sup>3</sup>	IDLH: 100 mg/m <sup>3</sup> IDLH: 250	TWA: 2.5 mg/m <sup>3</sup>
	mg/m³		mg/m³	
			TWA: 1 mg/m <sup>3</sup>	

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

**Engineering Measures**Use only under a chemical fume hood. Ensure that eyewash stations and safety showers

are close to the workstation location.

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

Physical StateSolidAppearanceLight greyOdorOdorless

**Odor Threshold** No information available

pH Not applicable

Melting Point/Range950 °C / 1742 °FBoiling Point/RangeNo information availableFlash PointNo information available

Evaporation Rate Not applicable

Flammability (solid,gas) No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor PressureNo information available

Vapor Density Not applicable

Specific Gravity 4.2300

Solubility Soluble in water Partition coefficient; n-octanol/water No data available

Autoignition TemperatureNo information availableDecomposition Temperature> 130°C

ViscosityNot applicableMolecular FormulaCuF2Molecular Weight101.54

# 10. Stability and reactivity

Reactive Hazard Yes

Stability Hygroscopic.

Revision Date 24-Dec-2021 Copper(II) fluoride

**Conditions to Avoid** Incompatible products. Excess heat. Avoid dust formation. Exposure to moist air or water.

Strong oxidizing agents, Acids **Incompatible Materials** 

Hazardous Decomposition Products Hydrogen fluoride, Copper oxides

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

## Toxicological information

**Acute Toxicity** 

**Product Information** 

No acute toxicity information is available for this product

**Component Information Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes burns by all exposure routes

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Copper fluoride (CuF2)	7789-19-7	Not listed				

No information available **Mutagenic Effects** 

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

STOT - single exposure Respiratory system STOT - repeated exposure None known

No information available **Aspiration hazard** 

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

## 12. Ecological information

**Ecotoxicity** 

Do not empty into drains. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Persistence and Degradability based on information available. May persist

**Bioaccumulation/ Accumulation** No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

## 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT

**UN-No** UN3260

Proper Shipping Name Corrosive solid, acidic, inorganic, n.o.s.

Technical Name Copper fluoride (CuF2)

Hazard Class 8
Packing Group | |

**TDG** 

UN-No UN3260

Proper Shipping Name Corrosive solid, acidic, inorganic, n.o.s.

Hazard Class 8
Packing Group ||

IATA

UN-No UN3260

Proper Shipping Name Corrosive solid, acidic, inorganic, n.o.s.

Hazard Class 8
Packing Group

IMDG/IMO

UN-No UN3260

**Proper Shipping Name** Corrosive solid, acidic, inorganic, n.o.s.

Hazard Class 8
Packing Group

## 15. Regulatory information

### United States of America Inventory

Component	CAS No TSCA				TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Copper fluoride (CuF2)	7789-19-7	X	ACTIVE	-		

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Copper fluoride (CuF2)	7789-19-7	-	Х	232-147-3	-	Χ	Χ	-	Χ	KE-08925

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

## U.S. Federal Regulations

## **SARA 313**

OAKA 313			
Component	CAS No	Weight %	SARA 313 - Threshold Values %
Copper fluoride (CuF2)	7789-19-7	>95	1.0

## SARA 311/312 Hazard Categories See section 2 for more information

**CWA (Clean Water Act)** 

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Copper fluoride (CuF2)	-	-	X	-

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Copper fluoride (CuF2)	-	X	X	-	X

## **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

## Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Copper fluoride (CuF2)	7789-19-7	Not applicable	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)

III Directive   Seveso III Directive   Rotterdam   Basel Convention
2/18/EC) - (2012/18/EC) - Convention (PIC) (Hazardous Waste)
ng Quantities Qualifying Quantities
or Accident   for Safety Report
ification Requirements
applicable Not applicable Not applicable Annex I - Y22
j

## 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Creation Date23-Sep-2010Revision Date24-Dec-2021

Print Date 24-Dec-2021

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**