

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 05/24/2018

Version 1.2

## SECTION 1. Identification

### Product identifier

Catalog No.	111157
Product name	Chlorine and pH Test Refill pack
	Reagents for chlorine (Cl <sub>2</sub> -1, Cl <sub>2</sub> -2, Cl <sub>2</sub> -3) for 111174 MColortest™
	Cl <sub>2</sub> -1

### Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Reagent for analysis
-----------------	----------------------

### Details of the supplier of the safety data sheet

Company	EMD Millipore Corporation   400 Summit Drive   Burlington   Massachusetts 01803   United States of America   General Inquiries: +1 800-645-5476   Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5) MilliporeSigma is a business of Merck KGaA, Darmstadt, Germany.
---------	---

Emergency telephone	800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week
---------------------	--

## SECTION 2. Hazards identification

### GHS Classification

Specific target organ systemic toxicity - repeated exposure, Category 2, Inhalation, Respiratory Tract, H373

For the full text of the H-Statements mentioned in this Section, see Section 16.

### GHS-Labeling

*Hazard pictograms*



*Signal Word*  
Warning

### *Hazard Statements*

H373 May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure if inhaled.

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	111157	Version1.2
Product name	Chlorine and pH Test Refill pack	
	Reagents for chlorine (Cl <sub>2</sub> -1, Cl <sub>2</sub> -2, Cl <sub>2</sub> -3) for 111174 MColortest™	
	Cl <sub>2</sub> -1	

---

## *Precautionary Statements*

P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

P314 Get medical advice/ attention if you feel unwell.

P501 Dispose of contents/ container to an approved waste disposal plant.

## **Other hazards**

None known.

---

## **SECTION 3. Composition/information on ingredients**

Chemical nature	Buffer solution
-----------------	-----------------

### **Hazardous ingredients**

*Chemical name (Concentration)*

CAS-No.

*Ethylenedinitrilotetraacetic acid disodium salt (>= 1 % - < 5 % )*

139-33-3

Exact percentages are being withheld as a trade secret.

---

## **SECTION 4. First aid measures**

### **Description of first-aid measures**

#### *Inhalation*

After inhalation: fresh air.

#### *Skin contact*

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### *Eye contact*

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### *Ingestion*

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

### **Most important symptoms and effects, both acute and delayed**

We have no description of any toxic symptoms.

### **Indication of any immediate medical attention and special treatment needed**

No information available.

---

## **SECTION 5. Fire-fighting measures**

### **Extinguishing media**

*Suitable extinguishing media*

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

---

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	111157	Version1.2
Product name	Chlorine and pH Test Refill pack	
	Reagents for chlorine (Cl <sub>2</sub> -1, Cl <sub>2</sub> -2, Cl <sub>2</sub> -3) for 111174 MColortest™	
	Cl <sub>2</sub> -1	

---

## *Unsuitable extinguishing media*

For this substance/mixture no limitations of extinguishing agents are given.

## **Special hazards arising from the substance or mixture**

Not combustible.

Ambient fire may liberate hazardous vapors.

Fire may cause evolution of:

Oxides of phosphorus

## **Advice for firefighters**

### *Special protective equipment for fire-fighters*

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### *Further information*

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## **SECTION 6. Accidental release measures**

### **Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

### **Environmental precautions**

Do not let product enter drains.

### **Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

---

## **SECTION 7. Handling and storage**

### **Precautions for safe handling**

Observe label precautions.

### **Conditions for safe storage, including any incompatibilities**

Protected from light. Tightly closed.

Store at +15°C to +25°C (+59°F to +77°F).

The data applies to the entire pack.

---

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	111157	Version1.2
Product name	Chlorine and pH Test Refill pack	
	Reagents for chlorine (Cl <sub>2</sub> -1, Cl <sub>2</sub> -2, Cl <sub>2</sub> -3) for 111174 MColortest™	
	Cl <sub>2</sub> -1	

---

## SECTION 8. Exposure controls/personal protection

### Exposure limit(s)

Contains no substances with occupational exposure limit values.

### Engineering measures

### Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

### Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

### Eye/face protection

Safety glasses

### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

### Respiratory protection

required when vapors/aerosols are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

## SECTION 9. Physical and chemical properties

Physical state	liquid
Color	colorless
Odor	odorless
Odor Threshold	Not applicable
pH	7.2 at 68 °F (20 °C)
Melting point	No information available.
Boiling point	No information available.
Flash point	Not applicable
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.

## SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	111157	Version1.2
Product name	Chlorine and pH Test Refill pack Reagents for chlorine (Cl <sub>2</sub> -1, Cl <sub>2</sub> -2, Cl <sub>2</sub> -3) for 111174 MColortest™ Cl <sub>2</sub> -1	

---

Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapor pressure	No information available.
Relative vapor density	No information available.
Density	1.2 g/cm <sup>3</sup> at 68 °F (20 °C)
Relative density	No information available.
Water solubility	at 68 °F (20 °C) soluble
Partition coefficient: n-octanol/water	No information available.
Autoignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none

---

### SECTION 10. Stability and reactivity

#### Reactivity

See below

#### Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

#### Possibility of hazardous reactions

Violent reactions possible with:

The generally known reaction partners of water.

#### Conditions to avoid

no information available

#### Incompatible materials

no information available

#### Hazardous decomposition products

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	111157	Version1.2
Product name	Chlorine and pH Test Refill pack	
	Reagents for chlorine (Cl <sub>2</sub> -1, Cl <sub>2</sub> -2, Cl <sub>2</sub> -3) for 111174 MColortest™	
	Cl <sub>2</sub> -1	

in the event of fire: See section 5.

## SECTION 11. Toxicological information

### Information on toxicological effects

#### *Likely route of exposure*

Eye contact, Skin contact

#### *Acute inhalation toxicity*

Acute toxicity estimate: > 5 mg/l; 4 h

Calculation method

#### *Specific target organ systemic toxicity - single exposure*

The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### *Specific target organ systemic toxicity - repeated exposure*

May cause damage to organs through prolonged or repeated exposure if inhaled.

Routes of exposure: Inhalation

Target Organs: Respiratory Tract

#### *Aspiration hazard*

Regarding the available data the classification criteria are not fulfilled.

### Carcinogenicity

IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
ACGIH	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

### Further information

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

Handle in accordance with good industrial hygiene and safety practice.

### Ingredients

Ethylenedinitrilotetraacetic acid disodium salt

#### *Acute oral toxicity*

LD50 Rat: 2,800 mg/kg

OECD Test Guideline 401

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 111157  
Product name Chlorine and pH Test Refill pack  
Reagents for chlorine (Cl<sub>2</sub>-1, Cl<sub>2</sub>-2, Cl<sub>2</sub>-3) for 111174 MColortest™  
Cl<sub>2</sub>-1

---

Version1.2

## *Acute inhalation toxicity*

Acute toxicity estimate: 1.6 mg/l; dust/mist

Expert judgment

## *Skin irritation*

Rabbit

Result: No irritation

OECD Test Guideline 404

## *Eye irritation*

Rabbit

Result: No eye irritation

(ECHA)

## *Repeated dose toxicity*

Rat

male

Inhalation

aerosol

5 d

daily

LOAEL: 0.03 mg/l

OECD Test Guideline 412

Lungs

Rat

male and female

Inhalation

dust/mist

90 d

daily

NOAEL: 0.003 mg/l

OECD Test Guideline 413

larynx

Rat

male

Oral

13 Weeks

daily

NOAEL: >= 500 mg/kg

(ECHA)

## *Germ cell mutagenicity*

### *Genotoxicity in vitro*

In vitro mammalian cell gene mutation test

MOUSE LYMPHOMA TEST

Result: negative

Method: OECD Test Guideline 476

---

## SECTION 12. Ecological information

### Ecotoxicity

No information available.

### Persistence and degradability

No information available.

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	111157	Version1.2
Product name	Chlorine and pH Test Refill pack	
	Reagents for chlorine (Cl <sub>2</sub> -1, Cl <sub>2</sub> -2, Cl <sub>2</sub> -3) for 111174 MColortest™	
	Cl <sub>2</sub> -1	

---

## Bioaccumulative potential

No information available.

## Mobility in soil

No information available.

### *Additional ecological information*

Depending on the concentration, phosphates may contribute to the eutrophication of water supplies.

Discharge into the environment must be avoided.

## Ingredients

Ethylenedinitrilotetraacetic acid disodium salt

### *Toxicity to fish*

static test LC100 Oncorhynchus mykiss (rainbow trout): 860 mg/l; 24 h (ECHA)

### *Toxicity to daphnia and other aquatic invertebrates*

static test EC50 Daphnia magna (Water flea): 140 mg/l; 48 h  
DIN 38412

### *Toxicity to bacteria*

static test EC50 activated sludge: > 500 mg/l; 0.5 h  
OECD Test Guideline 209

### *Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)*

semi-static test NOEC Daphnia magna (Water flea): 25 mg/l; 21 d  
(ECHA)

### *Partition coefficient: n-octanol/water*

log Pow: -4.3 (25 °C)  
(experimental)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

---

## SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

---

## SECTION 14. Transport information

### Land transport (DOT)

UN number	UN3316
Proper shipping name	CHEMICAL KIT
Class	9
Packing group	II



# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	111157	Version1.2
Product name	Chlorine and pH Test Refill pack Reagents for chlorine (Cl <sub>2</sub> -1, Cl <sub>2</sub> -2, Cl <sub>2</sub> -3) for 111174 MColortest™ Cl <sub>2</sub> -1	

---

**Environmentally hazardous** --

## Air transport (IATA)

UN number	UN 3316
Proper shipping name	CHEMICAL KIT
Class	9
Packing group	II
Environmentally hazardous	--
Special precautions for user	no

## Sea transport (IMDG)

UN number	UN 3316
Proper shipping name	CHEMICAL KIT
Class	9
Packing group	II
Environmentally hazardous	--
Special precautions for user	yes
EmS	F-A S-P

THIS TRANSPORT DATA APPLIES TO THE ENTIRE PACK!

---

## SECTION 15. Regulatory information

### United States of America

#### SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	111157	Version1.2
Product name	Chlorine and pH Test Refill pack Reagents for chlorine (Cl <sub>2</sub> -1, Cl <sub>2</sub> -2, Cl <sub>2</sub> -3) for 111174 MColortest™ Cl <sub>2</sub> -1	

---

### SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

### DEA List I

Not listed

### DEA List II

Not listed

## US State Regulations

### Massachusetts Right To Know

#### Remarks

No components are subject to the Massachusetts Right to Know Act.

### California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

## Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL

---

## SECTION 16. Other information

### Training advice

Provide adequate information, instruction and training for operators.

H373	May cause damage to organs through prolonged or repeated exposure if inhaled.
------	---

### Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at [www.wikipedia.org](http://www.wikipedia.org).

Revision Date05/24/2018

## SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	111157	Version1.2
Product name	Chlorine and pH Test Refill pack	
	Reagents for chlorine (Cl <sub>2</sub> -1, Cl <sub>2</sub> -2, Cl <sub>2</sub> -3) for 111174 MColortest™	
	Cl <sub>2</sub> -1	

---

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

***All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.***

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 05/24/2018

Version 1.2

## SECTION 1. Identification

### Product identifier

Catalog No. 111157

Product name Chlorine and pH Test Refill pack

Reagents for chlorine (Cl<sub>2</sub>-1, Cl<sub>2</sub>-2, Cl<sub>2</sub>-3) for 111174 MColortest™

Cl<sub>2</sub>-2

### Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

### Details of the supplier of the safety data sheet

Company EMD Millipore Corporation | 400 Summit Drive | Burlington | Massachusetts 01803 | United States of America | General Inquiries: +1 800-645-5476 | Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)

MilliporeSigma is a business of Merck KGaA, Darmstadt, Germany.

Emergency telephone 800-424-9300 CHEMTREC (USA)  
+1-703-527-3887 CHEMTREC (International)  
24 Hours/day; 7 Days/week

## SECTION 2. Hazards identification

### GHS Classification

Corrosive to Metals, Category 1, H290  
Skin corrosion, Category 1A, H314  
Serious eye damage, Category 1, H318  
For the full text of the H-Statements mentioned in this Section, see Section 16.

### GHS-Labeling

*Hazard pictograms*



*Signal Word*  
Danger

*Hazard Statements*  
H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.

## SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	111157	Version1.2
Product name	Chlorine and pH Test Refill pack	
	Reagents for chlorine (Cl <sub>2</sub> -1, Cl <sub>2</sub> -2, Cl <sub>2</sub> -3) for 111174 MColortest™	
	Cl <sub>2</sub> -2	

---

### *Precautionary Statements*

P234 Keep only in original container.  
P264 Wash skin thoroughly after handling.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P321 Specific treatment (see supplemental first aid instructions on this label).  
P363 Wash contaminated clothing before reuse.  
P390 Absorb spillage to prevent material damage.  
P405 Store locked up.  
P406 Store in corrosive resistant stainless steel container with a resistant inner liner.  
P501 Dispose of contents/ container to an approved waste disposal plant.

### **Other hazards**

None known.

---

## **SECTION 3. Composition/information on ingredients**

Chemical nature	Sulfuric acid solution.
-----------------	-------------------------

### **Hazardous ingredients**

*Chemical name (Concentration)*

CAS-No.

*sulphuric acid (>= 10 % - < 30 % )*

7664-93-9

*N,N-diethyl-1,4-phenylenediammonium sulfate (>= 1 % - < 5 % )*

6283-63-2

Exact percentages are being withheld as a trade secret.

---

## **SECTION 4. First aid measures**

### **Description of first-aid measures**

*General advice*

First aider needs to protect himself.

*Inhalation*

After inhalation: fresh air. Call in physician.

*Skin contact*

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

---

## SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	111157	Version1.2
Product name	Chlorine and pH Test Refill pack Reagents for chlorine (Cl <sub>2</sub> -1, Cl <sub>2</sub> -2, Cl <sub>2</sub> -3) for 111174 MColortest™ Cl <sub>2</sub> -2	

---

### *Eye contact*

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

### *Ingestion*

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation!). Call a physician immediately. Do not attempt to neutralize.

### **Most important symptoms and effects, both acute and delayed**

Irritation and corrosion, Cough, Shortness of breath  
Nausea, Vomiting, Diarrhea, pain  
Risk of blindness!

### **Indication of any immediate medical attention and special treatment needed**

No information available.

---

## **SECTION 5. Fire-fighting measures**

### **Extinguishing media**

#### *Suitable extinguishing media*

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### *Unsuitable extinguishing media*

For this substance/mixture no limitations of extinguishing agents are given.

### **Special hazards arising from the substance or mixture**

Not combustible.  
Ambient fire may liberate hazardous vapors.  
Fire may cause evolution of:  
Sulfur oxides

### **Advice for firefighters**

#### *Special protective equipment for fire-fighters*

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### *Further information*

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## **SECTION 6. Accidental release measures**

### **Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 111157  
Product name Chlorine and pH Test Refill pack  
Reagents for chlorine (Cl<sub>2</sub>-1, Cl<sub>2</sub>-2, Cl<sub>2</sub>-3) for 111174 MColortest™  
Cl<sub>2</sub>-2

Version1.2

## Environmental precautions

Do not let product enter drains.

## Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

## SECTION 7. Handling and storage

### Precautions for safe handling

Observe label precautions.

### Conditions for safe storage, including any incompatibilities

*Requirements for storage areas and containers*

No metal containers.

Protected from light. Tightly closed.

Store at +15°C to +25°C (+59°F to +77°F).

The data applies to the entire pack.

## SECTION 8. Exposure controls/personal protection

### Exposure limit(s)

#### *Ingredients*

Basis	Value	Threshold limits	Remarks
<i>sulphuric acid (7664-93-9)</i>			
ACGIH	Time Weighted Average (TWA):	0.2 mg/m <sup>3</sup>	Form of exposure: Thoracic fraction.
NIOSH/GUIDE	Recommended exposure limit (REL):	1 mg/m <sup>3</sup>	
OSHA_TRANS	PEL:	1 mg/m <sup>3</sup>	
Z1A	Time Weighted Average (TWA):	1 mg/m <sup>3</sup>	

### Engineering measures

#### Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

#### *Hygiene measures*

Change contaminated clothing and immerse in water. Preventive skin protection Wash hands and face after working with substance.

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	111157	Version1.2
Product name	Chlorine and pH Test Refill pack Reagents for chlorine (Cl <sub>2</sub> -1, Cl <sub>2</sub> -2, Cl <sub>2</sub> -3) for 111174 MColortest™ Cl <sub>2</sub> -2	

## *Eye/face protection*

Tightly fitting safety goggles

## *Hand protection*

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

## *Other protective equipment:*

protective clothing

## *Respiratory protection*

required when vapors/aerosols are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

## SECTION 9. Physical and chemical properties

Physical state	liquid
Color	colorless
Odor	odorless
Odor Threshold	Not applicable
pH	at 68 °F (20 °C) acidic
Melting point	No information available.
Boiling point	No information available.
Flash point	Not applicable
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapor pressure	No information available.
Relative vapor density	No information available.
Density	1.15 g/cm <sup>3</sup> at 68 °F (20 °C)



# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	111157	Version1.2
Product name	Chlorine and pH Test Refill pack Reagents for chlorine (Cl <sub>2</sub> -1, Cl <sub>2</sub> -2, Cl <sub>2</sub> -3) for 111174 MColortest™ Cl <sub>2</sub> -2	

Relative density	No information available.
Water solubility	at 68 °F (20 °C) soluble
Partition coefficient: n-octanol/water	No information available.
Autoignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none
Corrosion	May be corrosive to metals.

## SECTION 10. Stability and reactivity

### Reactivity

strong oxidizing agent

### Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### Possibility of hazardous reactions

A risk of explosion and/or of toxic gas formation exists with the following substances:

Violent reactions possible with:

Water, Alkali metals, alkali compounds, Ammonia, Aldehydes, acetonitrile, Alkaline earth metals, alkalines, Acids, alkaline earth compounds, Metals, metal alloys, Oxides of phosphorus, phosphorus, hydrides, halogen-halogen compounds, oxyhalogenic compounds, permanganates, nitrates, carbides, combustible substances, organic solvent, acetylidene, Nitriles, organic nitro compounds, anilines, Peroxides, picrates, nitrides, lithium silicide, iron(III) compounds, bromates, chlorates, Amines, perchlorates, hydrogen peroxide

### Conditions to avoid

Strong heating (decomposition).

### Incompatible materials

animal/vegetable tissues

Gives off hydrogen by reaction with metals.

Metals

### Hazardous decomposition products

in the event of fire: See section 5.

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	111157	Version1.2
Product name	Chlorine and pH Test Refill pack	
	Reagents for chlorine (Cl <sub>2</sub> -1, Cl <sub>2</sub> -2, Cl <sub>2</sub> -3) for 111174 MColortest™	
	Cl <sub>2</sub> -2	

## SECTION 11. Toxicological information

### Information on toxicological effects

*Likely route of exposure*

Eye contact, Skin contact

*Target Organs*

Eyes

Skin

Respiratory system

teeth

Mucous membranes

*Acute oral toxicity*

Acute toxicity estimate: > 2,000 mg/kg

Calculation method

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

*Acute inhalation toxicity*

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

*Skin irritation*

Mixture causes severe burns.

*Eye irritation*

Mixture causes serious eye damage.

Risk of blindness!

*Specific target organ systemic toxicity - single exposure*

The substance or mixture is not classified as specific target organ toxicant, single exposure.

*Specific target organ systemic toxicity - repeated exposure*

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

*Aspiration hazard*

Regarding the available data the classification criteria are not fulfilled.

### Carcinogenicity

IARC

Group 1: Carcinogenic to humans

sulphuric acid

7664-93-9

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

Known carcinogen.

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	111157	Version1.2
Product name	Chlorine and pH Test Refill pack Reagents for chlorine (Cl <sub>2</sub> -1, Cl <sub>2</sub> -2, Cl <sub>2</sub> -3) for 111174 MColortest™ Cl <sub>2</sub> -2	

ACGIH	sulphuric acid	7664-93-9
	A2: Suspected human carcinogen	
	sulphuric acid	7664-93-9

## Further information

After absorption:

Cough, Shortness of breath, Nausea, Vomiting, Diarrhea, pain

The following applies to aromatic amines in general: systemic effect: methemoglobinemia with headache, cardiac dysrhythmia, drop in blood pressure, dyspnoea, and spasms, principal symptom: cyanosis (blue discoloration of the blood).

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

## Ingredients

sulphuric acid

*Germ cell mutagenicity*

*Genotoxicity in vitro*

Ames test

Salmonella typhimurium

Result: negative

(HSDB)

N,N-diethyl-1,4-phenylenediammonium sulfate

*Acute oral toxicity*

LD50 Rat: 497 mg/kg (own results)

## SECTION 12. Ecological information

### Ecotoxicity

No information available.

### Persistence and degradability

No information available.

### Bioaccumulative potential

No information available.

### Mobility in soil

No information available.

### *Additional ecological information*

Forms corrosive mixtures with water even if diluted. Harmful effect due to pH shift. Endangers drinking-water supplies if allowed to enter soil or water.

Discharge into the environment must be avoided.

## Ingredients

sulphuric acid

*Toxicity to fish*

static test LC50 *Lepomis macrochirus* (Bluegill sunfish): > 16 - < 28 mg/l; 96 h

Analytical monitoring: yes(ECHA)

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	111157	Version1.2
Product name	Chlorine and pH Test Refill pack	
	Reagents for chlorine (Cl <sub>2</sub> -1, Cl <sub>2</sub> -2, Cl <sub>2</sub> -3) for 111174 MColortest™	
	Cl <sub>2</sub> -2	

## *Toxicity to daphnia and other aquatic invertebrates*

static test EC50 *Daphnia magna* (Water flea): > 100 mg/l; 48 h

Analytical monitoring: yes

OECD Test Guideline 202

## *Toxicity to algae*

static test EC50 *Desmodesmus subspicatus* (green algae): > 100 mg/l; 72 h

Analytical monitoring: yes

OECD Test Guideline 201

## *Toxicity to fish (Chronic toxicity)*

flow-through test NOEC *Cyprinodon* sp. (minnow): 0.025 mg/l; 65 d

Analytical monitoring: yes(ECHA)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

N,N-diethyl-1,4-phenylenediammonium sulfate

No information available.

## SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

## SECTION 14. Transport information

### Land transport (DOT)

UN number	UN3316
Proper shipping name	CHEMICAL KIT
Class	9
Packing group	II
Environmentally hazardous	--

### Air transport (IATA)

UN number	UN 3316
Proper shipping name	CHEMICAL KIT
Class	9
Packing group	II
Environmentally hazardous	--
Special precautions for user	no

### Sea transport (IMDG)

UN number	UN 3316
Proper shipping name	CHEMICAL KIT

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	111157	Version1.2
Product name	Chlorine and pH Test Refill pack	
	Reagents for chlorine (Cl <sub>2</sub> -1, Cl <sub>2</sub> -2, Cl <sub>2</sub> -3) for 111174 MColortest™	
	Cl <sub>2</sub> -2	

Class	9
Packing group	II
Environmentally hazardous	--
Special precautions for user	yes
EmS	F-A S-P

THIS TRANSPORT DATA APPLIES TO THE ENTIRE PACK!

## SECTION 15. Regulatory information

### United States of America

#### SARA 313

The following components are subject to reporting levels established by SARA Title III, Section 313:

##### *Ingredients*

sulphuric acid	7664-93-9
----------------	-----------

#### SARA 302

The following components are subject to reporting levels established by SARA Title III, Section 302:

##### *Ingredients*

sulphuric acid	7664-93-9
----------------	-----------

#### Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

##### *Ingredients*

sulphuric acid

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

##### *Ingredients*

sulphuric acid

#### DEA List I

Not listed

#### DEA List II

Listed

##### *Ingredients*

sulphuric acid	7664-93-9
----------------	-----------

### US State Regulations

#### Massachusetts Right To Know

##### *Ingredients*

sulphuric acid

#### Pennsylvania Right To Know

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	111157	Version1.2
Product name	Chlorine and pH Test Refill pack Reagents for chlorine (Cl <sub>2</sub> -1, Cl <sub>2</sub> -2, Cl <sub>2</sub> -3) for 111174 MColortest™ Cl <sub>2</sub> -2	

---

## *Ingredients*

sulphuric acid

## **New Jersey Right To Know**

## *Ingredients*

sulphuric acid

## **California Prop 65 Components**

WARNING: this product contains a chemical known in the State of California to cause cancer.

## *Ingredients*

sulphuric acid

## **Notification status**

TSCA:	Not Listed on TSCA inventory. For Research and Development Use only. Not For Manufacturing or Commercial Purposes.
DSL:	This product contains one or several components that are not on the Canadian DSL nor NDSL.

---

## **SECTION 16. Other information**

### **Training advice**

Provide adequate information, instruction and training for operators.

### **Labeling**

#### *Hazard pictograms*



#### *Signal Word*

Danger

#### *Hazard Statements*

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

#### *Precautionary Statements*

##### **Prevention**

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

##### **Response**

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	111157	Version1.2
Product name	Chlorine and pH Test Refill pack	
	Reagents for chlorine (Cl <sub>2</sub> -1, Cl <sub>2</sub> -2, Cl <sub>2</sub> -3) for 111174 MColortest™	
	Cl <sub>2</sub> -2	

---

## Full text of H-Statements referred to under sections 2 and 3.

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

## Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at [www.wikipedia.org](http://www.wikipedia.org).

Revision Date05/24/2018

---

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

*All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.*

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 05/24/2018

Version 1.2

## SECTION 1. Identification

### Product identifier

Catalog No.	111157
Product name	Chlorine and pH Test Refill pack
	Reagents for chlorine (Cl <sub>2</sub> -1, Cl <sub>2</sub> -2, Cl <sub>2</sub> -3) for 111174 MColortest™
	Cl <sub>2</sub> -3

### Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Reagent for analysis
-----------------	----------------------

### Details of the supplier of the safety data sheet

Company	EMD Millipore Corporation   400 Summit Drive   Burlington   Massachusetts 01803   United States of America   General Inquiries: +1 800-645-5476   Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5) MilliporeSigma is a business of Merck KGaA, Darmstadt, Germany.
---------	---

Emergency telephone	800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week
---------------------	--

## SECTION 2. Hazards identification

### GHS Classification

Specific target organ systemic toxicity - repeated exposure, Category 1, Oral, Thyroid, H372

For the full text of the H-Statements mentioned in this Section, see Section 16.

### GHS-Labeling

*Hazard pictograms*



*Signal Word*  
Danger

### *Hazard Statements*

H372 Causes damage to organs (Thyroid) through prolonged or repeated exposure if swallowed.

### *Precautionary Statements*

P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.



# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	111157	Version1.2
Product name	Chlorine and pH Test Refill pack	
	Reagents for chlorine (Cl <sub>2</sub> -1, Cl <sub>2</sub> -2, Cl <sub>2</sub> -3) for 111174 MColortest™	
	Cl <sub>2</sub> -3	

P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P314 Get medical advice/ attention if you feel unwell.  
P501 Dispose of contents/ container to an approved waste disposal plant.

## Other hazards

None known.

## SECTION 3. Composition/information on ingredients

Chemical nature                      Aqueous solution of inorganic compounds.

### Hazardous ingredients

*Chemical name (Concentration)*

CAS-No.

*Potassium iodide (>= 1 % - < 5 % )*

7681-11-0

Exact percentages are being withheld as a trade secret.

## SECTION 4. First aid measures

### Description of first-aid measures

#### *Inhalation*

After inhalation: fresh air. Call in physician.

#### *Skin contact*

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

#### *Eye contact*

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### *Ingestion*

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### Most important symptoms and effects, both acute and delayed

irritant effects, paralysis symptoms, agitation, Vomiting

The following applies to iodides in general: Sensitization possible in predisposed persons.

### Indication of any immediate medical attention and special treatment needed

No information available.

## SECTION 5. Fire-fighting measures

### Extinguishing media

*Suitable extinguishing media*

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	111157	Version1.2
Product name	Chlorine and pH Test Refill pack Reagents for chlorine (Cl <sub>2</sub> -1, Cl <sub>2</sub> -2, Cl <sub>2</sub> -3) for 111174 MColortest™ Cl <sub>2</sub> -3	

---

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## *Unsuitable extinguishing media*

For this substance/mixture no limitations of extinguishing agents are given.

## **Special hazards arising from the substance or mixture**

Not combustible.

Ambient fire may liberate hazardous vapors.

## **Advice for firefighters**

### *Special protective equipment for fire-fighters*

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### *Further information*

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## **SECTION 6. Accidental release measures**

### **Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

### **Environmental precautions**

No special precautionary measures necessary.

### **Methods and materials for containment and cleaning up**

Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemisorb®). Dispose of properly. Clean up affected area.

---

## **SECTION 7. Handling and storage**

### **Precautions for safe handling**

Observe label precautions.

Work under hood. Do not inhale substance/mixture. Avoid generation of vapors/aerosols.

### **Conditions for safe storage, including any incompatibilities**

Protected from light. Tightly closed.

Store at +15°C to +25°C (+59°F to +77°F).

The data applies to the entire pack.

---

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 111157  
Product name Chlorine and pH Test Refill pack  
Reagents for chlorine (Cl<sub>2</sub>-1, Cl<sub>2</sub>-2, Cl<sub>2</sub>-3) for 111174 MColortest™  
Cl<sub>2</sub>-3

Version1.2

## SECTION 8. Exposure controls/personal protection

### Exposure limit(s)

#### Ingredients

Basis	Value	Threshold limits	Remarks
<i>Potassium iodide (7681-11-0)</i>			
ACGIH	Time Weighted Average (TWA):	0.01 ppm	Form of exposure: Inhalable fraction and vapor.

### Engineering measures

#### Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

#### Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

#### Eye/face protection

Safety glasses

#### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

#### Other protective equipment:

protective clothing

#### Respiratory protection

required when vapors/aerosols are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

## SECTION 9. Physical and chemical properties

Physical state	liquid
Color	colorless
Odor	odorless
Odor Threshold	Not applicable
pH	6.5 - 7.5 at 68 °F (20 °C)

## SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	111157	Version1.2
Product name	Chlorine and pH Test Refill pack Reagents for chlorine (Cl <sub>2</sub> -1, Cl <sub>2</sub> -2, Cl <sub>2</sub> -3) for 111174 MColortest™ Cl <sub>2</sub> -3	

---

Melting point	No information available.
Boiling point/boiling range	ca. 212 °F (100 °C) at 1,013 hPa
Flash point	Not applicable
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Vapor pressure	No information available.
Relative vapor density	No information available.
Density	1.01 g/cm <sup>3</sup> at 68 °F (20 °C)
Relative density	No information available.
Water solubility	at 68 °F (20 °C) soluble
Partition coefficient: n-octanol/water	No information available.
Autoignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none

---

### SECTION 10. Stability and reactivity

#### Reactivity

See below

#### Chemical stability

Sensitivity to light

#### Possibility of hazardous reactions

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	111157	Version1.2
Product name	Chlorine and pH Test Refill pack Reagents for chlorine (Cl <sub>2</sub> -1, Cl <sub>2</sub> -2, Cl <sub>2</sub> -3) for 111174 MColortest™ Cl <sub>2</sub> -3	

---

Violent reactions possible with:

The generally known reaction partners of water.

## Conditions to avoid

no information available

## Incompatible materials

no information available

## Hazardous decomposition products

in the event of fire: See section 5.

---

## SECTION 11. Toxicological information

### Information on toxicological effects

#### *Likely route of exposure*

Eye contact, Skin contact

#### *Specific target organ systemic toxicity - single exposure*

The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### *Specific target organ systemic toxicity - repeated exposure*

Causes damage to organs through prolonged or repeated exposure if swallowed.

Routes of exposure: Oral

Target Organs: Thyroid

#### *Aspiration hazard*

Regarding the available data the classification criteria are not fulfilled.

### Carcinogenicity

IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA' s list of regulated carcinogens.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
ACGIH	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

### Further information

After absorption:

drop in blood pressure, paralysis symptoms, agitation, Vomiting

The following applies to iodides in general: Sensitization possible in predisposed persons.

---

## SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	111157	Version1.2
Product name	Chlorine and pH Test Refill pack	
	Reagents for chlorine (Cl <sub>2</sub> -1, Cl <sub>2</sub> -2, Cl <sub>2</sub> -3) for 111174 MColortest™	
	Cl <sub>2</sub> -3	

---

Other dangerous properties can not be excluded.  
Handle in accordance with good industrial hygiene and safety practice.

### Ingredients

#### Potassium iodide

##### *Acute oral toxicity*

LD50 Rat: 2,779 mg/kg (own results)

##### *Acute dermal toxicity*

LD50 Rat: > 2,000 mg/kg

OECD Test Guideline 402

##### *Skin irritation*

Rabbit

Result: No skin irritation

OECD Test Guideline 404

##### *Eye irritation*

Rabbit

Result: No eye irritation

OECD Test Guideline 405

##### *Sensitization*

Patch test: human

Result: negative

(ECHA)

##### *Germ cell mutagenicity*

##### *Genotoxicity in vitro*

Ames test

Salmonella typhimurium

Result: negative

(Lit.)

---

## SECTION 12. Ecological information

### Ecotoxicity

No information available.

### Persistence and degradability

No information available.

### Bioaccumulative potential

No information available.

### Mobility in soil

No information available.

### Ingredients

#### Potassium iodide

##### *Toxicity to fish*

static test LC50 Danio rerio (zebra fish): > 100 mg/l; 96 h

OECD Test Guideline 203

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	111157	Version1.2
Product name	Chlorine and pH Test Refill pack	
	Reagents for chlorine (Cl <sub>2</sub> -1, Cl <sub>2</sub> -2, Cl <sub>2</sub> -3) for 111174 MColortest™	
	Cl <sub>2</sub> -3	

## *Biodegradability*

The methods for determining the biological degradability are not applicable to inorganic substances.

## *Partition coefficient: n-octanol/water*

Not applicable for inorganic substances

## SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

## SECTION 14. Transport information

### Land transport (DOT)

UN number	UN3316
Proper shipping name	CHEMICAL KIT
Class	9
Packing group	II
Environmentally hazardous	--

### Air transport (IATA)

UN number	UN 3316
Proper shipping name	CHEMICAL KIT
Class	9
Packing group	II
Environmentally hazardous	--
Special precautions for user	no

### Sea transport (IMDG)

UN number	UN 3316
Proper shipping name	CHEMICAL KIT
Class	9
Packing group	II
Environmentally hazardous	--
Special precautions for user	yes
EmS	F-A S-P

THIS TRANSPORT DATA APPLIES TO THE ENTIRE PACK!

## SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	111157	Version1.2
Product name	Chlorine and pH Test Refill pack Reagents for chlorine (Cl <sub>2</sub> -1, Cl <sub>2</sub> -2, Cl <sub>2</sub> -3) for 111174 MColortest™ Cl <sub>2</sub> -3	

---

### SECTION 15. Regulatory information

#### United States of America

##### SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

##### SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

##### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

##### DEA List I

Not listed

##### DEA List II

Not listed

#### US State Regulations

##### Massachusetts Right To Know

Remarks

No components are subject to the Massachusetts Right to Know Act.

##### California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL

---

### SECTION 16. Other information

#### Training advice

Provide adequate information, instruction and training for operators.



# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	111157	Version1.2
Product name	Chlorine and pH Test Refill pack	
	Reagents for chlorine (Cl <sub>2</sub> -1, Cl <sub>2</sub> -2, Cl <sub>2</sub> -3) for 111174 MColortest™	
	Cl <sub>2</sub> -3	

---

## Full text of H-Statements referred to under sections 2 and 3.

H372	Causes damage to organs through prolonged or repeated exposure if swallowed.
------	--

## Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at [www.wikipedia.org](http://www.wikipedia.org).

Revision Date05/24/2018

---

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

*All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.*