

Safety Data Sheet AKI397

Date of issue: 03/22/2019 Version: 1.0

SECTION 1: Identification

1.1. Identification

Product name : IRON III DIMETHYLDITHIOCARBAMATE

Product code : AKI397
Product form : Substance
Physical state : Solid

Formula : C6H12N2NiS4

Synonyms : FERRIC DIMETHYLDITHIOCARBAMATE

IRON TRIS(DIMETHYLDITHIOCARBAMATE)
TRIS(N,N-DIMETHYLDITHIOCARBAMATE) IRON
CARBAMIC ACID, DIMETHYLDITHIO-, IRON SALT
DIMETHYLCARBAMODITHIOIC ACID, IRON COMPLEX
DIMETHYLCARBAMODITHIOIC ACID, IRON(3+) SALT

Chemical family : METAL COMPOUND

1.2. Recommended use and restrictions on use

Recommended use : Chemical intermediate

1.3. Supplier

GELEST, INC.

11 East Steel Road Morrisville, PA 19067

USA

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com

1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Acute toxicity (oral) Category 4
Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2

Full text of H statements: see section 16

Specific target organ toxicity (single exposure) Category 3 Hazardous to the aquatic environment - Acute Hazard Category 1

Hazardous to the aquatic environment - Chronic Hazard Category 1

H302 Harmful if swallowed

H315 Causes skin irritation H319 Causes serious eve irr

H319 Causes serious eye irritation H335 May cause respiratory irritation

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)





Signal word (GHS US) : Warning

Hazard statements (GHS US) : H302 - Harmful if swallowed

H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (GHS US) : P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P312 - Call a doctor if you feel unwell

P261 - Avoid breathing dust.

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area.

P273 - Avoid release to the environment.

P330 - Rinse mouth.

P301+P312 - If swallowed: Call a doctor if you feel unwell P302+P352 - If on skin: Wash with plenty of soap and water

Print date: 04/09/2019 EN (English US) SDS ID: **AKI397** Page 1

Safety Data Sheet

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention.

P321 - Specific treatment (see first aid instructions on this label) P362+P364 - Take off contaminated clothing and wash it before reuse.

P391 - Collect spillage.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

P501 - Dispose of contents/container to licensed waste disposal facility.

Hazards not otherwise classified (HNOC) 2.3.

No additional information available

Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

Substances

Substance type : Mono-constituent

Name : IRON III DIMETHYLDITHIOCARBAMATE

CAS-No. 14484-64-1

Name	Product identifier	%	GHS-US classification
Iron dimethyldithiocarbamate	(CAS-No.) 14484-64-1	95 - 100	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of hazard classes and H-statements: see section 16

3.2. **Mixtures**

Not applicable

SECTION 4: First-aid measures

Description of first aid measures

First-aid measures general Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek

medical advice immediately (show the label where possible). If possible show this sheet; if not

available show packaging or label.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel First-aid measures after inhalation

unwell, seek medical advice.

First-aid measures after skin contact : Wash with plenty of soap and water. Get immediate medical advice/attention.

Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if First-aid measures after eye contact

present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion : Never give anything by mouth to an unconscious person. Get medical advice/attention if you

feel unwell.

Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : May cause respiratory irritation. May cause somnolence, excitement, ataxia, convulsions,

weight loss.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eve irritation.

Symptoms/effects after ingestion Harmful if swallowed. Swallowing a small quantity of this material will result in serious health

hazard.

Chronic symptoms : Questionable carcinogen, tumorigen, teratogen, reproductive effects, mutagenic data.

Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Foam. Carbon dioxide. Dry chemical.

Unsuitable extinguishing media : None known.

5.2 Specific hazards arising from the chemical

Fire hazard : Irritating fumes and organic acid vapors may develop when material is exposed to elevated

temperatures or open flame.

Special protective equipment and precautions for fire-fighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray to cool exposed surfaces.

SDS ID: AKI397 Print date: 04/09/2019 EN (English US) 2/7

Safety Data Sheet

Protection during firefighting

: Do not enter fire area without proper protective equipment, including respiratory protection. Avoid contact with skin and eyes. Do not breathe dust.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Wear protective equipment as described in Section 8.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment

Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. Sweep or shovel spills into appropriate container for disposal.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Avoid contact with skin and eyes. Do not breathe dust. Avoid dust formation. Use only outdoors

or in a well-ventilated area.

Hygiene measures

Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep container tightly closed. Store locked up.

Incompatible materials

: Strong oxidizing agents.

Storage area

: Store in a well-ventilated place. Store away from heat.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Iron dimethyldithiocarbamate (14484-64-1)			
ACGIH	ACGIH TWA (mg/m³)		5 mg/m³ (inhalable fraction)
OSHA	OSHA PEL (TWA) (mg/m³)		15 mg/m³ (total dust)
IDLH	US IDLH (mg/m³)		800 mg/m³
NIOSH	NIOSH REL (TWA) (mg/m³)		10 mg/m³

8.2. Appropriate engineering controls

Appropriate engineering controls

: Provide local exhaust or general room ventilation.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Hand protection:

Neoprene or nitrile rubber gloves

Eye protection:

Chemical goggles or face shield. Contact lenses should not be worn

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified dust and mist (orange cartridge) respirator.

Print date: 04/09/2019 EN (English US) SDS ID: **AKI397** 3/7

Safety Data Sheet

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : Powder.
Molecular mass : 416.51 g/mol
Color : Black.

Odor : No data available Odor threshold No data available Refractive index No data available : No data available pΗ : No data available Relative evaporation rate (butyl acetate=1) 180 °C decomposes Melting point Freezing point No data available : No data available **Boiling point** Flash point : No data available

Flammability (solid, gas)

Vapor pressure

Relative vapor density at 20 °C

Relative density

Relative density

Relative density

Solid to data available

No data available

No data available

: No data available

No data available

% Volatiles : < 1 %

Solubility Slightly soluble. No data available Log Pow Log Kow No data available No data available Viscosity, kinematic Viscosity, dynamic No data available **Explosive** properties No data available No data available Oxidizing properties : No data available **Explosion limits**

9.2. Other information

Auto-ignition temperature

Decomposition temperature

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Iron oxide fumes. Organic acid vapors.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

IRON III DIMETHYLDITHIOCARBAMATE (14484-64-1)			
ATE US (oral)	1130 mg/kg body weight		
Iron dimethyldithiocarbamate (14484-64-1)			
LD50 oral rat	1130 mg/kg RTECS Number: NO8750000		
LC50 inhalation rat (mg/l)	0.4 mg/l/4h Remarks: It was demonstrated that during intended and foreseen applications, no respirable aerosol is formed.		

Print date: 04/09/2019 EN (English US) SDS ID: **AKI397** 4/7

Safety Data Sheet

Iron dimethyldithiocarbamate (14484-64-1)			
ATE US (oral)	1130 mg/kg body weight		
ATE US (vapors)	0.4 mg/l/4h		
ATE US (dust, mist)	0.4 mg/l/4h		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation	: Causes serious eye irritation.		
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
	This product contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.		

Iron dimethyldithiocarbamate (14484-64-1)	
IARC group	3 - Not classifiable

Reproductive toxicity : Not classified

Specific target organ toxicity – single exposure : May cause respiratory irritation.

Specific target organ toxicity - repeated

exposure

: Not classified

Aspiration hazard : Not classified

Symptoms/effects after inhalation : May cause respiratory irritation. May cause somnolence, excitement, ataxia, convulsions,

weight loss.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye irritation.

Symptoms/effects after ingestion : Harmful if swallowed. Swallowing a small quantity of this material will result in serious health

hazard.

Chronic symptoms : Questionable carcinogen, tumorigen, teratogen, reproductive effects, mutagenic data.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Iron dimethyldithiocarbamate (14484-64-1)			
LC50 fish 1	10.02		
EC50 Daphnia 1	0.09 mg/l Crustacea (Daphnia magna)		
EC50 other aquatic organisms 1	0.216 mg/l EC50 (Chlorella pyrenoidosa), Exposure time: 120 h		
EC50 Daphnia 2	0.017 ml/l (Daphnia magna (Water flea))		
ErC50 (algae)	0.216 mg/l		

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other adverse effects : This substance may be hazardous to the environment.

Effect on the ozone layer : No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Sewage disposal recommendations : Do not dispose of waste into sewer.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to licensed waste disposal facility.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

UN-No.(DOT) : 3077

Print date: 04/09/2019 EN (English US) SDS ID: **AKI397** 5/7

Safety Data Sheet

DOT NA no. UN3077

14.2. UN proper shipping name

Transport document description : UN3077 Environmentally hazardous substances, solid, n.o.s. (IRON III

DIMETHYLDITHIOCARBAMATE), 9, III

Proper Shipping Name (DOT) : Environmentally hazardous substances, solid, n.o.s.

(IRON III DIMETHYLDITHIOCARBAMATE)

Class (DOT) : 9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140

Packing group (DOT) : III - Minor Danger

Hazard labels (DOT) : 9 - Class 9 (Miscellaneous dangerous materials)



Dangerous for the environment Yes

Marine pollutant : Yes



DOT Packaging Non Bulk (49 CFR 173.xxx) : 213
DOT Packaging Bulk (49 CFR 173.xxx) : 240
DOT Packaging Exceptions (49 CFR 173.xxx) : 155

DOT Symbols : G - Identifies PSN requiring a technical name

14.3. Additional information

Emergency Response Guide (ERG) Number : 171

Other information : No supplementary information available.

Transport by sea

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

Air transport

DOT Quantity Limitations Passenger aircraft/rail : No limit

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : No limit

CFR 175.75)

SECTION 15: Regulatory information

15.1. US Federal regulations

Iron dimethyldithiocarbamate (14484-64-1)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Subject to reporting requirements of United States SAPA Section 313		

SARA Section 313 - Emission Reporting 1 %

15.2. International regulations

CANADA

Iron dimethyldithiocarbamate (14484-64-1)		
Listed on the Canadian DSL (Domestic Substances List)		
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria	

EU-Regulations

Iron dimethyldithiocarbamate (14484-64-1)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Print date: 04/09/2019 EN (English US) SDS ID: **AKI397** 6/7

Safety Data Sheet

Iron dimethyldithiocarbamate (14484-64-1)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Iron dimethyldithiocarbamate (14484-64-1)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Full text of H-phrases::

 c pdoco	
H302	Harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

Abbreviations and acronyms

Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling; APF: Assigned Protection Factor.

Hazard Rating

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is

given

Flammability : 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids,

solids and semi solids having a flash point above 200 F. (Class IIIB)

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Prepared by safety and environmental affairs.

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2019 Gelest Inc. Morrisville, PA 19067

Print date: 04/09/2019 EN (English US) SDS ID: **AKI397** 7/7