

# **SAFETY DATA SHEET**

Creation Date 23-Jan-2018 Revision Date 29-Feb-2020 Revision Number 3

# 1. Identification

Product Name Lead zirconium titanium oxide, polymeric precursor

Cat No.: 39758

Synonyms No information available

**Recommended Use** Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

# Company

Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757 **Email:** tech@alfa.com

www.alfa.com

### **Emergency Telephone Number**

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660.

After normal business hours, call Carechem 24 at (866) 928-0789.

# 2. Hazard(s) identification

# Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity Category 4 Acute Inhalation Toxicity - Vapors Category 4 Skin Corrosion/Irritation Category 2 Serious Eye Damage/Eye Irritation Category 2 Category 1B Carcinogenicity Reproductive Toxicity Category 1A Specific target organ toxicity (single exposure) Category 3 Target Organs - Central nervous system (CNS). Specific target organ toxicity - (repeated exposure) Category 2 Target Organs - Central nervous system (CNS), Kidney, Blood. Aspiration Toxicity Category 1

#### Label Elements

#### Signal Word

Danger

### **Hazard Statements**

May be fatal if swallowed and enters airways

Causes skin irritation

Causes serious eye irritation

May cause drowsiness or dizziness

May cause cancer

May damage the unborn child. Suspected of damaging fertility

May cause damage to organs through prolonged or repeated exposure

Harmful if swallowed or if inhaled



## **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Wear eye/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

## Response

IF exposed or concerned: Get medical attention/advice

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

#### **Eves**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

### Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

Rinse mouth

#### Storage

Store locked up

#### **Disposal**

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

WARNING. Cancer and Reproductive Harm - https://www.p65warnings.ca.gov/.

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Lead titanium zirconium oxide (Pb(Ti,Zr)O3)	12626-81-2	80
Toluene	108-88-3	10

Isopropyl alcohol	67-63-0	10

# 4. First-aid measures

**General Advice** If symptoms persist, call a physician.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur. Risk of serious damage to the lungs (by aspiration).

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Call

a physician or poison control center immediately. If vomiting occurs naturally, have victim

lean forward.

Most important symptoms and

effects

None reasonably foreseeable. Inhalation of high vapor concentrations may cause

symptoms like headache, dizziness, tiredness, nausea and vomiting

Notes to Physician Treat symptomatically

# 5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may

be used to cool closed containers.

Unsuitable Extinguishing Media No information available

**Flash Point** 4 °C / 39.2 °F

**Method -** No information available

Autoignition Temperature 455 °C / 851 °F

**Explosion Limits** 

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

### **Specific Hazards Arising from the Chemical**

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Do not allow run-off from fire-fighting to enter drains or water courses.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO2). Metal fumes and oxides.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health Flammability Instability Physical hazards
3 0 N/A

# 6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required.

**Environmental Precautions** 

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

**Methods for Containment and Clean** Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. **Up** 

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not

get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

Storage Keep container tightly closed in a dry and well-ventilated place. Keep away from heat,

sparks and flame.

# 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Lead titanium zirconium	TWA: 0.05 mg/m <sup>3</sup> TWA: 5	(Vacated) TWA: 5 mg/m <sup>3</sup>	IDLH: 25 mg/m <sup>3</sup> IDLH: 100	TWA: 0.05 mg/m <sup>3</sup> TWA: 5
oxide (Pb(Ti,Zr)O3)	mg/m³	(Vacated) STEL: 10 mg/m <sup>3</sup>	mg/m³	mg/m³
	STEL: 10 mg/m <sup>3</sup>		TWA: 5 mg/m³ TWA: 0.050	STEL: 10 mg/m <sup>3</sup>
			mg/m³	
			STEL: 10 mg/m <sup>3</sup>	
Toluene	TWA: 20 ppm	(Vacated) TWA: 100 ppm	IDLH: 500 ppm	TWA: 20 ppm
		(Vacated) TWA: 375 mg/m <sup>3</sup>	TWA: 100 ppm	
		Ceiling: 300 ppm	TWA: 375 mg/m <sup>3</sup>	
		(Vacated) STEL: 150 ppm	STEL: 150 ppm	
		(Vacated) STEL: 560 mg/m <sup>3</sup>	STEL: 560 mg/m <sup>3</sup>	
		TWA: 200 ppm		
Isopropyl alcohol	TWA: 200 ppm	(Vacated) TWA: 400 ppm	IDLH: 2000 ppm	TWA: 200 ppm
	STEL: 400 ppm	(Vacated) TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm	STEL: 400 ppm
		(Vacated) STEL: 500 ppm	TWA: 980 mg/m <sup>3</sup>	
		(Vacated) STEL: 1225	STEL: 500 ppm	
		mg/m³	STEL: 1225 mg/m <sup>3</sup>	
		TWA: 400 ppm		
		TWA: 980 mg/m <sup>3</sup>		

## Legend

ACGIH - American Conference of Governmental Industrial Hygienists
OSHA - Occupational Safety and Health Administration
NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

**Engineering Measures** Ensure that eyewash stations and safety showers are close to the workstation location.

Ensure adequate ventilation, especially in confined areas. Use explosion-proof

electrical/ventilating/lighting/equipment.

Personal Protective Equipment

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection** Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

Physical State Liquid Viscous liquid
Appearance Pale yellow

Odor No information available
No information available

pH Not applicable

Melting Point/Range

Boiling Point/Range

Flash Point

Flash Point

No data available

No information available

4 °C / 39.2 °F

Evaporation Rate

No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

Upper No data available
Lower No data available
Vapor Pressure No information available
Vapor Density No information available
Specific Gravity No information available

SolubilityHydrolysesPartition coefficient; n-octanol/waterNo data availableAutoignition Temperature455 °C / 851 °FDecomposition TemperatureNo information availableViscosityNo information available

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Exposure to moist air or water. Keep away from open flames, hot surfaces and sources of

ignition.

Incompatible Materials Strong oxidizing agents, Water

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Metal fumes and oxides

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions**None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

**Oral LD50** Category 4. ATE = 300 - 2000 mg/kg.

**Dermal LD50** Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Vapor LC50 Category 4. ATE = 10 - 20 mg/l.

Component Information

	Component	Component LD50 Oral LD50 Dermal		LC50 Inhalation
	Toluene	> 5000 mg/kg (Rat)	LD50 = 12000 mg/kg ( Rabbit )	26700 ppm (Rat) 1 h
Ī	Isopropyl alcohol	5840 mg/kg (Rat)	13900 mg/kg (Rat) 12870 mg/kg (Rabbit)	72.6 mg/L (Rat) 4 h

Toxicologically Synergistic No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Lead titanium zirconium oxide (Pb(Ti,Zr)O3)	12626-81-2	Not listed	Reasonably Anticipated	А3	Not listed	Not listed
Toluene	108-88-3	Not listed	Not listed	Not listed	Not listed	Not listed
Isopropyl alcohol	67-63-0	Not listed	Not listed	Not listed	Not listed	Not listed

NTP: (National Toxicity Program)

NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

ACGIH: (American Conference of Governmental Industrial

Hygienists)

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mutagenic Effects No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

STOT - single exposure Central nervous system (CNS)

STOT - repeated exposure Central nervous system (CNS) Kidney Blood

Aspiration hazard No information available

Symptoms / effects,both acute and delayed

Symptoms / effects,both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

# 12. Ecological information

### **Ecotoxicity**

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Toluene	EC50: = 12.5 mg/L, 72h static (Pseudokirchneriella subcapitata) EC50: > 433 mg/L, 96h (Pseudokirchneriella subcapitata)	50-70 mg/L LC50 96 h 5-7 mg/L LC50 96 h 15-19 mg/L LC50 96 h 28 mg/L LC50 96 h 12 mg/L LC50 96 h	EC50 = 19.7 mg/L 30 min	EC50: 5.46 - 9.83 mg/L, 48h Static (Daphnia magna) EC50: = 11.5 mg/L, 48h (Daphnia magna)
Isopropyl alcohol	EC50: > 1000 mg/L, 72h (Desmodesmus subspicatus) EC50: > 1000 mg/L, 96h (Desmodesmus subspicatus)	LC50: = 9640 mg/L, 96h flow-through (Pimephales promelas) LC50: > 1400000 µg/L, 96h (Lepomis macrochirus) LC50: = 11130 mg/L, 96h static (Pimephales promelas)	= 35390 mg/L EC50 Photobacterium phosphoreum 5 min	13299 mg/L EC50 = 48 h 9714 mg/L EC50 = 24 h

**Persistence and Degradability** 

No information available

## Lead zirconium titanium oxide, polymeric precursor

**Bioaccumulation/ Accumulation** No information available.

**Mobility** No information available.

Component	log Pow
Toluene	2.7
Isopropyl alcohol	0.05

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Toluene - 108-88-3	U220	=

# 14. Transport information

DOT

UN-No UN1993

Proper Shipping NameFlammable liquid, n.o.s.Technical NameIsopropyl alcohol, Toluene

Hazard Class 3 Packing Group II

TDG

**UN-No** UN1993

Proper Shipping Name Flammable liquid, n.o.s.

Hazard Class 3 Packing Group II

<u>IATA</u>

**UN-No** UN1993

**Proper Shipping Name** Flammable liquid, n.o.s.

Hazard Class 3
Packing Group ||

IMDG/IMO

**UN-No** UN1993

**Proper Shipping Name** Flammable liquid, n.o.s.

Hazard Class 3
Packing Group

# 15. Regulatory information

# **United States of America Inventory**

Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
Lead titanium zirconium oxide (Pb(Ti,Zr)O3)	12626-81-2	Х	ACTIVE	-
Toluene	108-88-3	X	ACTIVE	-
Isopropyl alcohol	67-63-0	Χ	ACTIVE	-

# Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
Lead titanium zirconium oxide (Pb(Ti,Zr)O3)	12626-81-2	Х	-	235-727-4	-	-	-	-	KE-21950
Toluene	108-88-3	Х	-	203-625-9	X	X	Χ	Χ	KE-33936
Isopropyl alcohol	67-63-0	X	-	200-661-7	X	Х	Х	Χ	KE-29363

### **U.S. Federal Regulations**

# **SARA 313**

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Lead titanium zirconium oxide (Pb(Ti,Zr)O3)	12626-81-2	80	0.1
Toluene	108-88-3	10	1.0
Isopropyl alcohol	67-63-0	10	1.0

# SARA 311/312 Hazard Categories See

See section 2 for more information

**CWA (Clean Water Act)** 

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Lead titanium zirconium oxide (Pb(Ti,Zr)O3)	-	-	Х	-
Toluene	Х	1000 lb	X	X

### Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Lead titanium zirconium oxide	X		-
(Pb(Ti,Zr)O3)			
Toluene	X		-

OSHA - Occupational Safety and

Not applicable

Health Administration

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals	
Lead titanium zirconium oxide (Pb(Ti,Zr)O3)	30 μg/m³ Action Level	-	
	50 μg/m³ TWA		

CERCLA Not applicable

Component	Hazardous Substances RQs	CERCLA EHS RQs	
Toluene	1000 lb 1 lb	-	

# **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Component	CAS-No	California Prop. 65	Prop 65 NSRL	Category
Lead titanium zirconium	12626-81-2	Carcinogen	-	Carcinogen
oxide (Pb(Ti,Zr)O3)				
Toluene	108-88-3	Developmental	-	Developmental

# U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Lead titanium zirconium	-	X	X	X	X
oxide (Pb(Ti,Zr)O3)					
Toluene	Χ	X	X	X	X
Isopropyl alcohol	Χ	X	X	-	X

# **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

**U.S.** Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

16. Other information

Prepared By Health, Safety and Environmental Department

Email: tech@alfa.com

www.alfa.com

 Creation Date
 23-Jan-2018

 Revision Date
 29-Feb-2020

 Print Date
 29-Feb-2020

Revision Summary SDS authoring systems update, replaces ChemGes SDS No. 2,034. Initial Release.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**