

# SAFETY DATA SHEET

Version 8.1 Revision Date 09/12/2021 Print Date 02/05/2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 **Product identifiers**

Product name Disilane

Product Number : 463043 Brand Aldrich CAS-No. : 1590-87-0

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

#### 1.3 Details of the supplier of the safety data sheet

: Sigma-Aldrich Inc. Company

3050 SPRUCE ST ST. LOUIS MO 63103 **UNITED STATES** 

Telephone +1 314 771-5765 +1 800 325-5052

**Emergency telephone** 1.4

Fax

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable gases (Category 1), H220

Gases under pressure (Liquefied gas), H280

Acute toxicity, Inhalation (Category 4), H332

Acute toxicity, Dermal (Category 4), H312

Skin irritation (Category 2), H315

Eye irritation (Category 2A), H319

Respiratory sensitization (Category 1), H334

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Aldrich - 463043

Page 1 of 9

Pictogram



Signal word Danger

Hazard statement(s)

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

H312 + H332 Harmful in contact with skin or if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties

if inhaled.

H335 May cause respiratory irritation.

Precautionary statement(s)

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No

smoking.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ eye protection/ face protection.
P285 In case of inadequate ventilation wear respiratory protection.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P322 Specific measures (see supplemental first aid instructions on

this label).

P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/

doctor.

P362 Take off contaminated clothing and wash before reuse.

P377 Leaking gas fire: Do not extinguish, unless leak can be stopped

safely.

P381 Eliminate all ignition sources if safe to do so.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P410 + P403 Protect from sunlight. Store in a well-ventilated place.

P501 Dispose of contents/ container to an approved waste disposal

plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Stench.

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Formula : H<sub>6</sub>Si<sub>2</sub>

Molecular weight : 62.22 g/mol CAS-No. : 1590-87-0

Aldrich - 463043

Millipore SigMa EC-No. : 216-466-5

Component	Classification	Concentration
Disilane		
	Flam. Gas 1; Press. Gas	<= 100 %
	Liquefied gas; Acute Tox.	
	4; Skin Irrit. 2; Eye Irrit.	
	2A; Resp. Sens. 1; STOT	
	SE 3; H220, H280, H332,	
	H312, H315, H319, H334,	
	H335	

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

### **General advice**

Consult a physician. Show this material safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

silicon oxides

### **5.3** Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Aldrich - 463043

Millipore SigMa

### 5.4 Further information

No data available

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Clean up promptly by sweeping or vacuum.

### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

### Advice on safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

# Advice on protection against fire and explosion

Normal measures for preventive fire protection.

### **Hygiene measures**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place.

Contents under pressure. Air and moisture sensitive.

#### Storage class

Storage class (TRGS 510): 2A: Gases

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Aldrich - 463043

Millipore SiGMa

# 8.2 Exposure controls

### **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

# **Eye/face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

# **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# **Control of environmental exposure**

Do not let product enter drains.

### **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: gaseous
b) Odor No data available
c) Odor Threshold No data available
d) pH No data available

e) Melting point/range: -132.6 °C (-206.7 °F) - lit. point/freezing point

f) Initial boiling point -14.5 °C 5.9 °F - lit. and boiling range

g) Flash point ()No data available
 h) Evaporation rate No data available
 i) Flammability (solid, gas)

j) Upper/lower Lower explosion limit: < 10 %(V) flammability or

Aldrich - 463043

explosive limits



k) Vapor pressure No data available No data available Vapor density m) Density No data available Relative density No data available n) Water solubility No data available o) Partition coefficient: No data available n-octanol/water p) Autoignition No data available temperature

q) Decomposition No data available temperature

r) Viscosity No data availables) Explosive properties No data availablet) Oxidizing properties No data available

# 9.2 Other safety information

No data available

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No data available

# 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

No data available

# 10.5 Incompatible materials

Strong oxidizing agentsOxygen, Oxidizing agents, Halogens, Bases

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### **Acute toxicity**

Oral: No data available

Acute toxicity estimate Inhalation - 4,500 mg/l

(Calculation method)

Inhalation: No data available

Acute toxicity estimate Dermal - 1,100 mg/kg

(Calculation method)
Dermal: No data available

Aldrich - 463043



No data available

### Skin corrosion/irritation

No data available

# Serious eye damage/eye irritation

No data available

# Respiratory or skin sensitization

No data available

# Germ cell mutagenicity

No data available

# Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

# Reproductive toxicity

No data available

### Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

### Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

### 11.2 Additional Information

Nausea, Dizziness, Headache, Cough, chest pain, Difficulty in breathing

# **SECTION 12: Ecological information**

### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

 $\label{pbt} PBT/vPvB \ assessment \ not \ available \ as \ chemical \ safety \ assessment \ not \ required/not \ conducted$ 

Aldrich - 463043

Millipore SigMa

### 12.6 Other adverse effects

No data available

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

### Contaminated packaging

Dispose of as unused product.

### **SECTION 14: Transport information**

### DOT (US)

UN number: 3161 Class: 2.1

Proper shipping name: Liquefied gas, flammable, n.o.s. (Disilane)

Poison Inhalation Hazard: No

### **IMDG**

UN number: 3161 Class: 2.1 EMS-No: F-D, S-U

Proper shipping name: LIQUEFIED GAS, FLAMMABLE, N.O.S. (Disilane)

#### **IATA**

UN number: 3161 Class: 2.1

Proper shipping name: Liquefied gas, flammable, n.o.s. (Disilane)

IATA Passenger: Not permitted for transport

### **SECTION 15: Regulatory information**

# **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

### **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

# Pennsylvania Right To Know Components

Disilane CAS-No. Revision Date

1590-87-0

### **New Jersey Right To Know Components**

Disilane CAS-No. Revision Date

Aldrich - 463043 Page 8 of 9

# California Prop. 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

### SECTION 16: Other information

# **Further information**

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 8.1 Revision Date: 09/12/2021 Print Date: 02/05/2022

Aldrich - 463043

