

# **SAFETY DATA SHEET**

Creation Date 25-Sep-2009 Revision Date 14-Feb-2020 Revision Number 3

## 1. Identification

Product Name Iron(III) sulfate hydrate

Cat No.: 33316

**CAS-No** 15244-10-7

Synonyms No information available

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

### Company

Alfa Aesar

Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757 **Email:** tech@alfa.com

www.alfa.com

### **Emergency Telephone Number**

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660.

After normal business hours, call Carechem 24 at (866) 928-0789.

# 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Category 1

Carcinogenicity

Category 1

Category 1A

## Label Elements

## **Signal Word**

Danger

#### **Hazard Statements**

Harmful if swallowed Causes skin irritation Causes serious eye damage May cause cancer

Iron(III) sulfate hydrate Revision Date 14-Feb-2020



## **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

#### Response

IF exposed or concerned: Get medical attention/advice

#### Skin

IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

#### **Eves**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

#### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

## Storage

Store locked up

#### **Disposal**

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

None identified

WARNING. Cancer - https://www.p65warnings.ca.gov/.

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Sulfuric acid	7664-93-9	1 - 3
Ferric sulfate	10028-22-5	-

### 4. First-aid measures

General Advice If symptoms persist, call a physician.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms and Causes eye burns. Causes severe eye damage.

Iron(III) sulfate hydrate Revision Date 14-Feb-2020

effects

Notes to Physician Treat symptomatically

## 5. Fire-fighting measures

Unsuitable Extinguishing Media No information available

Flash Point Not applicable

Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

Sulfur oxides.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
3	0	0	N/A

### 6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust

formation.

Environmental Precautions Should not be released into the environment. See Section 12 for additional Ecological

Information.

**Methods for Containment and Clean** Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed **Up** containers for disposal.

7. Handling and storage

Handling Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid

dust formation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

**Storage** Keep containers tightly closed in a dry, cool and well-ventilated place.

# 8. Exposure controls / personal protection

### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Sulfuric acid	TWA: 0.2 mg/m <sup>3</sup>	(Vacated) TWA: 1 mg/m <sup>3</sup>	IDLH: 15 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup>
		TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	
Ferric sulfate	TWA: 1 mg/m <sup>3</sup>	(Vacated) TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

Revision Date 14-Feb-2020

#### Iron(III) sulfate hydrate

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations **Engineering Measures** 

and safety showers are close to the workstation location.

**Personal Protective Equipment** 

Wear appropriate protective eyeglasses or chemical safety goggles as described by **Eye/face Protection** 

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

> EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

**Physical State** Solid **Appearance** Beige Odorless Odor

**Odor Threshold** No information available

pН Strongly acidic Melting Point/Range No data available

**Boiling Point/Range** No information available

Flash Point Not applicable Not applicable **Evaporation Rate** Flammability (solid,gas) Not flammable

Flammability or explosive limits

No data available Upper Lower No data available **Vapor Pressure** No information available Not applicable

**Vapor Density** 

**Specific Gravity** No information available

**Bulk Density** ~480 kg/m3 Solubility Soluble in water Partition coefficient; n-octanol/water No data available

**Autoignition Temperature** 

480 °C **Decomposition Temperature** Not applicable **Viscosity** Molecular Formula Fe2 O12 S3 . x H2 O **Molecular Weight** 399.88 (anhydrous)

## 10. Stability and reactivity

None known, based on information available **Reactive Hazard** 

Stability Stable under normal conditions.

Avoid dust formation. Incompatible products. Excess heat. Exposure to moist air or water. **Conditions to Avoid** 

**Incompatible Materials** Strong oxidizing agents

Hazardous Decomposition Products Sulfur oxides

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** 

None under normal processing.

## 11. Toxicological information

#### **Acute Toxicity**

## **Product Information**

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sulfuric acid 2140 mg/kg (Rat )		Not listed	LC50 85 - 103 mg/m³ (Rat) 1 h
Ferric sulfate	500-2000 mg/kg ( Rat )	Not listed	Not listed

**Toxicologically Synergistic** 

**Products** 

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes eye burns Irritating to skin

Sensitization No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Sulfuric acid	7664-93-9	Group 1	Known	A2	X	A2
Ferric sulfate	10028-22-5	Not listed				

IARC (International Agency for Research on Cancer)

NTP: (National Toxicity Program)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program) Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

ACGIH: (American Conference of Governmental Industrial

Mexico - Occupational Exposure Limits - Carcinogens

Hygienists)

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens

A1 - Confirmed Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Confirmed Animal Carcinogen

A4 - Not Classifiable as a Human Carcinogen A5 - Not Suspected as a Human Carcinogen

Mutagenic Effects No information available

Reproductive Effects No information available.

**Developmental Effects**No information available.

**Teratogenicity** No information available.

STOT - single exposure None known STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects,both acute and No information available

delayed

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

Iron(III) sulfate hydrate Revision Date 14-Feb-2020

## 12. Ecological information

### Ecotoxicity

Do not empty into drains. .

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Sulfuric acid	-	LC50: > 500 mg/L, 96h static (Brachydanio rerio)	-	EC50: 29 mg/L/24h
Ferric sulfate	Not listed	LC50: = 37.2 mg/L, 96h static (Gambusia affinis)	Not listed	Not listed

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

## 13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a

hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT

UN-No UN3260

**Proper Shipping Name** Corrosive solid, acidic, inorganic, n.o.s.

Technical Name Sulfuric acid

Hazard Class 8
Packing Group III

\_ TDG

UN-No UN3260

**Proper Shipping Name** Corrosive solid, acidic, inorganic, n.o.s.

Hazard Class 8
Packing Group III

<u>IATA</u>

UN-No UN3260

**Proper Shipping Name** Corrosive solid, acidic, inorganic, n.o.s.

Hazard Class 8
Packing Group III

IMDG/IMO

UN-No UN3260

Proper Shipping Name Corrosive solid, acidic, inorganic, n.o.s.

Hazard Class 8
Packing Group III

## 15. Regulatory information

### **United States of America Inventory**

Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
Sulfuric acid	7664-93-9	X	ACTIVE	-
Ferric sulfate	10028-22-5	X	ACTIVE	-

Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

Revision Date 14-Feb-2020

### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
Sulfuric acid	7664-93-9	Х	-	231-639-5	X	X	Χ	Χ	KE-32570
Ferric sulfate	10028-22-5	Х	-	233-072-9	X	X	Х	Χ	KE-10900

### U.S. Federal Regulations

### **SARA 313**

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Sulfuric acid	7664-93-9	1 - 3	1.0

### SARA 311/312 Hazard Categories See section 2 for more information

**CWA (Clean Water Act)** 

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Sulfuric acid	X	1000 lb	-	-
Ferric sulfate	X	1000 lb	-	-

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

Component	Hazardous Substances RQs	CERCLA EHS RQs
Sulfuric acid	1000 lb	1000 lb
Ferric sulfate	1000 lb	-

**California Proposition 65** This product contains the following Proposition 65 chemicals.

Component	CAS-No	California Prop. 65	Prop 65 NSRL	Category
Sulfuric acid	7664-93-9	Carcinogen	-	Carcinogen

## U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Sulfuric acid	X	X	X	X	X
Ferric sulfate	X	X	X	=	X

### **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

# 16. Other information

Revision Date 14-Feb-2020

## Iron(III) sulfate hydrate

Prepared By Health, Safety and Environmental Department

Email: tech@alfa.com

www.alfa.com

 Creation Date
 25-Sep-2009

 Revision Date
 14-Feb-2020

 Print Date
 14-Feb-2020

**Revision Summary** SDS authoring systems update, replaces ChemGes SDS No. 15244-10-7/2.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**