

# SAFETY DATA SHEET

Version 8.3 Revision Date 09/11/2021 Print Date 06/02/2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 **Product identifiers**

Product name : Thioacetic acid

Product Number : W421001 Brand Aldrich CAS-No. 507-09-5

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

#### 1.3 Details of the supplier of the safety data sheet

: Sigma-Aldrich Inc. Company

3050 SPRUCE ST ST. LOUIS MO 63103

**UNITED STATES** 

Telephone +1 314 771-5765 +1 800 325-5052 Fax

**Emergency telephone** 1.4

> Emergency Phone # 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 3), H301 Serious eye damage (Category 1), H318 Skin sensitization (Sub-category 1A), H317

Short-term (acute) aquatic hazard (Category 2), H401

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger



Hazard statement(s)	
H225	Highly flammable liquid and vapor.
H301	Toxic if swallowed.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H401	Toxic to aquatic life.
	·
Precautionary statement(s)	
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/ eye protection/ face protection.
P301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
	Rinse mouth.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated
	clothing. Rinse skin with water/ shower.
P305 + P351 + P338 +	IF IN EYES: Rinse cautiously with water for several minutes.
P310	Remove contact lenses, if present and easy to do. Continue
	rinsing. Immediately call a POISON CENTER/ doctor.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P363	Wash contaminated clothing before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant
	foam to extinguish.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal
	plant.
	•

# **2.3** Hazards not otherwise classified (HNOC) or not covered by GHS Lachrymator.

# **SECTION 3: Composition/information on ingredients**

# 3.1 Substances

Synonyms : Thiacetic acid

Thiolacetic acid

	Cl ·C ··	
Component	l Classification	Concentration



thioacetic acid					
	Flam. Liq. 2; Acute Tox. 3; <= 100 %				
	Acute Tox. 4; Eye Dam. 1;				
	Skin Sens. 1; Aquatic				
	Acute 2; H225, H301,				
	H332, H318, H317, H401				

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

Consult a physician. Show this material safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Sulfur oxides

#### **5.3** Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.



#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

#### Advice on protection against fire and explosion

Use explosion-proof equipment. **Advice on protection against fire and explosion** Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

## **Hygiene measures**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Handle and open container with care.

#### Storage class

Storage class (TRGS 510): 3: Flammable liquids

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated



#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

#### **Appropriate engineering controls**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

# **Personal protective equipment**

#### **Eye/face protection**

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 30 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

# **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical properties

Form: clear, liquid a) Appearance

Color: light yellow

b) Odor Stench.

c) Odor Threshold No data available d) pH No data available No data available e) Melting

point/freezing point

88 - 91.5 °C 190 - 196.7 °F - lit. Initial boiling point and boiling range

g) Flash point 11 °C (52 °F) - closed cup

h) Evaporation rate No data available Flammability (solid, No data available gas)

Upper/lower i) flammability or explosive limits No data available

k) Vapor pressure No data available Vapor density No data available

m) Density 1.065 g/cm3 at 25 °C (77 °F) - lit.

Relative density No data available n) Water solubility No data available o) Partition coefficient: log Pow: 0.33

n-octanol/water

p) Autoignition

temperature q) Decomposition

No data available

No data available

No data available r) Viscosity s) Explosive properties No data available Oxidizing properties No data available

#### 9.2 Other safety information

temperature

No data available



## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

Vapors may form explosive mixture with air.

#### 10.4 Conditions to avoid

Heat, flames and sparks.

#### 10.5 Incompatible materials

Oxidizing agents, Strong bases

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - female - 200 - 350 mg/kg

(OECD Test Guideline 401)

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach., Risk of aspiration upon vomiting.,

Pulmonary failure possible after aspiration of vomit.

Oral: absorption

Acute toxicity estimate Inhalation - 11.1 mg/l

(Expert judgment)

Symptoms: Possible damages:, Irritation symptoms in the respiratory tract., Inhalation

may lead to the formation of oedemas in the respiratory tract.

Inhalation: absorption

Inhalation: Corrosive to respiratory system.

Dermal: No data available

#### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation (OECD Test Guideline 404)

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: Irreversible effects on the eye

(OECD Test Guideline 405)

#### Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: positive

(OECD Test Guideline 406)

#### **Germ cell mutagenicity**

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

# Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

# 11.2 Additional Information

RTECS: AJ5600000

Cough, Shortness of breath, Headache, Nausea

Possible effect after contact with substance:

Damage to:

Kidney

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.



#### **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to daphnia and other aquatic

static test EC50 - Daphnia magna (Water flea) - 2.1 mg/l - 48 h

(OECD Test Guideline 202)

invertebrates

#### 12.2 Persistence and degradability

Biodegradability Result: 84 % - Readily biodegradable.

(OECD Test Guideline 301D)

Remarks: (ECHA)

#### 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

# Contaminated packaging

Dispose of as unused product.

#### **SECTION 14: Transport information**

DOT (US)

UN number: 2436 Class: 3 Packing group: II

Proper shipping name: Thioacetic acid

Reportable Quantity (RQ): Poison Inhalation Hazard: No

**IMDG** 

UN number: 2436 Class: 3 Packing group: II EMS-No: F-E, S-D

Proper shipping name: THIOACETIC ACID

**IATA** 



UN number: 2436 Class: 3 Packing group: II

Proper shipping name: Thioacetic acid

#### **SECTION 15: Regulatory information**

#### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

#### **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania	Riaht	To Know	Components
--------------	-------	---------	------------

thioacetic acid	CAS-No. 507-09-5	Revision Date 2007-03-01
thioacetic acid	CAS-No. 507-09-5	Revision Date 2007-03-01
New Jersey Right To Know Components thioacetic acid	CAS-No. 507-09-5	Revision Date 2007-03-01

#### California Prop. 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### **SECTION 16: Other information**

#### **Further information**

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.



The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 8.3 Revision Date: 09/11/2021 Print Date: 06/02/2022

Aldrich - W421001



Page 11 of 11