

# **SAFETY DATA SHEET**

Creation Date 22-Sep-2009 Revision Date 03-May-2022 Revision Number 3

1. Identification

Product Name Butyraldehyde

Cat No. : A18243

CAS No 123-72-8 Synonyms Butanal

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

## Details of the supplier of the safety data sheet

## Company

Alfa Aesar

Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757 **Email:** tech@alfa.com

www.alfa.com

#### **Emergency Telephone Number**

During normal business hours (Monday-Friday, 8am-7pm EST), call (800)

343-0660.

After normal business hours, call Carechem 24 at (866) 928-0789.

## 2. Hazard(s) identification

## Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Category 2
Serious Eye Damage/Eye Irritation Category 2

#### **Label Elements**

## **Signal Word**

Danger

## **Hazard Statements**

Highly flammable liquid and vapor Causes serious eye irritation

Butyraldehyde



## **Precautionary Statements**

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/protective clothing/eye protection/face protection

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

#### **Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

#### Storage

Store in a well-ventilated place. Keep cool

#### Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

None identified

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Butyraldehyde	123-72-8	<=100

## 4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Get medical attention.

**Inhalation** Remove to fresh air. If breathing is difficult, give oxygen. Get medical attention.

**Ingestion** Do NOT induce vomiting. Get medical attention.

Most important symptoms and

effects

**Notes to Physician** 

Difficulty in breathing. . Inhalation of high vapor concentrations may cause symptoms like

headache, dizziness, tiredness, nausea and vomiting

Treat symptomatically

## 5. Fire-fighting measures

Suitable Extinguishing Media Water spray. Carbon dioxide (CO<sub>2</sub>). Dry chemical. Chemical foam. Water mist may be used

Butyraldehyde

to cool closed containers.

**Unsuitable Extinguishing Media** No information available

-12 °C / 10.4 °F **Flash Point** 

No information available Method -

**Autoignition Temperature** 190 °C / 374 °F

**Explosion Limits** 

Upper 11.1% Lower 1.7%

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### **Specific Hazards Arising from the Chemical**

Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Extremely flammable.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO2).

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health **Flammability** Instability Physical hazards 2 3 0 N/A

#### Accidental release measures

**Personal Precautions** 

Remove all sources of ignition. Take precautionary measures against static discharges.

Use personal protective equipment as required.

**Environmental Precautions** 

See Section 12 for additional Ecological Information. Do not flush into surface water or

sanitary sewer system.

Up

Methods for Containment and Clean Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Do not let this chemical enter the environment.

## 7. Handling and storage

Handling

Avoid contact with skin and eyes. Do not breathe mist/vapors/spray. Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. Keep away from open flames, hot surfaces and sources of ignition. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

Storage.

Keep away from heat, sparks and flame. Flammables area. Keep under nitrogen. Keep container tightly closed in a dry and well-ventilated place. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. To maintain product quality: Keep refrigerated. Incompatible Materials. Strong oxidizing agents. Strong acids. Strong bases. Strong reducing agents.

## 8. Exposure controls / personal protection

**Exposure Guidelines** 

This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location. Use explosion-proof

electrical/ventilating/lighting equipment.

Personal Protective Equipment

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Wear a NIOSH/MSHA or European Standard EN 149 approved full-facepiece airline

respirator in the positive pressure mode with emergency escape provisions.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical StateLiquidAppearanceColorlessOdorStench

Odor Threshold
pH

No information available
6-7 (@ 20 ) 71 g/L (20°C)

Melting Point/Range -96 °C / -140.8 °F

Boiling Point/Range 75 °C / 167 °F @ 760 mmHg

Flash Point -12 °C / 10.4 °F

Evaporation Rate -12 C / 10.4 F

No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

 Upper
 11.1%

 Lower
 1.7%

Vapor Pressure91.5 mmHg @ 20 °CVapor DensityNo information available

Specific Gravity0.817Solubility7.1% (25°C)Partition coefficient; n-octanol/waterNo data availableAutoignition Temperature190 °C / 374 °FDecomposition TemperatureNo information available

Viscosity No information available value v

Molecular FormulaC4 H8 OMolecular Weight72.11

## 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** May form explosive peroxides. Air sensitive.

Conditions to Avoid Keep away from open flames, hot surfaces and sources of ignition. Exposure to air.

Exposure to light. Incompatible products.

Incompatible Materials Strong oxidizing agents, Strong acids, Strong bases, Strong reducing agents

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

Hazardous Polymerization Hazardous polymerization may occur.

## Butyraldehyde

**Hazardous Reactions** 

None under normal processing.

## 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Butyraldehyde	LD50 > 5g/kg	-	49 mg/L 4 h (Rat)	

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritating to eyes Irritation

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Butyraldehyde	123-72-8	Not listed				

Not mutagenic in AMES Test **Mutagenic Effects** 

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

STOT - single exposure None known STOT - repeated exposure None known

**Aspiration hazard** No information available

delayed

Symptoms / effects,both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

## 12. Ecological information

Do not empty into drains. Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Component Freshwater Algae		Microtox	Water Flea
Butyraldehyde	Not listed	LC50: 13.0 - 13.8 mg/L, 96h	Not listed	Not listed
		flow-through (Pimephales		
		promelas)		
		LC50: = 14.7 mg/L, 96h		
		static (Pimephales		
		promelas)		
		LC50: = 25.8 mg/L, 96h		
		semi-static (Pimephales		
		promelas)		

**Persistence and Degradability** Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

## Butyraldehyde

#### **Mobility**

Will likely be mobile in the environment due to its volatility.

Component	log Pow
Butyraldehyde	1.3

## 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT

UN-No UN1129

Proper Shipping Name BUTYRALDEHYDE

Hazard Class 3 Packing Group II

<u>TDG</u>

UN-No UN1129

Proper Shipping Name BUTYRALDEHYDE

Hazard Class 3 Packing Group II

IATA

UN-No UN1129

Proper Shipping Name BUTYRALDEHYDE

Hazard Class 3 Packing Group II

IMDG/IMO

UN-No UN1129

Proper Shipping Name BUTYRALDEHYDE

Hazard Class 3
Packing Group ||

## 15. Regulatory information

## **United States of America Inventory**

Component	CAS No TSCA TS		TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Butyraldehyde	123-72-8	X	ACTIVE	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

#### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Butyraldehyde	123-72-8	Х	-	204-646-6	Χ	Χ	Х	Х	Х	KE-03746

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

## Butyraldehyde

## U.S. Federal Regulations

#### **SARA 313**

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Butyraldehyde	123-72-8	<=100	1.0

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

**California Proposition 65** This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Butyraldehyde	X	X	X	-	X

## **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

## Other International Regulations

Mexico - Grade Serious risk, Grade 3

Authorisation/Restrictions according to EU REACH Not applicable

	Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	J	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Ī	Butyraldehyde	123-72-8	-	-	-

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Butyraldehyde	123-72-8	Listed	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive		Rotterdam	Basel Convention
		(2012/18/EC) -	(2012/18/EC) -	Convention (PIC)	(Hazardous Waste)
		Qualifying Quantities	Qualifying Quantities		
		for Major Accident	for Safety Report		
		Notification	Requirements		
Butyraldehyde	123-72-8	Not applicable	Not applicable	Not applicable	Not applicable

## 16. Other information

Prepared By Health, Safety and Environmental Department

Email: tech@alfa.com

www.alfa.com

 Creation Date
 22-Sep-2009

 Revision Date
 03-May-2022

 Print Date
 03-May-2022

Revision Summary SDS authoring systems update, replaces ChemGes SDS No. 123-72-8.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**