

# SAFETY DATA SHEET

Revision Date 28-Feb-2020

**Revision Number** 2

1. Identification					
Product Name	Dimethyl(dimethylamino)vinylsilane				
Cat No. :	L17284				
Synonyms	No information available				
Recommended Use Uses advised against Details of the supplier of the safety	Laboratory chemicals. Food, drug, pesticide or biocidal product use. <u>data sheet</u>				
<u>Company</u> Alfa Aesar Thermo Fisher Scientific Chemicals, Ir 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757	ιс.				

Emergency Telephone Number

Email: tech@alfa.com www.alfa.com

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Specific target organ toxicity (single exposure) Target Organs - Respiratory system. Category 2 Category 1 B Category 1 Category 3

### Label Elements

Signal Word Danger

### Hazard Statements

Highly flammable liquid and vapor Causes severe skin burns and eye damage May cause respiratory irritation



### Precautionary Statements

### Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

### Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion

### IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

### 3. Composition/Information on Ingredients

Component		CAS-No	Weight %		
Dimethyl(dimethyla	mino)vinylsilane	13391-72-5	<=100		
	4. Fi	rst-aid measures			
General Advice	Show this safety required.	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.			
Eye Contact		medical attention is required. Rinse immediately with plenty of water, also unde			
Skin Contact	Remove and wa	Remove and wash contaminated clothing and gloves, including the inside, before re-use.			

	Call a physician immediately. Wash off immediately with plenty of water for at least 15 minutes.
Inhalation	Remove from exposure, lie down. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.
Ingestion	Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.
Most important symptoms and effects Notes to Physician	Causes burns by all exposure routes. Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation Treat symptomatically
	5 Fire fighting measures

### 5. Fire-fighting measures

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool

	closed containers.
Unsuitable Extinguishing Media	No information available
Flash Point Method -	No information available No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact	No information available
Sensitivity to Static Discharge	No information available

### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

### **Hazardous Combustion Products**

**Suitable Extinguishing Media** 

None known.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

<u>NFPA</u> Health 3	Flammability 3	Instability 0	Physical hazards	
	6. Accidental rel	ease measures		
Personal Precautions         Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.				
Environmental Precautions	Should not be released into Information.	the environment. See Section	12 for additional Ecological	

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

Up	Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.				
	7. Handling and storage				
Handling	Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.				
Storage	Protect from light. Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.				
8. E	Exposure controls / personal protection				
Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.				
Engineering Measures	Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment.				
Personal Protective Equipment					
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.				
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.				
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.				
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.				

9. Physical and chemical properties

<b>_</b>	
Physical State	Liquid
Appearance	Colorless
Odor	No information available
Odor Threshold	No information available
рН	No information available
Melting Point/Range	No data available
Boiling Point/Range	109 °C / 228.2 °F
Flash Point	No information available
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	No information available
Specific Gravity	0.769 g/cm3
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available

	naninio) viiryisi					<b>Duto</b> 201 05 2020
Viscosity Molecular Formula Molecular Weight						
		10. Stab	ility and rea	activity		
Reactive Hazard		None known, base	ed on information a	vailable		
Stability		Light sensitive.				
Conditions to Avoid	ł	Exposure to light.	Keep away from o	pen flames, hot su	rfaces and source	s of ignition.
Incompatible Mater	ials	Strong oxidizing ag	gents			
Hazardous Decomp	osition Product	<b>s</b> None under norma	al use conditions			
Hazardous Polymer	rization	Hazardous polyme	erization does not	occur.		
Hazardous Reaction	ns	None under norma	al processing.			
		11. Toxico	ological info	ormation		
Acute Toxicity						
Product Information Component Informa Toxicologically Syn Products Delayed and immed	ation nergistic	No information ava		id long-term expo	osure_	
Irritation		No information ava	ailable			
Sensitization		No information ava	ailable			
Carcinogenicity		The table below in	dicates whether ea	ach agency has lis	ted any ingredient	as a carcinogen.
Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Dimethyl(dimethylamin o)vinylsilane		Not listed	Not listed	Not listed	Not listed	Not listed
Mutagenic Effects		No information ava	ailable	-	-	•
Reproductive Effect	ts	No information available.				
Developmental Effe	ects	No information ava	ailable.			
Teratogenicity		No information available.				

STOT - single exposure Respiratory system

STOT - repeated exposureNone knownAspiration hazardNo information available

Symptoms / effects,both acute and<br/>delayedInhalation of high vapor concentrations may cause symptoms like headache, dizziness,<br/>tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or<br/>emesis is contraindicated. Possible perforation of stomach or esophagus should be<br/>investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and<br/>danger of perforationEndocrine Disruptor InformationNo information available

Other Adverse Effects The toxicological properties have not been fully investigated.

	12. Ecological information						
<u>Ecotoxicity</u> Do not empty into drains.							
Persistence and Degradability	No information available						
<b>Bioaccumulation/ Accumulation</b>	No information available.						
Mobility	No information available.						
	13. Disposal considerations						
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a						

 Waste Disposal Methods
 Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information
DOT	
UN-No	UN2924
Proper Shipping Name	Flammable liquid, corrosive, n.o.s.
Technical Name	(Dimethyl(dimethylamino)vinylsilane)
Hazard Class	3
Subsidiary Hazard Class	8
Packing Group	
TDG	
UN-No	UN2924
Proper Shipping Name	Flammable liquid, corrosive, n.o.s.
Hazard Class	3
Subsidiary Hazard Class	8
Packing Group	
IATA	
UN-No	UN2924
Proper Shipping Name	Flammable liquid, corrosive, n.o.s.
Hazard Class	3
Subsidiary Hazard Class	8
Packing Group	ll
IMDG/IMO	
UN-No	UN2924
Proper Shipping Name	Flammable liquid, corrosive, n.o.s.
Hazard Class	3
Subsidiary Hazard Class	8
Packing Group	
	15. Regulatory information

### United States of America Inventory

Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
Dimethyl(dimethylamino)vinylsilan	13391-72-5	-	-	-
e				

### Legend:

**TSCA** - Toxic Substances Control Act, (40 CFR Part 710) X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

### International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
Dimethyl(dimethylamino)vinylsilan	13391-72-5	-	-	-	-	-	-	-	-
e									

### U.S. Federal Regulations

SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
<b>OSHA</b> - Occupational Safety and Health Administration	Not applicable
CERCLA	Not applicable
California Proposition 65	This product does not contain any Proposition 65 chemicals.
U.S. State Right-to-Know Regulations	Not applicable
<b>U.S. Department of Transportation</b> Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	N N N
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.
Other International Regulations	
Mexico - Grade	No information available

	16. Other information
Prepared By	Health, Safety and Environmental Department Email: tech@alfa.com www.alfa.com
Revision Date Print Date Revision Summary	28-Feb-2020 28-Feb-2020 SDS authoring systems update, replaces ChemGes SDS No. 13391-72-5.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of SDS**