

Safety Data Sheet

Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name Trimethylboron

Synonyms | Borane, Trimethyl-; TMB; Trimethylborane; Trimethylborine

CAS Number | 593-90-8

Product Code | 60043

EC Number | 209-816-3

Molecular Formula | :C 3:H 9:B 1:

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s) Semiconductor Uses

1.3 Details of the supplier of the safety data sheet

Manufacturer I Air Liquide

9811 Katy Freeway, Suite 100

Houston, TX 77024 United States

www.us.airliquide.com sds@airliquide.com

Telephone (Technical) 713-896-2896 Telephone (Technical) 800-819-1704

1.4 Emergency telephone number

Manufacturer | 800-424-9300 - CHEMTREC

Manufacturer +1 703-527-3887 - Outside United States

Section 2: Hazards Identification

EU/EEC

According to Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010] According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture

CLP | Flammable Gases 1 - H220

Compressed Gas - H280 Skin Corrosion 1B - H314

DSD/DPD I Highly Flammable (F)

Corrosive (C) R17, R34

2.2 Label Elements

CLP

DANGER







Hazard statements

H220 - Extremely flammable gas

H280 - Contains gas under pressure; may explode if heated

H314 - Causes severe skin burns and eye damage.

Precautionary statements

Prevention | P210 - Keep away from heat, sparks, open flames and/or hot surfaces. - No smoking.

P260 - Do not breathe gas.

P264 - Wash thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P377 - Leaking gas fire: Do not extinguish, unless leak can be stopped safely. Response | P381 - Eliminate all ignition sources if safe to do so.

P304+P340 - IF INHĂLED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/shower.

P310 - Immediately call a POISON CENTER or doctor/physician. P321 - Specific treatment, see supplemental first aid information.

P363 - Wash contaminated clothing before reuse.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Storage/Disposal |

P403 - Store in a well-ventilated place.

P405 - Store locked up.

P501 - Dispose of content and/or container in accordance with local, regional,

national, and/or international regulations.

DSD/DPD





Risk phrases |

R17 - Spontaneously flammable in air.

R34 - Causes burns.

Safety phrases | S9 - Keep container in a well ventilated place

S16 - Keep away from sources of ignition - No Smoking.

S36 - Wear suitable protective clothing.

S39 - Wear eye/face protection.

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show

the label where possible).

2.3 Other Hazards

CLP This material is a Pyrophoric gas and is spontaneously flammable in air.

According to Regulation (EC) No. 1272/2008 (CLP) this material is considered

hazardous.

DSD/DPD This product is considered dangerous according to the European Directive

67/548/EEC.

United States (US)

According to OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

OSHA HCS 2012 Pyrophoric Gas

Compressed Gas - H280 Skin Corrosion 1B - H314

2.2 Label elements

OSHA HCS 2012

DANGER







Hazard statements |

Catches fire spontaneously if exposed to air - H250

Contains gas under pressure; may explode if heated - H280

Causes severe skin burns and eye damage. - H314

Precautionary statements

Prevention | Keep away from heat, sparks, open flames and/or hot surfaces. - No smoking. - P210

Do not breathe gas. - P260

Wash thoroughly after handling. - P264

Wear protective gloves/protective clothing/eye protection/face protection. - P280

Response | Leaking gas fire: Do not extinguish, unless leak can be stopped safely. - P377

Eliminate all ignition sources if safe to do so. - P381

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. - P304+P340

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower. - P303+P361+P353

Immediately call a POISON CENTER or doctor/physician. - P310 Specific treatment, see supplemental first aid information. - P321

Wash contaminated clothing before reuse. - P363

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing. - P305+P351+P338

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. - P301+P330+P331

Storage/Disposal |

Store in a well-ventilated place. - P403

Store locked up. - P405

Dispose of content and/or container in accordance with local, regional, national, and/or

international regulations. - P501

2.3 Other hazards

OSHA HCS 2012 Under United States Regulations (29 CFR 1910.1200 - Hazard Communication

Standard), this product is considered hazardous.

Canada

According to WHMIS

2.1 Classification of the substance or mixture

WHMIS

Compressed Gas - A

Reactive Flammable Materials - B6

Corrosive - E

2.2 Label elements WHMIS







Compressed Gas - A

Reactive Flammable Materials - B6

Corrosive - E

2.3 Other hazards

WHMIS

In Canada, the product mentioned above is considered hazardous under the

Workplace Hazardous Materials Information System (WHMIS).

2.4 Other information





Section 3 - Composition/Information on Ingredients

3.1 Substances

Composition					
Chemical Name Identifiers % LD50/LC50 Classifications According to Regulation/Directive				Classifications According to Regulation/Directive	
Trimethylboron	CAS:593-90-8 EINECS:209-816- 3	100%	NDA	EU DSD/DPD: Self Classified - F; R17 C; R34 EU CLP: Self Classified - Press. Gas - Comp., H280; Flam. Gas 1, H220; Skin Corr. 1B OSHA HCS 2012: Pyr. Gas 1; Press. Gas - Comp.; Skin Corr. 1B	

3.2 Mixtures

Material does not meet the criteria of a mixture in accordance with Regulation (EC) No 1272/2008.

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation

Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. Do not use mouth-to-mouth method if victim inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical attention immediately.

Skin

For minor skin contact, avoid spreading material on unaffected skin. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Remove and isolate contaminated clothing. Get medical attention immediately.

Eye

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Get medical attention immediately.

Ingestion

If swallowed, rinse mouth with water (only if the person is conscious) Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Give plenty of water to drink. Do not use mouth-to-mouth method if victim ingested the substance. Obtain medical attention immediately if ingested.

4.2 Most important symptoms and effects, both acute and delayed

Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician

All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Section 5 - Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media

SMALL FIRES: Dry chemical or CO2. LARGE FIRES: Water spray or fog.

Unsuitable Extinguishing

Media

No data available

5.2 Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards

EXTREMELY FLAMMABLE

Will form explosive mixtures with air.

Catches fire spontaneously if exposed to air.

Vapors may travel to source of ignition and flash back.

Cylinders exposed to fire may vent and release flammable gas through pressure relief devices.

The gas can react with water to form boron oxide and methane.

Containers may explode when heated.

Ruptured cylinders may rocket.

Hazardous Combustion Products

The products of thermal decomposition of this gas include boron oxide and methane.

5.3 Advice for firefighters

Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.

Wear positive pressure self-contained breathing apparatus (SCBA).

DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED

Move containers from fire area if you can do it without risk.

FIRE: If tank, rail car or tank truck is involved in a fire, ISOLATE for 1600 meters (1 mile) in all directions; also, consider initial evacuation for 1600 meters (1 mile) in all

FIRE INVOLVING TANKS: ALWAYS stay away from tanks engulfed in fire.

FIRE INVOLVING TANKS: Fight fire from maximum distance or use unmanned hose holders or monitor nozzles.

FIRE INVOLVING TANKS: Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank.

FIRE INVOLVING TANKS: Cool containers with flooding quantities of water until well after fire is out.

FIRE INVOLVING TANKS: Do not direct water at source of leak or safety devices;

icing may occur.

FIRE INVOLVING TANKS: For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions

Ventilate the area before entry. Do not walk through spilled material. Wear appropriate personal protective equipment, avoid direct contact. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Emergency Procedures

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). As an immediate precautionary measure, isolate spill or leak area for at least 100 meters (330 feet) in all directions. LARGE SPILL: Consider initial downwind evacuation for at least 800 meters (1/2 mile) Keep unauthorized personnel away. Keep out of low areas. Stay upwind.

6.2 Environmental precautions

Prevent spreading of vapors through sewers, ventilation systems and confined areas.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures

All equipment used when handling the product must be grounded.

Stop leak if you can do it without risk.

If possible, turn leaking containers so that gas escapes rather than liquid. Use water spray to reduce vapors; do not put water directly on leak, spill area or

inside container.

Do not direct water at spill or source of leak.

Isolate area until gas has dispersed.

6.4 Reference to other sections

Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling

Keep away from heat and ignition sources – No Smoking. Take precautionary measures against static charges. All equipment used when handling the product must be grounded. Use only non-sparking tools. Use only with adequate ventilation. Ventilate closed spaces before entering. Wear appropriate personal protective equipment, avoid direct contact. Do not breathe gas. Be aware of any signs of dizziness or fatigue, especially if work is done in a poorly ventilated area; exposures to fatal concentrations of this gas mixture could occur without any significant warning symptoms, due to olfactory fatigue or oxygen deficiency. Do not get in eyes, on skin, or on clothing. Cylinders should be firmly secured to prevent falling or being knocked-over. Use explosion-proof - electrical, ventilating and/or lighting equipment. Do not attempt to repair, adjust, or in any other way modify cylinders. If there is a malfunction or another type of operational problem, contact nearest distributor immediately. Empty containers retain product residue and can be hazardous. Do not cut, weld, puncture or incinerate container.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Cylinders should be stored in dry, well-ventilated areas away from sources of heat, ignition and direct sunlight. Do not allow area where cylinders are stored to exceed 52C (125F). Cylinders must be protected from the environment, and preferably kept at room temperature approximately 21C (70F). Protect cylinders against physical damage. Cylinders should be firmly secured to prevent falling or being knocked-over. Store locked up.

7.3 Specific end use(s)

Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits/Guidelines

Currently there are no applicable exposure limits established for this material.

8.2 Exposure controls

Engineering Measures/Controls

This product should be used in a fume hood or glove box or closed chemical dispensing system designed by competent individual. Use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits provided in this section, if applicable. Use a non-sparking, grounded, explosion-proof ventilation system separate from other exhaust ventilation systems. Exhaust system in manner consistent with prevention of release to atmosphere.

Personal Protective Equipment

Respiratory

In case of insufficient ventilation, wear suitable respiratory equipment. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face

Wear safety goggles.

Skin/Body

Wear chemically resistant gloves and clothing when using this product. Wear long sleeves and/or protective coveralls.

Environmental Exposure

Follow best practice for site management and disposal of waste. Controls should be

Controls

engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways.

Section 9 - Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	Gas	Appearance/Description	Colorless gas with a repulsive, suffocating odor.
Color	Clear, colorless.	Odor	Repulsive
Odor Threshold	Data lacking		
General Properties			
Boiling Point	-20.2 C(-4.36 F)	Melting Point	-161.5 C(-258.7 F)
Decomposition Temperature	Data lacking	рН	Data lacking
Specific Gravity/Relative Density	1.9 Water=1	Water Solubility	Reacts
Solvent Solubility	Alcohol; Ether	Viscosity	Data lacking
Explosive Properties	Data lacking	Oxidizing Properties:	Data lacking
Volatility			
Vapor Pressure	45 psig @ 21 C(69.8 F)	Vapor Density	Data lacking
Evaporation Rate	Data lacking	Volatiles (Vol.)	100 %
Flammability			
Flash Point	Data lacking	UEL	Data lacking
LEL	0.5 % (Estimated)	Autoignition	< 54 C(< 129.2 F) (Estimated)
Flammability (solid, gas)	Pyrophoric Gas.		
Environmental			•
Octanol/Water Partition coefficient	Data lacking		

9.2 Other Information

No additional physical and chemical parameters noted.

Section 10: Stability and Reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4 Conditions to avoid

Excess heat, sparks, open flame.

10.5 Incompatible materials

Trimethylboron is incompatible with air, oxidizing agents, halogenated hydrocarbons, and halogens. The gas will react with water and when released in air will spontaneously ignite.

10.6 Hazardous decomposition products

Combustion: Boron oxide, methane. Hydrolysis: Boron oxide, methane.

Section 11 - Toxicological Information

11.1 Information on toxicological effects

GHS Properties	Classification
Acute toxicity	EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met
Aspiration Hazard	EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met
Carcinogenicity	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Germ Cell Mutagenicity	EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met
Skin corrosion/Irritation	EU/CLP • Skin Corrosion 1B OSHA HCS 2012 • Skin Corrosion 1B
Skin sensitization	EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met
STOT-RE	EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met
STOT-SE	EU/CLP ◆ Classification criteria not met OSHA HCS 2012 ◆ Classification criteria not met
Toxicity for Reproduction	EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met
Respiratory sensitization	EU/CLP ◆ Classification criteria not met OSHA HCS 2012 ◆ Classification criteria not met
Serious eye damage/Irritation	EU/CLP Classification criteria not met OSHA HCS 2012 Classification criteria not met

Potential Health Effects Inhalation

Acute (Immediate)

May cause corrosive burns - irreversible damage.

Chronic (Delayed)

Repeated or prolonged exposure to corrosive fumes may cause bronchial irritation with

chronic cough.

Skin

Acute (Immediate)

Causes severe skin burns and eye damage.

Chronic (Delayed)

Repeated or prolonged exposure to corrosive materials will cause dermatitis.

Eye

Acute (Immediate)

Lauses serious eye damage.

Chronic (Delayed)

Repeated or prolonged exposure to corrosive materials or fumes may cause conjunctivitis.

Ingestion

Acute (Immediate)

May cause irreversible damage to mucous membranes.

Chronic (Delayed)

Repeated or prolonged exposure to corrosive materials or fumes may cause gastrointestinal distrubances.

Section 12 - Ecological Information

12.1 Toxicity

Material data lacking.

12.2 Persistence and degradability

Material data lacking.

12.3 Bioaccumulative potential

Material data lacking.

12.4 Mobility in Soil

Material data lacking.

12.5 Results of PBT and vPvB assessment

No PBT and vPvB assessment has been conducted.

12.6 Other adverse effects

No studies have been found.

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product waste

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	n.o.s. (Trimethylboron)		2.1,2.3	1,2.3 NDA	
TDG			2.1,2.3	NDA	Potential Marine Pollutant
IMO/IMDG UN1953 COMPRESSED GAS, TOXIC, FLAMMABLE, N.O.S. (Trimethylboron)		2.1,2.3	NDA	NDA	
IATA/ICAO	TA/ICAO NDA Forbidden		NDA	NDA	NDA

14.6 Special precautions for user

Cylinders should be transported in a secure position, in a well-ventilated vehicle. The transportation of compressed gas cylinders in automobiles or in closed-body vehicles can present serious safety hazards. If transporting these cylinders in vehicles, ensure these cylinders are not exposed to extremely high temperatures (as may occur in an enclosed vehicle on a hot day). Additionally, the vehicle should be well-ventilated during transportation.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant.

14.8 Other information

Special Provisions 2 - Inhalation Zone Hazard Zone B

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications | Acute, Fire, Pressure(Sudden Release of)

State Right To Know					
Component	CAS	MA	NJ	PA	
Trimethylboron	593-90-8	No	No	No	

Inventory							
Component	CAS	Canada DSL	Canada NDSL	Chin	а	EU EINECS	EU ELNICS
Trimethylboron 593-90-8 No		No	No	No		Yes	No
	Inventory (Con't.)						
Component			CAS		TSCA		
Trimethylboron 593-90-8 No							

Canada

Labor Canada - WHMIS - Classifications of Substances • Trimethylboron	593-90-8	Not Listed	
Canada - WHMIS - Ingredient Disclosure List • Trimethylboron	593-90-8	Not Listed	

Environment Canada - CEPA - Priority Substances List			
Trimethylboron	593-90-8	Not Listed	

China

Environment China - Ozone Depleting Substances - First Schedule • Trimethylboron	593-90-8	Not Listed
China - Ozone Depleting Substances - Second Schedule • Trimethylboron	593-90-8	Not Listed
China - Ozone Depleting Substances - Third Schedule • Trimethylboron	593-90-8	Not Listed

Other		
China - Annex I & II - Controlled Chemicals Lists • Trimethylboron	593-90-8	Not Listed
China - Dangerous Goods List • Trimethylboron	593-90-8	Not Listed
China - Export Control List - Part I Chemicals • Trimethylboron	593-90-8	Not Listed

Europe

Other		
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification • Trimethylboron	593-90-8	Not Listed
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Concentration Limits • Trimethylboron	593-90-8	Not Listed
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling • Trimethylboron	593-90-8	Not Listed
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Notes - Substances and Preparations • Trimethylboron	593-90-8	Not Listed
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases • Trimethylboron	593-90-8	Not Listed
2		

Germany

Environment Germany - TA Luft - Types and Classes	502.00.0	Netlisted	
Trimethylboron Germany - Water Classification (VwVwS) - Annex 1	593-90-8	Not Listed	
Trimethylboron	593-90-8	Not Listed	
Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes • Trimethylboron	593-90-8	Not Listed	
Germany - Water Classification (VwVwS) - Annex 3 • Trimethylboron	593-90-8	Not Listed	

Other		
Germany - Specifically Regulated Chemicals in TRGS		
Trimethylboron	593-90-8	Not Listed

Portugal

┌Oth	er		
F	Portugal - Prohibited Substances		
•	• Trimethylboron	593-90-8	Not Listed

Jnited Kingdom		
Environment United Kingdom - Pollution Inventory - Schedule 1 - Thresh	nolds for Releases to Air	
Trimethylboron	593-90-8	Not Listed
Other		
United Kingdom - Workplace Exposure Limits (WELs) - Sul	bstances in Review	
Trimethylboron	593-90-8	Not Listed
United Kingdom - List of Dangerous Substances in Water		
Trimethylboron	593-90-8	Not Listed

United States

Labor		
U.S OSHA - Process Safety Management - Highly Hazardous Chemicals		
Trimethylboron	593-90-8	Not Listed
U.S OSHA - Specifically Regulated Chemicals		
Trimethylboron	593-90-8	Not Listed
Environment		
U.S CAA (Clean Air Act) - 1990 Hazardous Air Pollutants		
Trimethylboron	593-90-8	Not Listed
U.S CERCLA/SARA - Hazardous Substances and their Reportable Quantities		
Trimethylboron	593-90-8	Not Listed
U.S CERCLA/SARA - Radionuclides and Their Reportable Quantities		
Trimethylboron	593-90-8	Not Listed
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs		
Trimethylboron	593-90-8	Not Listed
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs • Trimethylboron	593-90-8	Not Listed
• Tillietilyiboloff	090-9U-0	INOL LISTER
U.S CERCLA/SARA - Section 313 - Emission Reporting		
Trimethylboron	593-90-8	Not Listed
U.S CERCLA/SARA - Section 313 - PBT Chemical Listing		
• Trimethylboron	593-90-8	Not Listed

United States - California

⊏ Environment		
U.S California - Proposition 65 - Carcinogens List		
Trimethylboron	593-90-8	Not Listed
U.S California - Proposition 65 - Developmental Toxicity		
Trimethylboron	593-90-8	Not Listed
U.S California - Proposition 65 - Maximum Allowable Dose Levels (MADL)		
Trimethylboron	593-90-8	Not Listed
U.S California - Proposition 65 - No Significant Risk Levels (NSRL)		
Trimethylboron	593-90-8	Not Listed
U.S California - Proposition 65 - Reproductive Toxicity - Female		
Trimethylboron	593-90-8	Not Listed
U.S California - Proposition 65 - Reproductive Toxicity - Male		
Trimethylboron	593-90-8	Not Listed

United States - Pennsylvania

Labor Daniel Brit (Bisht to Know) Facility and Line			
U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List			
Trimethylboron	593-90-8	Not Listed	

U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances

• Trimethylboron 593-90-8 Not Listed

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out.

Section 16 - Other Information

Last Revision Date

on Date

Preparation Date

Disclaimer/Statement of Liability

ı 05/January/2020

09/December/2014

To the best of Air Liquide's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this gas mixture is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

Key to abbreviations NDA = No Data Available