

# SAFETY DATA SHEET

Version 6.8 Revision Date 08/11/2021 Print Date 02/05/2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Styrene oxide

Product Number : S5006 Brand : Aldrich

Index-No. : 603-084-00-2 CAS-No. : 96-09-3

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

## 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

#### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227

Acute toxicity, Inhalation (Category 3), H331

Acute toxicity, Dermal (Category 4), H312

Skin irritation (Category 2), H315

Eye irritation (Category 2A), H319

Skin sensitization (Category 1), H317

Germ cell mutagenicity (Category 1B), H340

Carcinogenicity (Category 1B), H350

Short-term (acute) aquatic hazard (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Aldrich - S5006

Page 1 of 10



Signal word	Danger
-------------	--------

Signal word	Danger
Hazard statement(s)	
H227	Combustible liquid.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H340	May cause genetic defects.
H350	May cause cancer.
H402	Harmful to aquatic life.
11402	Harriful to aquatic life.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing must not be allowed out of the
	workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P302 + P352 + P312	IF ON SKIN: Wash with plenty of water.Call a POISON CENTER/doctor if you feel unwell.
P304 + P340 + P311	IF INHALED: Remove person to fresh air and keep comfortable
	for breathing. Call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant
1370 1 1370	foam to extinguish.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal
1 301	alant

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS Lachrymator.

plant.





#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms : 1,2-Epoxyethylbenzene

Phenyloxirane

Phenylethylene oxide

Formula : C<sub>8</sub>H<sub>8</sub>O

Molecular weight : 120.15 g/mol CAS-No. : 96-09-3 EC-No. : 202-476-7 Index-No. : 603-084-00-2

Component	Classification	Concentration				
(epoxyethyl)benzene						
	Flam. Liq. 4; Acute Tox. 3;	<= 100 %				
	Acute Tox. 4; Skin Irrit. 2;					
	Eye Irrit. 2A; Skin Sens.					
	1; Muta. 1B; Carc. 1B;					
	Aquatic Acute 3; H227,					
	H331, H312, H315, H319,					
	H317, H340, H350, H402					

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

Aldrich - S5006

Millipore SigMa

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### **5.4** Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Aldrich - S5006

Millipore SigMa Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

## Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Ingredients with workplace control parameters

			<del></del>		
Component	CAS-No.	Value	Control parameters	Basis	
(epoxyethyl)benz ene	96-09-3	TWA	1 ppm	USA. ACGIH Threshold Limit Values (TLV)	
	Remarks	Dermal Sensitization Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption			

#### 8.2 Exposure controls

#### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

#### Personal protective equipment

# **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: butvl-rubber

Minimum layer thickness: 0.7 mm Break through time: 480 min

Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please



contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 10 min

Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

# **Body Protection**

protective clothing

#### **Respiratory protection**

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

## **Control of environmental exposure**

Do not let product enter drains.

#### **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: clear, liquid

Color: light yellow

b) Odorc) Odor Thresholddata availableNo data available

d) pH No data available

e) Melting point/range: -37 °C (-35 °F) - lit.

point/freezing point

f) Initial boiling point 194 °C 381 °F - lit. and boiling range

g) Flash point 80 °C (176 °F) - closed cup

h) Evaporation rate No data availablei) Flammability (solid, No data available

gas)

j) Upper/lower Upper explosion limit: 22 %(V) flammability or Lower explosion limit: 1.1 %(V)

explosive limits

k) Vapor pressure 0.3 hPa at 20 °C (68 °F) - OECD Test Guideline 104

I) Vapor density 4.15 - (Air = 1.0)

m) Density 1.054 g/cm3 at 25 °C (77 °F) - lit.

Relative density No data available

n) Water solubility 1.49 g/l at 20 °C (68 °F) - OECD Test Guideline 105 - soluble

o) Partition coefficient: log Pow: 1.61 -

n-octanol/water

p) Autoignition 498 °C (928 °F)

temperature



q) Decomposition No data available temperature

r) Viscosity No data availables) Explosive properties No data available

t) Oxidizing properties none

#### 9.2 Other safety information

Relative vapor 4.15 - (Air = 1.0) density

#### **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

# 10.3 Possibility of hazardous reactions

Violent reactions possible with: polymerisation initiators Strong oxidizing agents Bases acids

#### 10.4 Conditions to avoid

Heat, flames and sparks. Strong heating.

#### 10.5 Incompatible materials

No data available

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - 4,290 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - male - 4 h - > 500 ppm LD50 Dermal - Rabbit - male - 1,060 mg/kg No data available

## Skin corrosion/irritation

No data available

## Serious eye damage/eye irritation

Eyes - Rabbit

Result: Moderate eye irritation



(OECD Test Guideline 405)

#### Respiratory or skin sensitization

No data available

## Germ cell mutagenicity

In vivo tests showed mutagenic effects

Test Type: Ames test

Test system: S. typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: positive

Test Type: in vivo assay

Species: Mouse

Application Route: Intraperitoneal

Result: positive Carcinogenicity

This product is or contains a component that has been reported to be probably carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification.

Possible human carcinogen

IARC: 2A - Group 2A: Probably carcinogenic to humans ((epoxyethyl)benzene)

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

#### Reproductive toxicity

No data available No data available

#### Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

#### Aspiration hazard

No data available

#### 11.2 Additional Information

RTECS: CZ9625000

Nausea, Headache, Vomiting, Central nervous system depression

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity



Toxicity to fish semi-static test LC50 - Cyprinus carpio (Carp) - 34 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 11.6 mg/l - 48 h

semi-static test EC50 - Daphnia magna (Water flea) - ca. 13 mg/l -

48 h

(OECD Test Guideline 202)

Toxicity to algae static test EC50 - Desmodesmus subspicatus (green algae) - ca. 32

mq/l - 96 h

(OECD Test Guideline 201)

## 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 81 - 90 % - Readily biodegradable.

(OECD Test Guideline 301B)

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

#### **SECTION 14: Transport information**

DOT (US)

UN number: 2810 Class: 6.1 Packing group: III

Proper shipping name: Toxic, liquids, organic, n.o.s. ((epoxyethyl)benzene)

Reportable Quantity (RQ): 100 lbs Poison Inhalation Hazard: No

**IMDG** 

UN number: 2810 Class: 6.1 Packing group: III EMS-No: F-A, S-A

Proper shipping name: TOXIC LIQUID, ORGANIC, N.O.S. ((epoxyethyl)benzene)

Aldrich - S5006

:DDDB

Page 9 of 10

**IATA** 

UN number: 2810 Class: 6.1 Packing group: III

Proper shipping name: Toxic liquid, organic, n.o.s. ((epoxyethyl)benzene)

## **SECTION 15: Regulatory information**

## **SARA 302 Components**

This material does not contain any components with a section 302 EHS TPQ.

#### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

(epoxyethyl)benzene

CAS-No. Rev 96-09-3 200

Revision Date 2007-07-01

## SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

#### **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

#### **SECTION 16: Other information**

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.8 Revision Date: 08/11/2021 Print Date: 02/05/2022

