SAFETY DATA SHEET

Version 4.3 Revision Date 06/02/2016 Print Date 10/07/2017

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Acrolein

Product Number : 4\$8501 Brand : Supelco Index-No. : 605-008-00-3

CAS-No. : 107-02-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 2), H300 Acute toxicity, Inhalation (Category 1), H330 Acute toxicity, Dermal (Category 2), H310 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour.

H300 + H310 + H330 Fatal if swallowed, in contact with skin or if inhaled Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

Supelco - 4S8501 Page 1 of 9

Precautionary statement(s)			
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.		
P233	Keep container tightly closed.		
P240	Ground/bond container and receiving equipment.		
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.		
P242	Use only non-sparking tools.		
P243	Take precautionary measures against static discharge.		
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.		
P262	Do not get in eyes, on skin, or on clothing.		
P264	Wash skin thoroughly after handling.		
P270	Do not eat, drink or smoke when using this product.		
P271	Use only outdoors or in a well-ventilated area.		
P273	Avoid release to the environment.		
P280	Wear protective gloves/ protective clothing/ eye protection/ face		
	protection.		
P284	Wear respiratory protection.		
P301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse		
	mouth.		
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.		
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing.		
	Rinse skin with water/shower.		
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for		
	breathing. Immediately call a POISON CENTER/doctor.		
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove		
	contact lenses, if present and easy to do. Continue rinsing. Immediately		
	call a POISON CENTER/doctor.		
P362	Take off contaminated clothing and wash before reuse.		
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to		
	extinguish.		
P391	Collect spillage.		
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.		
P403 + P235	Store in a well-ventilated place. Keep cool.		
P405	Store locked up.		
P501	Dispose of contents/ container to an approved waste disposal plant.		
	- Francisco - Fran		

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Corrosive to the respiratory tract.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Synonyms : 2-Propenal

Hazardous components

Component	Classification	Concentration
Acrolein		
	Flam. Liq. 2; Acute Tox. 2; Acute Tox. 1; Acute Tox. 2; Skin Corr. 1B; Eye Dam. 1; Aquatic Acute 1; Aquatic Chronic 1; H225, H300 + H310 + H330, H314, H410	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

Supelco - 4S8501 Page 2 of 9

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eve contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Supelco - 4S8501 Page 3 of 9

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature 2 - 8 °C

Store under inert gas. Handle and open container with care. Light sensitive. Heat- and air-sensitive.

Storage class (TRGS 510): Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis		
Acrolein	107-02-8	TWA	0.100000 ppm 0.250000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants		
	Remarks	The value in mg/m3 is approximate.				
		С	0.1 ppm	USA. ACGIH Threshold Limit Values (TLV)		
		Upper Respiratory Tract irritation Eye irritation Pulmonary edema Pulmonary emphysema Not classifiable as a human carcinogen Danger of cutaneous absorption				
		С	0.100000 ppm	USA. ACGIH Threshold Limit Values (TLV)		
		Upper Respiratory Tract irritation Eye irritation Pulmonary edema Pulmonary emphysema Not classifiable as a human carcinogen Danger of cutaneous absorption				
		TWĂ	0.100000 ppm 0.250000 mg/m3	USA. NIOSH Recommended Exposure Limits		
		See Appendix C				
		ST	0.300000 ppm 0.800000 mg/m3	USA. NIOSH Recommended Exposure Limits		
		See Appendix C				
		С	0.1 ppm 0.25 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)		
		Skin				

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Supelco - 4S8501 Page 4 of 9

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Splash contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 120 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

b) Odourc) Odour ThresholdNo data availableNo data available

d) pH 6 at 100 g/l at 25 °C (77 °F)

e) Melting point/freezing Melting point/range: -87 °C (-125 °F) - lit.

point

f) Initial boiling point and 53 °C (127 °F) - lit.

boiling range

g) Flash point -29 °C (-20 °F) - closed cup

h) Evaporation rate No data availablei) Flammability (solid, gas) No data available

j) Upper/lower Upper explosion limit: 31 %(V) flammability or Lower explosion limit: 2.8 %(V)

explosive limits

k) Vapour pressure 1,090.4 hPa (817.9 mmHg) at 55 °C (131 °F)

279.2 hPa (209.4 mmHg) at 20 °C (68 °F)

Supelco - 4S8501 Page 5 of 9

I) Vapour density 1.94 - (Air = 1.0)

m) Relative density 0.839 g/mL at 25 °C (77 °F)

n) Water solubility soluble

o) Partition coefficient: n-

octanol/water

No data available

p) Auto-ignition

temperature

No data available

q) Decomposition temperature No data available

r) Viscosity No data availables) Explosive properties No data availablet) Oxidizing properties No data available

9.2 Other safety information

Surface tension 24 mN/m at 20 °C (68 °F)

Relative vapour density 1.94 - (Air = 1.0)

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Oxidizing agents, Oxygen, Bases, Strong acids

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 26 mg/kg

LC50 Inhalation - Rat - 4 h - 18 mg/m3

LD50 Dermal - Rabbit - 200 mg/kg

No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Severe skin irritation - 24 h

(Draize Test)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Severe eye irritation - 24 h

Respiratory or skin sensitisation

No data available

Supelco - 4S8501 Page 6 of 9

Germ cell mutagenicity

Human fibroblast DNA damage

Human lymphocyte

Sister chromatid exchange

Rat

DNA inhibition

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

Reproductive toxicity - Rat - Oral

Effects on Newborn: Growth statistics (e.g., reduced weight gain).

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: AS1050000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 - Lepomis macrochirus (Bluegill) - 0.08 - 0.12 mg/l - 96.0 h

LC100 - Leuciscus idus (Golden orfe) - 0.3 - 4.2 mg/l - 48.0 h

Toxicity to daphnia and

other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 0.04 - 0.10 mg/l - 48 h

Toxicity to algae IC50 - Algae - 0.05 mg/l - 72 h

12.2 Persistence and degradability

Biodegradability Biotic/Aerobic Biochemical oxygen demand within 5 days

Biotic/Aerobic - Exposure time 7 d

Supelco - 4S8501 Page 7 of 9

Biotic/Aerobic Chemical oxygen demand - Exposure time 70 d Biotic/Aerobic Biochemical oxygen demand within 5 days

12.3 Bioaccumulative potential

Bioaccumulation Lepomis macrochirus - 14 d

- 13.1 µg/l

Bioconcentration factor (BCF): 344

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1092 Class: 6.1 (3) Packing group: I

Proper shipping name: Acrolein, stabilized

Reportable Quantity (RQ): 1 lbs

Marine pollutant:yes

Poison Inhalation Hazard: Hazard zone A

IMDG

UN number: 1092 Class: 6.1 (3) Packing group: I EMS-No: F-E, S-D

Proper shipping name: ACROLEIN, STABILIZED

Marine pollutant: yes Marine pollutant: yes

IATA

UN number: 1092 Class: 6.1 (3)
Proper shipping name: Acrolein, stabilized
IATA Passenger: Not permitted for transport
IATA Cargo: Not permitted for transport

15. REGULATORY INFORMATION

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302:

CAS-No. Revision Date 107-02-8 1993-04-24

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date Acrolein 107-02-8 1993-04-24

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Supelco - 4S8501 Page 8 of 9

Massachusetts Right To Know Components

CAS-No. Revision Date Acrolein 107-02-8 1993-04-24

Pennsylvania Right To Know Components

CAS-No. Revision Date 107-02-8 1993-04-24

New Jersey Right To Know Components

CAS-No. Revision Date Acrolein 107-02-8 1993-04-24

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity
Eye Dam. Serious eye damage
Flam. Liq. Flammable liquids

H225 Highly flammable liquid and vapour.

H300 Fatal if swallowed.

H300 + H310 + Fatal if swallowed, in contact with skin or if inhaled

H330

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

HMIS Rating

Health hazard: 4
Chronic Health Hazard: *
Flammability: 3
Physical Hazard 0

NFPA Rating

Health hazard: 4
Fire Hazard: 3
Reactivity Hazard: 0

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.3 Revision Date: 06/02/2016 Print Date: 10/07/2017

Supelco - 4S8501 Page 9 of 9