

# SAFETY DATA SHEET

Version 6.4 Revision Date 12/18/2020 Print Date 02/05/2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Diphenyliodonium hexafluorophosphate

Product Number : 548014
Brand : Aldrich
CAS-No. : 58109-40-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone #: 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Hazard statement(s)

H314 Causes severe skin burns and eye damage.



Precautionary statement(s)		
P260	Do not breathe dusts or mists.	
P264	Wash skin thoroughly after handling.	
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.	
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.	
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated	
	clothing. Rinse skin with water/ shower.	
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable	
	for breathing. Immediately call a POISON CENTER/ doctor.	
P305 + P351 + P338 +	IF IN EYES: Rinse cautiously with water for several minutes.	
P310	Remove contact lenses, if present and easy to do. Continue	
	rinsing. Immediately call a POISON CENTER/ doctor.	
P363	Wash contaminated clothing before reuse.	
P405	Store locked up.	
P501	Dispose of contents/ container to an approved waste disposal plant.	

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Formula :  $C_{12}H_{10}F_6IP$ Molecular weight : 426.08 g/mol CAS-No. : 58109-40-3 EC-No. : 261-134-5

Component	Classification	Concentration
Diphenyliodonium hexafluorophosphate		
	Skin Corr. 1B; Eye Dam.	<= 100 %
	1; H314, H318	

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

### **General advice**

Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or

Aldrich - 548014

Millipore Sigma Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure. First aider needs to protect himself. Show this material safety data sheet to the doctor in attendance.

### If inhaled

After inhalation: fresh air. Call in physician.

### In case of skin contact

First treatment with calcium gluconate paste. In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

# Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Nature of decomposition products not known.

Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.

### **5.3** Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

Aldrich - 548014

Millipore

# 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Tightly closed. Dry.

Light sensitive. hygroscopic

Storage class (TRGS 510): 8A: Combustible, corrosive hazardous materials

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

## Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

# 8.2 Exposure controls

### **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

### Personal protective equipment

### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

# **Body Protection** protective clothing

# **Respiratory protection**

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

### Control of environmental exposure

Do not let product enter drains.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a) Appearance Form: solid

b) Odor No data available c) Odor Threshold No data available No data available d) pH

e) Melting Melting point/range: 140 - 144 °C (284 - 291 °F)

point/freezing point

Initial boiling point No data available f) and boiling range

g) Flash point ()Not applicable No data available h) Evaporation rate

Flammability (solid, No data available gas)

Upper/lower

No data available j)

flammability or explosive limits

k) Vapor pressure No data available

No data available Vapor density I) m) Relative density No data available n) Water solubility No data available

o) Partition coefficient: n-octanol/water

No data available

p) Autoignition temperature No data available

Decomposition temperature

No data available

r) Viscosity No data availables) Explosive properties No data availablet) Oxidizing properties No data available

### 9.2 Other safety information

No data available

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

no information available

### 10.5 Incompatible materials

Strong acids

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

### **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

### **Acute toxicity**

No data available

Inhalation: No data available Dermal: No data available

No data available

### Skin corrosion/irritation

No data available

# Serious eye damage/eye irritation

No data available

# Respiratory or skin sensitization

No data available

### Germ cell mutagenicity

No data available

### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

# **Reproductive toxicity**

No data available

# Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

### 11.2 Additional Information

RTECS: Not available

Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

No data available

# 12.2 Persistence and degradability

No data available

# 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

No data available

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

# **Product**

Waste material must be disposed of in accordance with the national and loc No mixing with other waste. Handle uncleaned containers like the product See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.



### **SECTION 14: Transport information**

DOT (US)

UN number: 1759 Class: 8 Packing group: II

Proper shipping name: Corrosive solids, n.o.s. (Diphenyliodonium hexafluorophosphate)

Reportable Quantity (RQ): Poison Inhalation Hazard: No

**IMDG** 

UN number: 1759 Class: 8 Packing group: II EMS-No: F-A, S-B

Proper shipping name: CORROSIVE SOLID, N.O.S. (Diphenyliodonium

hexafluorophosphate)

**IATA** 

UN number: 1759 Class: 8 Packing group: II

Proper shipping name: Corrosive solid, n.o.s. (Diphenyliodonium hexafluorophosphate)

# **SECTION 15: Regulatory information**

## **SARA 302 Components**

This material does not contain any components with a section 302 EHS TPQ.

# **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312 Hazards

Acute Health Hazard

# **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

No components are subject to the Massachusetts Right to Know Act.

**Pennsylvania Right To Know Components** 

Diphenyliodonium hexafluorophosphate CAS-No. Revision Date

58109-40-3

**New Jersey Right To Know Components** 

Diphenyliodonium hexafluorophosphate CAS-No. Revision Date

58109-40-3

### **SECTION 16: Other information**

# **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of

Aldrich - 548014

1 III DORE

the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.4 Revision Date: 12/18/2020 Print Date: 02/05/2022

