

## SAFETY DATA SHEET

Version 6.7  
Revision Date 10/04/2021  
Print Date 05/28/2022

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifiers**

Product name : Hydroxylamine hydrochloride

Product Number : 159417  
Brand : SIGALD  
Index-No. : 612-123-00-2  
CAS-No. : 5470-11-1

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Laboratory chemicals, Synthesis of substances

**1.3 Details of the supplier of the safety data sheet**

Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATES

Telephone : +1 314 771-5765  
Fax : +1 800 325-5052

**1.4 Emergency telephone**

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-  
527-3887 CHEMTREC (International) 24  
Hours/day; 7 Days/week

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Corrosive to Metals (Category 1), H290  
Acute toxicity, Oral (Category 4), H302  
Acute toxicity, Dermal (Category 4), H312  
Skin irritation (Category 2), H315  
Eye irritation (Category 2A), H319  
Skin sensitization (Category 1), H317  
Carcinogenicity (Category 2), H351  
Specific target organ toxicity - repeated exposure, Oral (Category 2), spleen, H373  
Short-term (acute) aquatic hazard (Category 1), H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

**2.2 GHS Label elements, including precautionary statements**

SIGALD - 159417

Page 1 of 10

Pictogram



Signal word

Warning

Hazard statement(s)

H290

May be corrosive to metals.

H302 + H312

Harmful if swallowed or in contact with skin.

H315

Causes skin irritation.

H317

May cause an allergic skin reaction.

H319

Causes serious eye irritation.

H351

Suspected of causing cancer.

H373

May cause damage to organs (spleen) through prolonged or repeated exposure if swallowed.

H400

Very toxic to aquatic life.

Precautionary statement(s)

P201

Obtain special instructions before use.

P202

Do not handle until all safety precautions have been read and understood.

P234

Keep only in original container.

P260

Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

P264

Wash skin thoroughly after handling.

P270

Do not eat, drink or smoke when using this product.

P272

Contaminated work clothing must not be allowed out of the workplace.

P273

Avoid release to the environment.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P312 + P330

IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

P302 + P352 + P312

IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313

IF exposed or concerned: Get medical advice/ attention.

P333 + P313

If skin irritation or rash occurs: Get medical advice/ attention.

P337 + P313

If eye irritation persists: Get medical advice/ attention.

P362

Take off contaminated clothing and wash before reuse.

P390

Absorb spillage to prevent material damage.

P391

Collect spillage.

P405

Store locked up.

P406

Store in corrosive resistant container with a resistant inner liner.

P501

Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

---

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Synonyms : Hydroxylammonium chloride

SIGALD - 159417

Page 2 of 10

Formula : H2NOH.HCl  
Molecular weight : 69.49 g/mol  
CAS-No. : 5470-11-1  
EC-No. : 226-798-2  
Index-No. : 612-123-00-2

Component	Classification	Concentration
<b>Hydroxylammonium chloride</b>		
	Met. Corr. 1; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2A; Skin Sens. 1; Carc. 2; STOT RE 2; Aquatic Acute 1; H290, H302, H312, H315, H319, H317, H351, H373, H400 M-Factor - Aquatic Acute: 10	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## **SECTION 5: Firefighting measures**

### **5.1 Extinguishing media**

#### **Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **Unsuitable extinguishing media**

For this substance/mixture no limitations of extinguishing agents are given.

### **5.2 Special hazards arising from the substance or mixture**

Nitrogen oxides (NO<sub>x</sub>)

Hydrogen chloride gas

Nitrogen oxides (NO<sub>x</sub>)

Hydrogen chloride gas

Container explosion may occur under fire conditions.

Combustible.

Risk of dust explosion.

In the event of decomposition: danger of explosion!

Avoid shock and friction.

Ambient fire may liberate hazardous vapours.

### **5.3 Advice for firefighters**

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### **5.4 Further information**

May explode when heated. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### **6.2 Environmental precautions**

Do not let product enter drains.

### **6.3 Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

### **6.4 Reference to other sections**

For disposal see section 13.

---

## **SECTION 7: Handling and storage**

### **7.1 Precautions for safe handling**

#### **Advice on safe handling**

SIGALD - 159417

Page 4 of 10

Work under hood. Do not inhale substance/mixture.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

### **7.2 Conditions for safe storage, including any incompatibilities**

#### **Storage conditions**

No metal containers.

Tightly closed and away from sources of ignition and heat. Observe national regulations.

Air and moisture sensitive.

#### **Storage class**

Storage class (TRGS 510): 4.1A: Other explosive hazardous materials

### **7.3 Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## **SECTION 8: Exposure controls/personal protection**

### **8.1 Control parameters**

#### **Ingredients with workplace control parameters**

Contains no substances with occupational exposure limit values.

### **8.2 Exposure controls**

#### **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

#### **Personal protective equipment**

##### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

##### **Skin protection**

Handle with impervious gloves.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: KCL 741 Dermatril® L

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: KCL 741 Dermatril® L

**Body Protection**

protective clothing

**Respiratory protection**

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

**Control of environmental exposure**

Do not let product enter drains.

---

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

a) Appearance	Form: crystalline Color: white
b) Odor	slight chlorine
c) Odor Threshold	No data available
d) pH	2.5 - 3.5 at 50 g/l at 20 °C (68 °F)
e) Melting point/freezing point	Melting point/range: 155 - 157 °C (311 - 315 °F) - dec.
f) Initial boiling point and boiling range	No data available
g) Flash point	( )No data available
h) Evaporation rate	No data available
i) Flammability (solid, gas)	The product is not flammable. - Flammability (solids)
j) Upper/lower flammability or explosive limits	No data available
k) Vapor pressure	0.001 hPa at 50 °C (122 °F) - OECD Test Guideline 104
l) Vapor density	No data available
m) Density	1.67 g/cm <sup>3</sup> at 25 °C (77 °F) - lit.
Relative density	No data available
n) Water solubility	ca.470 g/l at 20 °C (68 °F) - OECD Test Guideline 105
o) Partition coefficient: n-octanol/water	- Not applicable for inorganic substances
p) Autoignition temperature	No data available
q) Decomposition temperature	> 150 °C (> 302 °F) - Heating may cause an explosion.
r) Viscosity	No data available
s) Explosive properties	No data available
t) Oxidizing properties	none

SIGALD - 159417

Page 6 of 10

## 9.2 Other safety information

Surface tension                      ca.71.8 mN/m at 1.025g/l at 20 °C (68 °F) - OECD Test Guideline 115

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

sensitive to shock  
Risk of dust explosion.

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

Violent reactions possible with:  
alkaline substances  
Possible formation of:  
hydroxylamine  
Risk of explosion with:  
fire-promoting substances  
Oxidizing agents

### 10.4 Conditions to avoid

Air Exposure to moisture. May be unstable at temperatures above: 75° C  
Heating (decomposition).  
no information available

### 10.5 Incompatible materials

Aluminum, Copper, Zinc, Tin, Metals

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male and female - 642 mg/kg  
(OECD Test Guideline 401)  
Inhalation: No data available  
Dermal: No data available  
No data available

#### Skin corrosion/irritation

Skin - In vitro study  
Result: Irritating to skin. - 42 min  
(OECD Test Guideline 439)

#### Serious eye damage/eye irritation

Eyes - In vitro study  
Result: Eye irritation - 6 h

#### Respiratory or skin sensitization

Maximization Test - Guinea pig

SIGALD - 159417

Page 7 of 10

Result: positive  
(OECD Test Guideline 406)

#### **Germ cell mutagenicity**

Test Type: Ames test  
Test system: *S. typhimurium*  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
Test Type: In vitro mammalian cell gene mutation test  
Test system: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation  
Result: negative  
Remarks: (ECHA)  
Test Type: Rat  
Test system: Embryo  
Remarks: Morphological transformation.  
Test Type: Hamster  
Test system: Lungs  
Remarks: Sister chromatid exchange

Test Type: Mutagenicity (mammal cell test): micronucleus.  
Species: Mouse  
Cell type: Red blood cells (erythrocytes)  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative

#### **Carcinogenicity**

Suspected of causing cancer.

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.  
NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.  
OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity**

No data available

#### **Specific target organ toxicity - single exposure**

No data available

#### **Specific target organ toxicity - repeated exposure**

Ingestion - May cause damage to organs through prolonged or repeated exposure. - spleen

#### **Aspiration hazard**

No data available

### **11.2 Additional Information**

RTECS: NC3675000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence

Liver - Irregularities - Based on Human Evidence

SIGALD - 159417

Page 8 of 10

---

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxicity to fish	semi-static test LC50 - <i>Oncorhynchus mykiss</i> (rainbow trout) - 1.78 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	semi-static test EC50 - <i>Daphnia magna</i> (Water flea) - 1.1 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test EC50 - <i>Pseudokirchneriella subcapitata</i> - 0.21 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	static test EC10 - activated sludge - 1.7 mg/l - 3 h (OECD Test Guideline 209)

### 12.2 Persistence and degradability

Not applicable for inorganic substances

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

---

## SECTION 14: Transport information

### DOT (US)

UN number: 2923    Class: 8 (6.1)    Packing group: III  
Proper shipping name: Corrosive solids, toxic, n.o.s. (Hydroxylammonium chloride)  
Reportable Quantity (RQ):  
Poison Inhalation Hazard: No

### IMDG

SIGALD - 159417

Page 9 of 10

UN number: 2923    Class: 8 (6.1)    Packing group: III    EMS-No: F-A, S-B  
Proper shipping name: CORROSIVE SOLID, TOXIC, N.O.S. (Hydroxylammonium chloride)  
Marine pollutant : yes

**IATA**

UN number: 2923    Class: 8 (6.1)    Packing group: III  
Proper shipping name: Corrosive solid, toxic, n.o.s. (Hydroxylammonium chloride)

---

**SECTION 15: Regulatory information**

**SARA 302 Components**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**SARA 311/312 Hazards**

Acute Health Hazard, Chronic Health Hazard

**Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

---

**SECTION 16: Other information**

**Relevant changes since previous version**

8. Exposure controls/personal protection

**Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

Version: 6.7

Revision Date: 10/04/2021

Print Date: 05/28/2022