

## SAFETY DATA SHEET

Version 6.2 Revision Date 04/18/2021 Print Date 03/26/2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : TRANS-1,2-DICHLOROETHYLENE,

ANALYTICAL S

Product Number : 36969

Brand : Sigma-Aldrich Index-No. : 602-026-00-3 156-60-5 CAS-No.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

> Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103

UNITED STATES

Telephone : +1 314 771-5765 +1 800 325-5052 Fax

1.4 **Emergency telephone** 

> : 800-424-9300 CHEMTREC (USA) +1-703-Emergency Phone #

> > 527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225

Acute toxicity, Inhalation (Category 4), H332

Short-term (acute) aquatic hazard (Category 3), H402 Long-term (chronic) aquatic hazard (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Sigma-Aldrich - 36969

Page 1 of 9



Hazard statement(s) H225 H332 H412	Highly flammable liquid and vapor. Harmful if inhaled. Harmful to aquatic life with long lasting effects.
Precautionary statement(s)	
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## SECTION 3: Composition/information on ingredients

## 3.1 Substances

Synonyms : trans-1,2-Dichloroethene

trans-Acetylene dichloride

Component	Classification	Concentration					
trans-Dichloroethylene							
	Flam. Liq. 2; Acute Tox. 4; Aquatic Acute 3; Aquatic Chronic 3; H225, H332, H402, H412	<= 100 %					

For the full text of the H-Statements mentioned in this Section, see Section 16.



### **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

### **General advice**

Consult a physician. Show this material safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Flush eyes with water as a precaution.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing media

Dry powder Dry sand

### Unsuitable extinguishing media

Do NOT use water jet.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Hydrogen chloride gas

### **5.3** Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

For personal protection see section 8.

Sigma-Aldrich - 36969

Millipore

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

### 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

### Advice on safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

## Advice on protection against fire and explosion

Use explosion-proof equipment. **Advice on protection against fire and explosion**Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

### **Hygiene measures**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Light sensitive. Air and moisture sensitive. Refrigerate before opening. Storage class (TRGS 510): 3: Flammable liquids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	
trans- Dichloroethylene	156-60-5	TWA	200 ppm	USA. ACGIH Threshold Limit Values (TLV)

## 8.2 Exposure controls

### **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Sigma-Aldrich - 36969

Millipore

### Personal protective equipment

### **Eve/face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

## **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical properties

Form: liquid, clear a) Appearance

Color: light yellow

b) Odor No data available

c) Odor Threshold No data available No data available d) pH

Melting point/range: -50 °C (-58 °F) - lit. e) Melting point/freezing point

Initial boiling point 48 °C 118 °F - lit. and boiling range

6.0 °C (42.8 °F) - closed cup q) Flash point

No data available h) Evaporation rate Flammability (solid, No data available i)

gas)

Upper/lower flammability or explosive limits

Upper explosion limit: 12.8 %(V) Lower explosion limit: 9.7 %(V)

k) Vapor pressure No data available Vapor density No data available

Sigma-Aldrich - 36969



m) Relative density No data available
n) Water solubility No data available
o) Partition coefficient: No data available n-octanol/water

p) Autoignition No data available temperature

q) Decomposition No data available temperature

r) Viscosity No data availables) Explosive properties No data availablet) Oxidizing properties No data available

## 9.2 Other safety information

No data available

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

Vapors may form explosive mixture with air.

### 10.4 Conditions to avoid

Heat, flames and sparks.

### 10.5 Incompatible materials

Oxidizing agents, Bases

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - 1,235 mg/kg LD50 Oral - Mouse - 2,122 mg/kg

Remarks: Behavioral: Altered sleep time (including change in righting

reflex).Behavioral:Somnolence (general depressed activity).Behavioral:Ataxia.

LC50 Inhalation - Rat - 24100 ppm

Remarks: Behavioral:Somnolence (general depressed activity).LC50 Inhalation - 4 h - 11

mg/l



LD50 Dermal - Rabbit - > 5,000 mg/kg

Remarks: Prolonged skin contact may cause skin irritation and/or dermatitis.

Nutritional and Gross Metabolic: Weight loss or decreased weight gain.

No data available

### Skin corrosion/irritation

Skin - Rabbit

Result: Skin irritation - 24 h

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Eye irritation

## Respiratory or skin sensitization

No data available

### Germ cell mutagenicity

No data available

## Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

### Reproductive toxicity

No data available No data available

## Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

### 11.2 Additional Information

RTECS: KV9400000

prolonged or repeated exposure can cause:, narcosis, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Kidney -

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Sigma-Aldrich - 36969

Millipore SigMa

Page 7 of 9

Toxicity to daphnia and other aquatic invertebrates

### EC50 - Daphnia magna (Water flea) - 220.00 mg/l - 48 h

### 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

## **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Contact a licensed professional waste disposal service to dispose of this material.

## Contaminated packaging

Dispose of as unused product.

### **SECTION 14: Transport information**

DOT (US)

UN number: 1150 Class: 3 Packing group: II

Proper shipping name: 1,2-Dichloroethylene

Reportable Quantity (RQ): 1000 lbs

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1150 Class: 3 Packing group: II EMS-No: F-E, S-D

Proper shipping name: 1,2-DICHLOROETHYLENE

**IATA** 

UN number: 1150 Class: 3 Packing group: II

Proper shipping name: 1,2-Dichloroethylene

## **SECTION 15: Regulatory information**

## **SARA 302 Components**

Sigma-Aldrich - 36969

Millipore

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312 Hazards

Fire Hazard

## **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

### **Pennsylvania Right To Know Components**

trans-Dichloroethylene

CAS-No. 156-60-5

Revision Date

1993-02-16

### **SECTION 16: Other information**

#### **Further information**

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.2 Revision Date: 04/18/2021 Print Date: 03/26/2022

