

SAFETY DATA SHEET

According to the Hazard Communication Standard, 29 CFR 1910.1200

JARYTHERM® DBT

Date of the previous version: 2016-05-10 **Revision Date: 2016-07-01** Version 1.01

1. IDENTIFICATION

Product identifier

SDS #: 31307

Product name JARYTHERM® DBT

Other means of identification

Product Code(s) 31307

FPW Number Substance/mixture Substance

Recommended use of the chemical and restrictions on use

Identified uses Heat transfer medium.

Do not use for any purpose other than the one for which it is intended Uses advised against

Details of the supplier of the safety data sheet

TOTAL Specialties USA Inc **Supplier Address**

1201 Louisiana Street, Suite 1800

Houston, TX 77002 Phone: +1 800 323 3198

Technical/ HSEQ **Contact Point**

E-mail Address USRMLIN-info@total.com

Emergency telephone number

+1 866 928 0789 (24h/24, 7d/7) **Emergency telephone**

+1 215 207 0061 (24h/24, 7d/7)

2. HAZARDS IDENTIFICATION

Classification

Aspiration toxicity - Category 1

Label elements



SDS #: 31307 JARYTHERM® DBT

Date of the previous version: 2016-05-10 Revision Date: 2016-07-01 Version 1.01



DANGER

May be fatal if swallowed and enters airways

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/ container to an approved waste disposal plant

Unknown Acute Toxicity

No information available

Hazards not otherwise classified (HNOC)

None known

Other information

Physical-Chemical Properties Contaminated surfaces will be extremely slippery.

Environmental properties Should not be released into the environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS-No	Weight %
Dibenzyltoluene	26898-17-9	90-100

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR

EMERGENCY MEDICAL CARE.



JARYTHERM® DBT

Date of the previous version:2016-05-10Revision Date:2016-07-01Version 1.01

Eye contact Rinse thoroughly with plenty of water, also under the eyelids.

Skin contact Remove contaminated clothing and shoes. Wash skin with soap and water. Wash

contaminated clothing before reuse.

High pressure jets may cause skin damage. In this case, the casualty should be sent

immediately to hospital.

Inhalation Move to fresh air.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

physician or Poison Control Center immediately.

Most important symptoms/effects, acute and delayed

Skin contactNot classified. High pressure injection of the products under the skin may have very serious

consequences even though no symptom or injury may be apparent.

Eye contact Not classified.

Inhalation Not classified. Aspiration into lungs can produce severe lung damage. Inhalation of vapors

in high concentration may cause irritation of respiratory system.

Ingestion May be fatal if swallowed and enters airways. If swallowed accidentally, the product may

enter the lungs due to its low viscosity and lead to the rapid development of very serious

pulmonary lesions (medical survey during 48 hours).

Symptoms Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Difficulty breathing. Coughing and/ or wheezing.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Carbon dioxide (CO₂). ABC powder. Foam. Water spray or fog.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

Special Hazard Incomplete combustion and thermolysis may produce gases of varying toxicity such as

carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may

be highly dangerous if inhaled in confined spaces or at high concentration.

Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Evacuate non-essential personnel.



JARYTHERM® DBT

Date of the previous version: 2016-05-10 Revision Date: 2016-07-01 Version 1.01

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

General Information Do not touch or walk through spilled material. Contaminated surfaces will be extremely

slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all

sources of ignition.

Other information See Section 12 for additional information.

Environmental precautions

General Information Do not allow material to contaminate ground water system. Try to prevent the material from

entering drains or water courses. Local authorities should be advised if significant spillages

cannot be contained. See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for cleaning up Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g.

sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for

disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling When using, do not eat, drink or smoke. For personal protection see section 8. Use only in

well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes

and clothing.

Prevention of fire and explosion Take precautionary measures against static discharges. Ground/bond containers, tanks

and transfer/receiving equipment.

Hygiene measuresEnsure the application of strict rules of hygiene by the personnel exposed to the risk of

contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do

not use abrasives, solvents or fuels. Do not dry hands with rags that have been

contaminated with product. Do not put product contaminated rags into workwear pockets.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage

conditions

Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical

contacts. Protect from frost, heat and sunlight. Protect from moisture.

Materials to Avoid Strong oxidizing agents.



SDS #: 31307 JARYTHERM® DBT

Date of the previous version: 2016-05-10 Revision Date: 2016-07-01 Version 1.01

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limits Mineral oil mist:

USA: OSHA (PEL) TWA 5 mg/m3, NIOSH (REL) TWA 5 mg/m3, STEL 10 mg/m3, ACGIH

(TLV) TWA 5 mg/m3 (highly refined).

Exposure controls

Engineering Measures Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

General Information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers. These recommendations apply to the product as supplied.

Eye/Face Protection If splashes are likely to occur, wear:. Safety glasses with side-shields.

Skin and body protection Wear suitable protective clothing. Protective shoes or boots.

Hand Protection Protective gloves.

Respiratory protection None required under normal usage. If exposure limits are exceeded or irritation is

experienced, NIOSH/MSHA approved respiratory protection should be worn.

Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local

regulations.

Hygiene measuresEnsure the application of strict rules of hygiene by the personnel exposed to the risk of

contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do

not use abrasives, solvents or fuels. Do not dry hands with rags that have been

contaminated with product. Do not put product contaminated rags into workwear pockets.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Appearance limpid

Color colorless To yellow

Physical State @20°C liquid

Odor Slight Aromatic



SDS #: 31307 JARYTHERM® DBT

Date of the previous version:2016-05-10Revision Date:2016-07-01Version 1.01

Odor Threshold No information available

Property Values Remarks Method

pHMelting point/rangeNot applicableNot applicable

Boiling point/boiling range No information available

Flash point 212 °C PMCC

414 °F PMCC.

Evaporation rate

No information available

No information available

Flammability Limits in Air

No information available

upperNo information availableLowerNo information availableVapor Pressure0.0000101 hPa@ 20 °C

Vapor density No information available

 Relative density
 1.043
 @ 20 °C
 ISO 3675

 Density
 1043 kg/m³
 @ 20 °C
 ISO 3675

Water solubility Practically insoluble Solubility in other solvents Soluble in many common

organic solvents

logPow 6.3 - 6.5 OECD 117

Autoignition temperature 500 °C 932 °F

Decomposition temperature> 520 °CViscosity, kinematic16.35 mm2/s@ 40 °CISO 3104

Explosive properties Not explosive Oxidizing Properties Not applicable

Possibility of hazardous reactions No information available

Other information

Freezing Point No information available

10. STABILITY AND REACTIVITY

Reactivity No information available.

<u>Chemical stability</u> Stable under recommended storage conditions.

Possibility of hazardous reactions
None under normal processing.

Conditions to Avoid Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

<u>Incompatible Materials</u> Strong oxidizing agents.

Hazardous Decomposition Products None under normal use. Incomplete combustion and thermolysis may produce gases of

varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes

and soot.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principle Routes of Exposure Inhalation, Ingestion, Eye contact, Skin contact.



JARYTHERM® DBT

Date of the previous version: 2016-05-10 Revision Date: 2016-07-01 Version 1.01

Symptoms Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Difficulty breathing. Coughing and/ or wheezing.

Skin contact Not classified. High pressure injection of the products under the skin may have very serious

consequences even though no symptom or injury may be apparent.

Eye contact Not classified.

Inhalation Not classified. Aspiration into lungs can produce severe lung damage. Inhalation of vapors

in high concentration may cause irritation of respiratory system.

Ingestion May be fatal if swallowed and enters airways. If swallowed accidentally, the product may

enter the lungs due to its low viscosity and lead to the rapid development of very serious

pulmonary lesions (medical survey during 48 hours).

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity - Product Information

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

Oral

ATEmix (oral) 10361 mg/kg

Dermal

ATEmix (dermal) 2001 mg/kg

Inhalation

ATEmix (inhalation-vapor) 20.1 mg/l

Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Dibenzyltoluene	> 10360 mg/kg (rat)	> 2000 mg/kg (rabbit)	LC0(4h) > 0.24 mg/L air
26898-17-9			(vapour-rat)

Sensitization Not classified as a sensitizer.

Carcinogenicity This product is not classified carcinogenic.

Mutagenicity This product is not classified as mutagenic.

Reproductive toxicityThis product does not present any known or suspected reproductive hazards.

Aspiration Hazard May be fatal if swallowed and enters airways.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Acute aquatic toxicity - Product Information



JARYTHERM® DBT

Date of the previous version:2016-05-10Revision Date:2016-07-01Version 1.01

No information available

Acute aquatic toxicity - Component Information

Chemical Na	me	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates	Toxicity to microorganisms
Dibenzyltolue 26898-17-9	-				EC10 > 1000 mg/l Pseudomonas putida

Chronic aquatic toxicity - Product Information

No information available

Chronic aquatic toxicity - Component Information

No information available

Effects on terrestrial organisms No information available.

Persistence and degradability

General Information No information available.

Bioaccumulative potential

Product Information No information available.

logPow 6.3 - 6.5

Component Information

Component information :				
	Chemical Name	log Pow		
Г	Dibenzyltoluene	6.3 - 6.5		
	26898-17-9			

Mobility

Soil Given its physical and chemical characteristics, the product has no soil mobility.

Air Loss by evaporation is limited

Water The product is insoluble and floats on water

Other adverse effects

General Information No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment



SDS #: 31307 JARYTHERM® DBT

Date of the previous version: 2016-05-10 Revision Date: 2016-07-01 Version 1.01

Waste Disposal Methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

MEX Not regulated

ICAO/IATA Not regulated

IMDG/IMO Not regulated

ADR/RID Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

following inventories:

U.S.A. (TSCA) Canada (DSL/NDSL)

Europe (EINECS/ELINCS/NLP)

Australia (AICS) Korea (KECL) China (IECSC) Japan (ENCS) Philippines (PICCS) New Zealand (NZIoC)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any



SDS #: 31307 JARYTHERM® DBT

Date of the previous version: 2016-05-10 **Revision Date: 2016-07-01** Version 1.01

chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

No information available

16. OTHER INFORMATION

Health Hazard 1 Flammability 0 Instability 0 Physical and chemical NFPA hazards -

HMIS Health Hazard 1 Flammability 0 Physical Hazard 0 Personal protection X

NFPA (National Fire Protection Association)

HMIS (Hazardous Material Information System)

Hazards are split into categories each with a 0 to 4 rating, 0 meaning no hazard and 4 meaning high hazard

Revision Date: 2016-07-01



JARYTHERM® DBT

Date of the previous version:2016-05-10Revision Date:2016-07-01Version 1.01

Revision Note *** Indicates updated section

Abbreviations, acronyms

ACGIH = American Conference of Governmental Industrial Hygienists

bw = body weight

bw/day = body weight/day

EC x = Effect Concentration associated with x% response

GLP = Good Laboratory Practice

IARC = International Agency for Research of Cancer

LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one half) of a group of test animals

LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals LL = Lethal Loading

NIOSH = National Institute of Occupational Safety and Health

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

NOEL = No Observed Effect Level

OECD = Organization for Economic Co-operation and Development

OSHA = Occupational Safety and Health Administration

UVCB = Substance of unknown or Variable composition, Complex reaction products or Biological material

Legend

Section 8

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH - National Institute for Occupational Safety and Health

TLV - Threshold Limit Values

PEL - Permissible Exposure Limits

IDHL - Immediately Dangerous to Life or Health concentrations

TWA - Time Weight Average

STEL - Short Term Exposure Limits

S* - Skin notation

TSCA - Toxic Substance Control Act

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the Safety Data Sheet