

Safety Data Sheet SIH6165.0
Date of issue: 11/20/2015 Version: 1.

**Enabling Your Technology** 

### **SECTION 1: Identification**

### 1.1. Identification

Product name : HEXYLDICHLOROSILANE

Product code : SIH6165.0
Product form : Substance
Physical state : Liquid
Formula : C6H14Cl2Si

Synonyms : DICHLOROHEXYLSILANE
Chemical family : ORGANOCHLOROSILANE

### 1.2. Recommended use and restrictions on use

Recommended use : Chemical intermediate

### 1.3. Supplier

### GELEST, INC.

11 East Steel Road Morrisville, PA 19067

**USA** 

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com

### 1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

# **SECTION 2: Hazard(s) identification**

### 2.1. Classification of the substance or mixture

# **GHS-US** classification

Flammable liquids Category 4 H227 Combustible liquid

Skin corrosion/irritation Category 1B H314 Causes severe skin burns and eye damage

Serious eye damage/eye irritation Category 1 H318 Causes serious eye damage

Full text of H statements : see section 16

# 2.2. GHS Label elements, including precautionary statements

### **GHS US labeling**

Hazard pictograms (GHS US)



Signal word (GHS US) : Danger

Hazard statements (GHS US) : H227 - Combustible liquid

H314 - Causes severe skin burns and eye damage

Precautionary statements (GHS US) : P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P210 - Keep away from heat, open flames, sparks. - No smoking.

P260 - Do not breathe vapors.

P264 - Wash hands thoroughly after handling.

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting

P303+P361+P353 - If on skin (or hair): take off immediately all contaminated clothing. rinse

skin with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a doctor

P321 - Specific treatment (see first aid instructions on this label)

P363 - Wash contaminated clothing before reuse.

P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide, dry chemical to

extinguish.

P403+P235 - Keep in a cool place

P405 - Store locked up.

P501 - Dispose of contents/container to licensed waste disposal facility.

# 2.3. Hazards not otherwise classified (HNOC)

Other hazards not contributing to the

classification

: Hydrogen chloride may be formed by reaction with water and moisture in air. The US OSHA PEL (TWA) for hydrogen chloride is 5 ppm.

Print date: 04/10/2019 EN (English US) SDS ID: **SIH6165.0** Page 1

# Safety Data Sheet

### **Unknown acute toxicity (GHS US)**

Not applicable

### **SECTION 3: Composition/Information on ingredients**

#### Substances

: Mono-constituent Substance type

Name : HEXYLDICHLOROSILANE

CAS-No. 871-64-7

Name	Product identifier	%	GHS-US classification
Hexyldichlorosilane	(CAS-No.) 871-64-7	97 - 100	Flam. Liq. 4, H227 Skin Corr. 1B. H314
			Eve Dam 1 H318

Full text of hazard classes and H-statements : see section 16

#### **Mixtures**

Not applicable

### **SECTION 4: First-aid measures**

## **Description of first aid measures**

First-aid measures general : Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek

medical advice immediately (show the label where possible). If possible show this sheet; if not

available show packaging or label.

First-aid measures after inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel

unwell, seek medical advice.

First-aid measures after skin contact : Wash with plenty of soap and water. Get immediate medical advice/attention.

Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if First-aid measures after eye contact

present and easy to do. Continue rinsing. Get immediate medical advice/attention.

Never give anything by mouth to an unconscious person. Get medical advice/attention if you First-aid measures after ingestion

feel unwell.

### Most important symptoms and effects (acute and delayed)

Symptoms/effects : Causes severe skin burns and eye damage.

Symptoms/effects after inhalation May cause irritation to the respiratory tract.

Symptoms/effects after skin contact Causes (severe) skin burns. Symptoms/effects after eye contact Causes serious eye damage. Symptoms/effects after ingestion May be harmful if swallowed.

#### Immediate medical attention and special treatment, if necessary 4.3.

No additional information available

# **SECTION 5: Fire-fighting measures**

#### Suitable (and unsuitable) extinguishing media 5.1.

Suitable extinguishing media : Alcohol-resistant foam. Carbon dioxide. Dry chemical. Use of high expansion foam (100:1) is

recommended to cover flames.

Unsuitable extinguishing media : Water.

# Specific hazards arising from the chemical

Fire hazard : Combustible liquid. Irritating fumes of hydrogen chloride and organic acid vapors may develop

when material is exposed to water or open flame.

## Special protective equipment and precautions for fire-fighters

: Exercise caution when fighting any chemical fire. Use only dry media to extinguish flames. Firefighting instructions Water spray or fog should only be used to knock down hydrogen chloride vapors in areas

downwind from the fire.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Avoid all eye and skin contact and do not breathe vapor and mist.

# **SECTION 6: Accidental release measures**

## Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges.

#### For non-emergency personnel 6.1.1.

Protective equipment : Wear protective equipment as described in Section 8.

: Evacuate unnecessary personnel. **Emergency procedures** 

Print date: 04/10/2019 EN (English US) SDS ID: SIH6165.0 2/7

# Safety Data Sheet

#### 6.1.2. For emergency responders

: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with Protective equipment

proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

### **Environmental precautions**

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams.

Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or Methods for cleaning up

shovel spills into appropriate container for disposal. Use only non-sparking tools.

### Reference to other sections

See Heading 8. Exposure controls and personal protection.

# **SECTION 7: Handling and storage**

### Precautions for safe handling

Additional hazards when processed : Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

: Avoid all eye and skin contact and do not breathe vapor and mist. Ground/bond container and Precautions for safe handling

receiving equipment. Provide good ventilation in process area to prevent accumulation of

vapors. Use only non-sparking tools.

Hygiene measures Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed. Keep in a cool place. Store locked up.

Incompatible materials Acids. Alcohols. Oxidizing agent.

Storage area Store in a well-ventilated place. Store away from heat.

## **SECTION 8: Exposure controls/personal protection**

### **Control parameters**

No additional information available

#### **Appropriate engineering controls** 8.2.

Appropriate engineering controls Provide local exhaust or general room ventilation.

### Individual protection measures/Personal protective equipment

### Personal protective equipment:

Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

## Hand protection:

Neoprene or nitrile rubber gloves

# Eye protection:

Chemical goggles or face shield. (Viton recommended). Contact lenses should not be worn

### Skin and body protection:

Wear suitable protective clothing

# Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified combination organic vapor/acid gas (yellow cartridge) respirator.

### **SECTION 9: Physical and chemical properties**

### Information on basic physical and chemical properties

Physical state : Liquid Appearance : Clear liquid. Molecular mass : 185.16 g/mol Color Straw.

Odor Acrid. Similar to hydrogen chloride.

Odor threshold : No data available

Print date: 04/10/2019 EN (English US) SDS ID: SIH6165.0 3/7

# Safety Data Sheet

Refractive index : 1.4393

pH : No data available
Relative evaporation rate (butyl acetate=1) : No data available
Melting point : No data available

Freezing point :  $< 0 \, ^{\circ}\text{C}$ Boiling point :  $172 - 175 \, ^{\circ}\text{C}$ Flash point :  $64 \, ^{\circ}\text{C}$ 

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Combustible liquid
Vapor pressure : No data available

Relative vapor density at 20 °C : > 1
Relative density : 1.021

Solubility : Reacts with water. Log Pow : No data available : No data available Log Kow Viscosity, kinematic No data available Viscosity, dynamic No data available Explosive properties No data available : No data available Oxidizing properties **Explosion limits** No data available

### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable in sealed containers stored under a dry inert atmosphere.

### 10.3. Possibility of hazardous reactions

Reacts with water and moisture in air, liberating hydrogen chloride. Platinum, platinum and iron salts and other Lewis acids can cause generation of flammable hydrogen gas in the presence of moisture.

### 10.4. Conditions to avoid

Heat. Open flame. Sparks.

### 10.5. Incompatible materials

Acids. Alcohols. Oxidizing agent.

### 10.6. Hazardous decomposition products

Hydrogen chloride. Organic acid vapors.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes severe skin burns and eye damage.

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
Specific target organ toxicity – single exposure : Not classified

Specific target organ toxicity - repeated

exposure

: Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and

symptoms

: NOTE: Material may form a siloxane polymer on the skin, eyes or in the lungs.

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.

Print date: 04/10/2019 EN (English US) SDS ID: SIH6165.0 4/7

# Safety Data Sheet

Symptoms/effects after skin contact : Causes (severe) skin burns.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : May be harmful if swallowed.

Reason for classification : Expert judgment

## **SECTION 12: Ecological information**

### 12.1. Toxicity

No additional information available

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Other adverse effects : This substance may be hazardous to the environment.

Effect on the ozone layer : No additional information available

### **SECTION 13: Disposal considerations**

### 13.1. Disposal methods

Sewage disposal recommendations : Do not dispose of waste into sewer.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to licensed waste disposal facility.

Ecology - waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

### 14.1. UN number

UN-No.(DOT) : 2987 DOT NA no. UN2987

# 14.2. UN proper shipping name

Transport document description : UN2987 Chlorosilanes, corrosive, n.o.s. (HEXYLDICHLOROSILANE), 8, II

Proper Shipping Name (DOT) : Chlorosilanes, corrosive, n.o.s.

(HEXYLDICHLOROSILANE)

Class (DOT) : 8 - Class 8 - Corrosive material 49 CFR 173.136

Packing group (DOT) : II - Medium Danger Hazard labels (DOT) : 8 - Corrosive



DOT Packaging Non Bulk (49 CFR 173.xxx) : 206

DOT Packaging Bulk (49 CFR 173.xxx) : 242

DOT Packaging Exceptions (49 CFR 173.xxx) : None

# 14.3. Additional information

Emergency Response Guide (ERG) Number : 156

Other information : No supplementary information available.

### Transport by sea

DOT Vessel Stowage Location : C - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

### Air transport

DOT Quantity Limitations Passenger aircraft/rail : Forbidden

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 30 L

CFR 175.75)

Print date: 04/10/2019 EN (English US) SDS ID: **SIH6165.0** 5/7

# Safety Data Sheet

# **SECTION 15: Regulatory information**

# 15.1. US Federal regulations

HEXY	LDICH	LOROSIL	_ANE (	871-64-7)
------	-------	---------	--------	-----------

TSCA Exemption/Exclusion

CAUTION: This material is supplied for research and development purposes subject to the R&D exemption under TSCA, 40 CFR 720.36, and must meet the requirements of the exemption, including supervision by a "technically qualified individual" as defined by 40 CFR 720.3(ee). The use of this material for "commercial purposes" as defined by 40 CFR 720.3(r) is not permitted in the United States.

### Hexyldichlorosilane (871-64-7)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2. International regulations

### **CANADA**

No additional information available

#### **EU-Regulations**

No additional information available

### **National regulations**

# Hexyldichlorosilane (871-64-7)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

### **SECTION 16: Other information**

### Full text of H-phrases::

	H227	Combustible liquid
[	H314	Causes severe skin burns and eye damage
	H318	Causes serious eye damage

### Abbreviations and acronyms

Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number, OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling; APF: Assigned Protection Factor.

# **Hazard Rating**

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is

Flammability 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F

but below 200 F. (Classes II & IIIA)

: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high **Physical** 

temperatures and pressures. Materials may react non-violently with water or undergo

hazardous polymerization in the absence of inhibitors.

Prepared by safety and environmental affairs.

Date of issue: 11/20/2015 Version: 1.0

SDS US (GHS HazCom 2012) - Custom


According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Print date: 04/10/2019 EN (English US) SDS ID: SIH6165.0 6/7

Safety Data Sheet

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2019 Gelest Inc. Morrisville, PA 19067



Print date: 04/10/2019 EN (English US) SDS ID: **SIH6165.0** 7/7