

# SAFETY DATA SHEET

Creation Date 29-Sep-2009 Revision Date 14-Feb-2020 Revision Number 3

## 1. Identification

Product Name Dicyclohexylamine

Cat No. : A15671

 CAS-No
 101-83-7

 Synonyms
 DCHA

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

#### Company

Alfa Aesar

Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757 **Email:** tech@alfa.com

www.alfa.com

## **Emergency Telephone Number**

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660.

After normal business hours, call Carechem 24 at (866) 928-0789.

# 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity

Category 3

Acute dermal toxicity

Category 3

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Specific target organ toxicity (single exposure)

Category 1

Category 3

Category 1

Category 3

Target Organs - Respiratory system.

#### Label Elements

#### Signal Word

Danger

#### **Hazard Statements**

Causes severe skin burns and eye damage May cause respiratory irritation Toxic if swallowed or in contact with skin

Revision Date 14-Feb-2020 Dicyclohexylamine



## **Precautionary Statements**

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

## Response

Immediately call a POISON CENTER or doctor/physician

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion

Rinse mouth

Do NOT induce vomiting

## Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Dicyclohexylamine	101-83-7	>95

## 4. First-aid measures

**General Advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Eye Contact** In the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Inhalation If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim

> ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh

air. Immediate medical attention is required.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation

Notes to Physician Treat symptomatically

## 5. Fire-fighting measures

Suitable Extinguishing Media Dry chemical. Dry sand. Alcohol resistant foam. CO 2, dry chemical, dry sand,

alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

**Flash Point** 103 °C / 217.4 °F

Method - No information available

Autoignition Temperature 240 °C / 464 °F

**Explosion Limits** 

**Upper** 4.6 vol % **Lower** 0.8 vol %

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Do not allow run-off from fire-fighting to enter drains or water courses.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO2). Nitrogen oxides (NOx).

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

**NFPA** 

Health	Flammability	Instability	Physical hazards
3	1	0	N/A

## 6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Evacuate

personnel to safe areas. Keep people away from and upwind of spill/leak.

**Environmental Precautions** Do not flush into surface water or sanitary sewer system. Do not allow material to

contaminate ground water system. Prevent product from entering drains. Local authorities

should be advised if significant spillages cannot be contained.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Un

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

## 8. Exposure controls / personal protection

**Exposure Guidelines** 

This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.

Engineering Measures Use only under a chemical fume hood. Ensure that eyewash stations and safety showers

are close to the workstation location.

Personal Protective Equipment

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

Physical State Liquid

Appearance Colorless - Light yellow

**Odor** Fishy

Odor Threshold
pH

No information available
11 1 g/l aq.sol

Melting Point/Range -2 °C / 28.4 °F

Boiling Point/Range 256 °C / 492.8 °F @ 760 mmHg

Flash Point 103 °C / 217.4 °F
Evaporation Rate No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

Upper 4.6 vol % Lower 0.8 vol %

 Vapor Pressure
 7.521 Pa @ 25°C

 Vapor Density
 6.25 (Air = 1.0)

Specific Gravity 0.910

Solubility0.8 g/l water (20°C)Partition coefficient; n-octanol/waterNo data availableAutoignition Temperature240 °C / 464 °FDecomposition TemperatureNo information availableVigerality7.3 mPa s @ 20°C

Viscosity 7.3 mPa.s @ 20°C Molecular Formula C12 H23 N Molecular Weight 181.32

## 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Incompatible products. Excess heat.

Incompatible Materials Strong oxidizing agents, Acids, Acid anhydrides, Acid chlorides, Chloroformates, Carbon

dioxide (CO2)

Revision Date 14-Feb-2020 Dicyclohexylamine

Hazardous Decomposition Products Carbon monoxide (CO<sub>2</sub>), Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NOx)

Hazardous polymerization does not occur. **Hazardous Polymerization** 

**Hazardous Reactions** None under normal processing.

## 11. Toxicological information

## **Acute Toxicity**

## **Product Information**

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Dicyclohexylamine	LD50 = 373 mg/kg (Rat)	>200 - <316 mg/kg (Rat)	>1.4 mg/L/6h (Rat)	

**Toxicologically Synergistic** 

**Products** 

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes burns by all exposure routes

Sensitization No information available

The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Dicyclohexylamine	101-83-7	Not listed				

**Mutagenic Effects** Not mutagenic in AMES Test

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

STOT - single exposure Respiratory system None known

STOT - repeated exposure

No information available **Aspiration hazard** 

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

## 12. Ecological information

#### **Ecotoxicity**

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

	Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
I	Dicyclohexylamine	Not listed	LC50: = 62 mg/L, 96h static	Not listed	EC50: 8 mg/L/48h
			(Brachydanio rerio)		
-					

Persistence and Degradability Persistence is unlikely

**Bioaccumulation/ Accumulation** No information available.

#### **Mobility**

. Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Dicyclohexylamine	3.5

## 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT

UN-No UN2565

Proper Shipping Name DICYCLOHEXYLAMINE

Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group III

TDG

UN-No UN2565

Proper Shipping Name DICYCLOHEXYLAMINE

Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group III

ATA

UN-No UN2565

Proper Shipping Name DICYCLOHEXYLAMINE

Hazard Class 8
Packing Group III

IMDG/IMO

UN-No UN2565

Proper Shipping Name DICYCLOHEXYLAMINE

Hazard Class 8
Packing Group III

## 15. Regulatory information

#### **United States of America Inventory**

Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
Dicyclohexylamine	101-83-7	X	ACTIVE	-

#### Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

#### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

	Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
ı	Dicyclohexylamine	101-83-7	X	-	202-980-7	X	X	Χ	Χ	KE-10270

## U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

**California Proposition 65** This product does not contain any Proposition 65 chemicals.

## U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Dicyclohexylamine	X	X	X	-	-

#### **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

**U.S. Department of Homeland** 

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade Slight risk, Grade 1

## 16. Other information

Prepared By Health, Safety and Environmental Department

Email: tech@alfa.com

www.alfa.com

 Creation Date
 29-Sep-2009

 Revision Date
 14-Feb-2020

 Print Date
 14-Feb-2020

**Revision Summary** SDS authoring systems update, replaces ChemGes SDS No. 101-83-7.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## End of SDS