

SAFETY DATA SHEET

Creation Date 07-May-2015

Revision Date 14-Feb-2020

Revision Number 3

1. Identification

Product Name Bismuth hydroxide nitrate oxide

Cat No. : 40476

CAS-No 1304-85-4
Synonyms Basic bismuth nitrate.; Bismuth hydroxide nitrate oxide

Recommended Use Laboratory chemicals.
Uses advised against Food, drug, pesticide or biocidal product use.
Details of the supplier of the safety data sheet

Company

Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech@alfa.com
www.alfa.com

Emergency Telephone Number

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660.
After normal business hours, call Carechem 24 at (866) 928-0789.

2. Hazard(s) identification**Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| | |
|--|------------|
| Oxidizing solids | Category 2 |
| Skin Corrosion/Irritation | Category 2 |
| Serious Eye Damage/Eye Irritation | Category 2 |
| Specific target organ toxicity (single exposure) | Category 3 |
| Target Organs - Respiratory system. | |

Label Elements**Signal Word**

Danger

Hazard Statements

May intensify fire; oxidizer
Causes skin irritation
Causes serious eye irritation
May cause respiratory irritation

**Precautionary Statements****Prevention**

Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection
Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area
Keep away from heat/sparks/open flames/hot surfaces. - No smoking
Keep/Store away from clothing/ other combustible materials
Take any precaution to avoid mixing with combustibles

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
Call a POISON CENTER or doctor/physician if you feel unwell

Skin

IF ON SKIN: Wash with plenty of soap and water
If skin irritation occurs: Get medical advice/attention
Take off contaminated clothing and wash before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
If eye irritation persists: Get medical advice/attention

Fire

In case of fire: Use CO₂, dry chemical, or foam for extinction

Storage

Store in a well-ventilated place. Keep container tightly closed
Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

| Component | CAS-No | Weight % |
|--|-----------|----------|
| Bismuth hydroxide nitrate oxide (Bi ₅ (OH) ₉ (NO ₃) ₄ O) | 1304-85-4 | >90 |

4. First-aid measures

General Advice

If symptoms persist, call a physician.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.

Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.

| | |
|--|---|
| Ingestion | Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur. |
| Most important symptoms and effects | None reasonably foreseeable. |
| Notes to Physician | Treat symptomatically |

5. Fire-fighting measures

| | |
|---|--------------------------|
| Unsuitable Extinguishing Media | No information available |
| Flash Point | Not applicable |
| Method - | No information available |
| Autoignition Temperature | Not applicable |
| Explosion Limits | |
| Upper | No data available |
| Lower | No data available |
| Oxidizing Properties | Oxidizer |
| Sensitivity to Mechanical Impact | No information available |
| Sensitivity to Static Discharge | No information available |

Specific Hazards Arising from the Chemical

May intensify fire; oxidizer. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood, paper, oil, clothing, etc.).

Hazardous Combustion Products

Heavy metal oxides. Nitrogen oxides (NO_x).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health
2

Flammability
0

Instability
0

Physical hazards
OX

6. Accidental release measures

| | |
|---|--|
| Personal Precautions | Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation. |
| Environmental Precautions | Should not be released into the environment. See Section 12 for additional Ecological Information. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system. |
| Methods for Containment and Clean Up | Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. |

7. Handling and storage

| | |
|-----------------|--|
| Handling | Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid ingestion and inhalation. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Keep away from clothing and other combustible materials. |
| Storage | Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near combustible materials. |

8. Exposure controls / personal protection

Exposure Guidelines

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Engineering Measures

None under normal use conditions. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/face Protection

Tight sealing safety goggles.

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection

No protective equipment is needed under normal use conditions.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

| | |
|--|--------------------------|
| Physical State | Powder Solid |
| Appearance | White |
| Odor | Odorless |
| Odor Threshold | No information available |
| pH | 3.2 @ 20°C 50 g/l aq.sol |
| Melting Point/Range | 500 °C / 932 °F |
| Boiling Point/Range | No information available |
| Flash Point | Not applicable |
| Evaporation Rate | Not applicable |
| Flammability (solid,gas) | No information available |
| Flammability or explosive limits | |
| Upper | No data available |
| Lower | No data available |
| Vapor Pressure | No information available |
| Vapor Density | Not applicable |
| Specific Gravity | No information available |
| Solubility | Insoluble in water |
| Partition coefficient; n-octanol/water | No data available |
| Autoignition Temperature | Not applicable |
| Decomposition Temperature | No information available |
| Viscosity | Not applicable |
| Molecular Formula | Bi5 H9 N4 O22 |
| Molecular Weight | 1461.99 |

10. Stability and reactivity

Reactive Hazard

Yes

Stability

Stable under normal conditions. Oxidizer: Contact with combustible/organic material may cause fire.

Conditions to Avoid

Incompatible products. Excess heat. Avoid dust formation. Combustible material.

Incompatible Materials

Reducing Agent, Combustible material, Strong reducing agents

Hazardous Decomposition Products Heavy metal oxides, Nitrogen oxides (NOx)

Hazardous Polymerization

Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Oral LD50 Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Dermal LD50 Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Mist LC50 Based on ATE data, the classification criteria are not met. ATE > 5 mg/l.

Component Information

Toxicologically Synergistic Products No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes, respiratory system and skin

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component | CAS-No | IARC | NTP | ACGIH | OSHA | Mexico |
|--|-----------|------------|------------|------------|------------|------------|
| Bismuth hydroxide nitrate oxide (Bi5(OH)9(NO3)4O) | 1304-85-4 | Not listed | Not listed | Not listed | Not listed | Not listed |

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure Respiratory system

STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects, both acute and delayed No information available

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|---|------------------|--|------------|------------|
| Bismuth hydroxide nitrate oxide (Bi5(OH)9(NO3)4O) | Not listed | LC50: > 137 mg/L, 96h static (Danio rerio) | Not listed | Not listed |

Persistence and Degradability Insoluble in water May persist

Bioaccumulation/ Accumulation No information available.

Mobility Is not likely mobile in the environment due its low water solubility.

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN1477
Proper Shipping Name NITRATES, INORGANIC, N.O.S.
Technical Name Bismuth hydroxide nitrate oxide (Bi5(OH)9(NO3)4O)
Hazard Class 5.1
Packing Group II

TDG

UN-No UN1477
Proper Shipping Name NITRATES, INORGANIC, N.O.S.
Hazard Class 5.1
Packing Group II

IATA

UN-No UN1477
Proper Shipping Name NITRATES, INORGANIC, N.O.S.
Hazard Class 5.1
Packing Group II

IMDG/IMO

UN-No UN1477
Proper Shipping Name NITRATES, INORGANIC, N.O.S.
Hazard Class 5.1
Packing Group II

15. Regulatory information

United States of America Inventory

| Component | CAS-No | TSCA | TSCA Inventory notification - Active/Inactive | TSCA - EPA Regulatory Flags |
|---|-----------|------|---|-----------------------------|
| Bismuth hydroxide nitrate oxide (Bi5(OH)9(NO3)4O) | 1304-85-4 | X | ACTIVE | - |

Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

| Component | CAS-No | DSL | NDL | EINECS | PICCS | ENCS | AICS | IECSC | KECL |
|---|-----------|-----|-----|-----------|-------|------|------|-------|----------|
| Bismuth hydroxide nitrate oxide (Bi5(OH)9(NO3)4O) | 1304-85-4 | X | - | 215-136-8 | X | X | X | - | KE-03350 |

U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

OSHA - Occupational Safety and Health Administration Not applicable

CERCLA Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|--|---------------|------------|--------------|----------|--------------|
| Bismuth hydroxide nitrate oxide (Bi5(OH)9(NO3)4O) | - | X | - | X | - |

U.S. Department of Transportation

Reportable Quantity (RQ): N

DOT Marine Pollutant N

DOT Severe Marine Pollutant N

U.S. Department of Homeland Security This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

16. Other information

Prepared By Health, Safety and Environmental Department
Email: tech@alfa.com
www.alfa.com

Creation Date 07-May-2015

Revision Date 14-Feb-2020

Print Date 14-Feb-2020

Revision Summary SDS authoring systems update, replaces ChemGes SDS No. 1304-85-4.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS