

Safety Data Sheet SIH5842.0

Date of issue: 10/05/2015 Revision date: 04/08/2019 Version: 1.2

#### **SECTION 1: Identification**

#### 1.1. Identification

Product name : (3-HEPTAFLUOROISOPROPOXY)PROPYLTRICHLOROSILANE

Product code : SIH5842.0
Product form : Substance
Physical state : Liquid

Formula : C6H6Cl3F7OSi

Synonyms : TRICHLORO(3-HEPTAFLUOROISOPROPOXY)PROPYLSILANE

TRICHLORO[3-[1,2,2,2-TETRAFLUORO-1-(TRIFLUOROMETHYL)ETHOXY]PROPYL]SILANE

Chemical family : ORGANOCHLOROSILANE

# 1.2. Recommended use and restrictions on use

Recommended use : Chemical intermediate

#### 1.3. Supplier

# **GELEST, INC.**

11 East Steel Road Morrisville, PA 19067

USA

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

# SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

# **GHS-US** classification

Flammable liquids Category 3 H226 Flammable liquid and vapor

Skin corrosion/irritation Category 1B H314 Causes severe skin burns and eye damage

Serious eye damage/eye irritation Category 1 H318 Causes serious eye damage

Full text of H statements : see section 16

# 2.2. GHS Label elements, including precautionary statements

# GHS US labeling

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US) : H226 - Flammable liquid and vapor

H314 - Causes severe skin burns and eye damage

Precautionary statements (GHS US) : P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P233 - Keep container tightly closed.

P210 - Keep away from heat, open flames, sparks. - No smoking.

P240 - Ground/Bond container and receiving equipment

P241 - Use explosion-proof electrical equipment

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P260 - Do not breathe vapors.

P264 - Wash hands thoroughly after handling.

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting

P303+P361+P353 - If on skin (or hair): take off immediately all contaminated clothing. rinse

skin with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a doctor

P321 - Specific treatment (see first aid instructions on this label)

P363 - Wash contaminated clothing before reuse.

P370+P378 - In case of fire: Use water spray, foam, carbon dioxide, dry chemical to extinguish.

P403+P235 - Keep in a cool place

P405 - Store locked up.

Print date: 04/10/2019 EN (English US) SDS ID: **SIH5842.0** Page 1

Safety Data Sheet

P501 - Dispose of contents/container to licensed waste disposal facility.

#### Hazards not otherwise classified (HNOC)

Other hazards not contributing to the classification

Hydrogen chloride may be formed by reaction with water and moisture in air. The US OSHA

PEL (TWA) for hydrogen chloride is 5 ppm.

#### Unknown acute toxicity (GHS US)

Not applicable

# **SECTION 3: Composition/Information on ingredients**

#### **Substances**

Substance type : Mono-constituent

Name (3-HEPTAFLUOROISOPROPOXY)PROPYLTRICHLOROSILANE

CAS-No. 15538-93-9

Name	Product identifier	%	GHS-US classification
Trichloro[3-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethoxy]propyl]silane	(CAS-No.) 15538-93-9	95 - 100	Flam. Liq. 3, H226
			Skin Corr. 1B, H314 Eve Dam. 1. H318

Full text of hazard classes and H-statements: see section 16

#### **Mixtures**

Not applicable

# **SECTION 4: First-aid measures**

#### **Description of first aid measures**

: Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek First-aid measures general medical advice immediately (show the label where possible). If possible show this sheet; if not

available show packaging or label.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel First-aid measures after inhalation

unwell, seek medical advice.

First-aid measures after skin contact Wash with plenty of soap and water. Get immediate medical advice/attention.

Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if First-aid measures after eye contact

present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion Never give anything by mouth to an unconscious person. Get medical advice/attention if you

feel unwell.

# Most important symptoms and effects (acute and delayed)

Causes severe skin burns and eye damage. Symptoms/effects

Symptoms/effects after inhalation May cause irritation to the respiratory tract.

Symptoms/effects after skin contact Causes (severe) skin burns. Symptoms/effects after eye contact : Causes serious eye damage. Symptoms/effects after ingestion : May be harmful if swallowed.

#### Immediate medical attention and special treatment, if necessary

No additional information available

# **SECTION 5: Fire-fighting measures**

# Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Foam. Carbon dioxide. Dry chemical.

Unsuitable extinguishing media : Water.

#### 5.2. Specific hazards arising from the chemical

Fire hazard : Flammable liquid and vapor. Irritating fumes of hydrochloric acid and organic acid vapors may

develop when material is exposed to water or open flame.

#### Special protective equipment and precautions for fire-fighters

: Exercise caution when fighting any chemical fire. Use water spray to cool exposed surfaces. Firefighting instructions

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

Avoid all eye and skin contact and do not breathe vapor and mist.

# **SECTION 6: Accidental release measures**

# Personal precautions, protective equipment and emergency procedures

General measures : Eliminate ignition sources. Use special care to avoid static electric charges.

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear protective equipment as described in Section 8.

**Emergency procedures** : Evacuate unnecessary personnel.

Print date: 04/10/2019 EN (English US) SDS ID: SIH5842.0 2/7

# Safety Data Sheet

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with

proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams.

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or

shovel spills into appropriate container for disposal. Use only non-sparking tools.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapors are flammable. Keep away from

heat/sparks/open flames/hot surfaces. - No smoking.

Precautions for safe handling : Avoid all eye and skin contact and do not breathe vapor and mist. Ground/bond container and

receiving equipment. Provide good ventilation in process area to prevent accumulation of vapors. Take precautionary measures against static discharge. Use only non-sparking tools.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof

electrical equipment.

Storage conditions : Keep container tightly closed. Store in a cool area. Store locked up.

Incompatible materials : Acids. Alcohols. Oxidizing agent.

Storage area : Store in a well-ventilated place. Store away from heat.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

No additional information available

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Provide local exhaust or general room ventilation.

# 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

#### Hand protection:

Neoprene or nitrile rubber gloves

# Eye protection:

Chemical goggles or face shield. Contact lenses should not be worn

# Skin and body protection:

Wear suitable protective clothing

# Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified combination organic vapor/acid gas (yellow cartridge) respirator.

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Clear liquid.
Molecular mass : 361.55 g/mol
Color : Straw.

Print date: 04/10/2019 EN (English US) SDS ID: **SIH5842.0** 3/7

# Safety Data Sheet

Odor : Acrid. Similar to hydrogen chloride.

Odor threshold : No data available

Refractive index : 1.371

pH : No data available
Relative evaporation rate (butyl acetate=1) : No data available
Melting point : No data available

Freezing point : < 0 °C

Boiling point : 85 - 88 °C @ 35 mm Hg

Flash point : > 25 °C

Auto-ignition temperature : No data available Decomposition temperature : No data available

Flammability (solid, gas) : Flammable liquid and vapor

Vapor pressure : < 5 mm Hg @ 25°C

Relative vapor density at 20 °C : > 1
Relative density : 1.497

Solubility : Insoluble in water. Reacts with water.

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosion limits : No data available

#### 9.2. Other information

No additional information available

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

No additional information available

# 10.2. Chemical stability

Stable in sealed containers stored under a dry inert atmosphere.

# 10.3. Possibility of hazardous reactions

Reacts with water and moisture in air, liberating hydrogen chloride.

# 10.4. Conditions to avoid

Heat. Open flame. Sparks.

# 10.5. Incompatible materials

Acids. Alcohols. Oxidizing agent.

# 10.6. Hazardous decomposition products

Hydrogen chloride. Organic acid vapors. Fluorinated organic vapors.

# SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes severe skin burns and eye damage.

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
Specific target organ toxicity – single exposure : Not classified

Specific target organ toxicity - repeated

exposure

: Not classified

Aspiration hazard : Not classified

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.

Print date: 04/10/2019 EN (English US) SDS ID: SIH5842.0 4/7

# Safety Data Sheet

Symptoms/effects after skin contact : Causes (severe) skin burns.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : May be harmful if swallowed.

Reason for classification : Expert judgment

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

## 12.5. Other adverse effects

Other adverse effects : This substance may be hazardous to the environment.

Effect on the ozone layer : No additional information available

# **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Sewage disposal recommendations : Do not dispose of waste into sewer.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to licensed waste disposal facility.

Additional information : Handle empty containers with care because residual vapors are flammable.

Ecology - waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

# 14.1. UN number

UN-No.(DOT) : 2986 DOT NA no. UN2986

#### 14.2. UN proper shipping name

Transport document description : UN2986 Chlorosilanes, corrosive, flammable, n.o.s. ((3-

HEPTAFLUOROISOPROPOXY)PROPYLTRICHLOROSILANE), 8 (3), II

Proper Shipping Name (DOT) : Chlorosilanes, corrosive, flammable, n.o.s.

 $((3\hbox{-HEPTAFLUOROISOPROPOXY}) PROPYLTRICHLOROSILANE)$ 

Class (DOT) : 8 - Class 8 - Corrosive material 49 CFR 173.136

Packing group (DOT) : II - Medium Danger
Hazard labels (DOT) : 8 - Corrosive
3 - Flammable liquid



DOT Packaging Non Bulk (49 CFR 173.xxx) : 206

DOT Packaging Bulk (49 CFR 173.xxx) : 243

DOT Packaging Exceptions (49 CFR 173.xxx) : None

# 14.3. Additional information

Emergency Response Guide (ERG) Number : 155

Other information : No supplementary information available.

# Transport by sea

DOT Vessel Stowage Location : C - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

Print date: 04/10/2019 EN (English US) SDS ID: **SIH5842.0** 5/7

# Safety Data Sheet

#### Air transport

DOT Quantity Limitations Passenger aircraft/rail : Forbidden

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 30 L

CFR 175.75)

# **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

#### (3-HEPTAFLUOROISOPROPOXY)PROPYLTRICHLOROSILANE (15538-93-9)

TSCA Exemption/Exclusion

Low Volume Exemption in accordance with 40 CFR 723.50(c)(1). Use of this substance is restricted to use in hydrophobic surface treatment. Anyone who intends to use this chemical substance for commercial purposes must comply with specific use restrictions and controls specified herein. This LVE limits site of manufacture of this substance to Gelest, Inc. unless otherwise approved by U.S. EPA

#### Trichloro[3-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethoxy]propyl]silane (15538-93-9)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2. International regulations

#### CANADA

No additional information available

#### **EU-Regulations**

# Trichloro[3-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethoxy]propyl]silane (15538-93-9)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### **National regulations**

No additional information available

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

# **SECTION 16: Other information**

#### Full text of H-phrases:

٠,,	a of 11 princeoon	
	H226	Flammable liquid and vapor
	H314	Causes severe skin burns and eye damage
	H318	Causes serious eve damage

Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling; APF: Assigned Protection Factor.

#### **Hazard Rating**

**Physical** 

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is

given

Flammability : 3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB & IC)

: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo

hazardous polymerization in the absence of inhibitors.

Prepared by safety and environmental affairs.

Date of issue: 10/05/2015 Revision date: 04/08/2019 Version: 1.2

Print date: 04/10/2019 EN (English US) SDS ID: **SIH5842.0** 6/7


Safety Data Sheet

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2019 Gelest Inc. Morrisville, PA 19067



Print date: 04/10/2019 EN (English US) SDS ID: **SIH5842.0** 7/7



11 E. Steel Road Morrisville, PA 19067

215-547-1015 phone 215-547-2484 fax www.gelest.com

# NOTICE OF TSCA USE RESTRICTIONS AND REQUIRED CONTROLS FOR SIH5842.0 (3-HEPTAFLUOROISOPROPOXY)PROPYLTRICHLOROSILANE

# Dear Customer:

The chemical product purchased, SIH5842.0 has been granted a Low Volume Exemption by the U.S. Environmental Protection Agency (EPA) under the Toxic Substances Control Act (TSCA) regulations (40 CFR 723.50). Any manufacturer or processor who intends to use this chemical substance for commercial purposes must comply with the specific use restrictions and controls specified as follows:

# **USE OF THIS CHEMICAL SUBSTANCE IS RESTRICTED TO**: Hydrophobic surface treatment

**CONTROLS:** Workers must use personal protection equipment to limit dermal and inhalation exposures as described in Section 8: Exposure Controls/Personal Protection of the Safety Data Sheet (SDS). These exposure controls include:

Hand protection: Impervious gloves (neoprene or nitrile rubber gloves) Eye Protection: Chemical goggles. Contact lenses should not be worn.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: Air-purifying respirator with organic vapor/acid gas cartridge.

**WASTE DISPOSAL:** Customer must rinse containers with solvent prior to disposal. Residues and wash solvents must be containerized for off-site disposal by incineration at licensed waste disposal facility. Do not release to publicly owned treatment works (POTW) via sewer or to surface waters.

If you have questions or need more information related to allowable use of this substance, contact Gelest Regulatory Affairs at 215-547-1015.

Best Regards,

Gelest, Inc.
Regulatory Affairs Department