

# SAFETY DATA SHEET

Version 6.4 Revision Date 08/20/2020 Print Date 10/27/2020

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 **Product identifiers**

Product name : Trifluoromethanesulfonic anhydride

**Product Number** : 91737

Sigma-Aldrich Brand CAS-No. : 358-23-6

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

#### 1.3 Details of the supplier of the safety data sheet

: Sigma-Aldrich Inc. Company

> 3050 Spruce Street ST. LOUIS MO 63103

**UNITED STATES** 

Telephone +1 314 771-5765 Fax +1 800 325-5052

1.4 **Emergency telephone** 

> 800-424-9300 CHEMTREC (USA) +1-703-Emergency Phone #

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Oxidizing liquids (Category 2), H272 Acute toxicity, Oral (Category 4), H302

Skin corrosion (Category 1B), H314

Serious eye damage (Category 1), H318

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Sigma-Aldrich - 91737 Page 1 of 10



Hazard statement(s) H272 H302 H314 H335	May intensify fire; oxidizer. Harmful if swallowed. Causes severe skin burns and eye damage. May cause respiratory irritation.	
Precautionary statement(s)		
P210	Keep away from heat.	
P220	Keep/Store away from clothing/ combustible materials.	
P221	Take any precaution to avoid mixing with combustibles.	
P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.	
P264	Wash skin thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	
P271	Use only outdoors or in a well-ventilated area.	
P280	Wear protective gloves/ protective clothing/ eye protection/ face	
D204 - D242 - D222	protection.	
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel	
D201 + D220 + D221	unwell. Rinse mouth.	
P301 + P330 + P331 P303 + P361 + P353	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.	
P303 + P301 + P333	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.	
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable	
	for breathing. Immediately call a POISON CENTER/ doctor.	
P305 + P351 + P338 +	IF IN EYES: Rinse cautiously with water for several minutes.	
P310	Remove contact lenses, if present and easy to do. Continue	
	rinsing. Immediately call a POISON CENTER/ doctor.	
P363	Wash contaminated clothing before reuse.	
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant	
	foam to extinguish.	
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.	
P405	Store locked up.	
P501	Dispose of contents/ container to an approved waste disposal	
	plant.	

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Reacts violently with water. Reacts violently with water.

# **SECTION 3: Composition/information on ingredients**

# 3.1 Substances

Formula :  $C_2F_6O_5S_2$ Molecular weight : 282.14 g/mol CAS-No. : 358-23-6 EC-No. : 206-616-8

Component	Classification	Concentration	
Perfluoromethanesulfonic anhydride			
	Ox. Liq. 2; Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; STOT SE 3; H272, H302, H314, H318, H335	<= 100 %	



#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

First aider needs to protect himself. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2) Dry powder

# Unsuitable extinguishing media

Foam Water

# 5.2 Special hazards arising from the substance or mixture

Nature of decomposition products not known.

Not combustible.

May not get in touch with: Water

Has a fire-promoting effect due to release of oxygen.

Ambient fire may liberate hazardous vapours.

# 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

# 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.



Sigma-Aldrich - 91737 Page 3 of 10

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

## 6.2 Environmental precautions

Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb® ). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Keep workplace dry. Do not allow product to come into contact with water.

Keep away from open flames, hot surfaces and sources of ignition.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Do not store near combustible materials.

Never allow product to get in contact with water during storage.

Moisture sensitive. Store under inert gas.

Storage class (TRGS 510): 5.1B: Oxidizing hazardous materials

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Ingredients with workplace control parameters**

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

# **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

## Personal protective equipment

#### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Sigma-Aldrich - 91737 Page 4 of 10



#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.7 mm Break through time: 480 min

Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 30 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

## **Body Protection**

protective clothing

# **Respiratory protection**

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### **Control of environmental exposure**

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid, clear

Color: colorless

b) Odor pungent

c) Odor Threshold No data availabled) pH No data available

e) Melting point: -82 °C (-116 °F) at 1,013.25 hPa - OECD Test

point/freezing point Guideline 102

f) Initial boiling point 81 - 83 °C 178 - 181 °F

and boiling range

g) Flash point No data availableh) Evaporation rate No data availablei) Flammability (solid, No data available

gas)

Sigma-Aldrich - 91737 Page 5 of 10



j) Upper/lower No data available

flammability or explosive limits

k) Vapor pressure 10 hPa at 20 °C (68 °F)

I) Vapor density 9.74 - (Air = 1.0)

m) Relative density 1.677 g/mL at 25 °C (77 °F)

n) Water solubility soluble

o) Partition coefficient: log Pow: < 0.3 at 25 °C (77 °F) - Bioaccumulation is not

n-octanol/water expected.

p) Autoignition No data available

temperature

q) Decomposition No data available temperature

r) Viscosity No data available

s) Explosive properties No data availablet) Oxidizing properties The substance or mixture is classified as oxidizing with the

category 2.

9.2 Other safety information

Relative vapor 9.74 - (Air = 1.0)

density

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No data available

# 10.2 Chemical stability

sensitive to moisture

# 10.3 Possibility of hazardous reactions

No data available

## 10.4 Conditions to avoid

Moisture.

#### 10.5 Incompatible materials

Water, Strong bases, Strong oxidizing agents, acids, Alcohols

#### 10.6 Hazardous decomposition products

Other decomposition products - No data available

Hazardous decomposition products formed under fire conditions. - Nature of decomposition products not known.

In the event of fire: see section 5



### **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## **Acute toxicity**

LD50 Oral - Rat - male - 1,012 mg/kg (OECD Test Guideline 401) Inhalation: No data available

Dermal: No data available

No data available

#### Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns. - 3 min - 1 h

(OECD Test Guideline 404)

## Serious eye damage/eye irritation

Causes serious eye damage.

# Respiratory or skin sensitization

No data available

#### **Germ cell mutagenicity**

Chromosome aberration test in vitro

Chinese hamster lung cells

Result: negative

In vitro mammalian cell gene mutation test

mouse lymphoma cells

Result: negative

Ames test

Escherichia coli/Salmonella typhimurium

Result: negative

(ECHA)

## Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

### Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Respiratory Tract

Acute oral toxicity - If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Acute inhalation toxicity - mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract, Inhalation may lead to the formation of oedemas in the respiratory tract.

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

Sigma-Aldrich - 91737 Page 7 of 10

#### **Additional Information**

Repeated dose toxicity - Rat - male and female - Oral - 28 Days - NOAEL (No observed adverse effect level) - 1,000 mg/kg

RTECS: Not available

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to fish static test LC50 - Oncorhynchus mykiss (rainbow trout) - > 100 mg/l

- 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic

static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h

(OECD Test Guideline 202)

invertebrates

Toxicity to algae

static test ErC50 - Pseudokirchneriella subcapitata - 48 mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria static test EC50 - activated sludge - > 1,000 mg/l - 3 h

(OECD Test Guideline 209)

## 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 0 % - Not readily biodegradable.

(OECD Test Guideline 301D)

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

# 12.6 Other adverse effects

Biological effects:

Harmful effect due to pH shift.

After hydrolysis acid effect on fish and plankton. Discharge into the environment must be avoided.



#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and loc No mixing with other waste. Handle uncleaned containers like the product See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# **SECTION 14: Transport information**

DOT (US)

UN number: 3098 Class: 5.1 (8) Packing group: II

Proper shipping name: Oxidizing liquid, corrosive, n.o.s. (Perfluoromethanesulfonic

anhydride)

Reportable Quantity (RQ): Poison Inhalation Hazard: No

**IMDG** 

UN number: 3098 Class: 5.1 (8) Packing group: II EMS-No: F-A, S-Q Proper shipping name: OXIDIZING LIQUID, CORROSIVE, N.O.S. (Perfluoromethanesulfonic

anhydride)

**IATA** 

UN number: 3098 Class: 5.1 (8) Packing group: II

Proper shipping name: Oxidizing liquid, corrosive, n.o.s. (Perfluoromethanesulfonic

anhydride)

# **SECTION 15: Regulatory information**

#### **SARA 302 Components**

This material does not contain any components with a section 302 EHS TPQ.

#### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## SARA 311/312 Hazards

Acute Health Hazard

#### **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

No components are subject to the Massachusetts Right to Know Act.

#### **Pennsylvania Right To Know Components**

Perfluoromethanesulfonic anhydride CAS-No. Revision Date 358-23-6

# **New Jersey Right To Know Components**

Sigma-Aldrich - 91737 Page 9 of 10

#### **SECTION 16: Other information**

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.4 Revision Date: 08/20/2020 Print Date: 10/27/2020

Sigma-Aldrich - 91737 Page 10 of 10